

C12-artikel -The Periodization of 4 and 6 Weeks Circuit Training and Age to Improve the Aerobic Endurance of Basketball

by Tomoliyus Tomoliyus

Submission date: 04-Jan-2020 09:30AM (UTC+0700)

Submission ID: 1239203201

File name: mprove_the_Aerobic_Endurance_of_Basketball_Beginner_Athletes.pdf (832.88K)

Word count: 5903

Character count: 32093

The Periodization of 4 and 6 Weeks Circuit Training and Age to Improve the Aerobic Endurance of Basketball Beginner Athletes

M. Rachmat Darmo Umar⁶⁹
 Postgraduate programe sport science
 Yogyakarta state University
 Yogyakarta,Indonesia
 rachmatdarmo@gmail.com

Tomoliyus
 Postgraduate programe sport science
 Yogyakarta state University
 Yogyakarta,Indonesia
 tomoliyus@yahoo.com

Abstract—This study aims to reveal: (1) the periodization 4 week and 6 week circuit and the aerobic endurance of basketball beginner athletes, (2) the periodization of 4 weeks and 6 weeks circuit training and age on the aerobic endurance of basketball beginner athletes, and (3) the interaction of the periodization of 4 weeks and 6 weeks circuit training on the age difference and the aerobic endurance of basketball beginner athletes. This research method was experimental with the factorial design of 2 x 2. The population was 52 basketball beginner athletes, aged 16 to 18 years old. A sample of 20 basketball beginner athletes was established using the random sampling technique. The instruments to measure the endurance ability was the multistage fitness. The data analysis technique used was two-way ANOVA at the significance level of $\alpha = 0.05$. The results of the research are as follows. (1) There is a significantly different effect of 4 weeks and 6 weeks circuit training on the aerobic endurance (calculated $F = 10.258$ while the value of significance p of 0.001). Because of the value of significance p of $0.001 < 0.05$, there is a significant difference between 4 and 6 weeks circuit exercises. (2) There is a significantly different effects between 4 weeks and 6 weeks circuit training on the athletes age 16 and 18 on the aerobic endurance with F count = 8043.2 while the value of the significance p of 0.000, with the value of the significance p of $0.000 < 0.05$ which means there is a significant difference between 4 weeks and 6 weeks circuit training and the age and the aerobic endurance. (3) There is an interaction between 4 weeks and 6 weeks circuit training and the age at the significance level of calculated $F = 16.426$ while the value of significance of $0.000 < 0.05$ proved the absence of interaction that is significant between the 4 weeks and 6 weeks circuit training and the age.

Keywords—periodization, age, endurance, basketball introduction

⁶⁵ I. INTRODUCTION

Basketball is a sport that requires high levels of concentration and skill. According to [18], in accordance with its characteristics, basketball is an intense, strong, fast, and aggressive sport, hence requiring very good endurance. [7] also argues that the endurance of basketball athletes requires dominant abilities such as strength and speed. In order to support an intense sport such as basketball, athletes must first increase their aerobic endurance [1].

⁶⁴ Aerobic endurance is the most basic quality in basketball, as basketball is a group sport that requires every player to be

in harmony in order to sustain the game [27]. Whereas according to [11], the aerobic endurance of an athlete must be tailored to their physiology. Therefore, two training methods were devised, first of which involves increasing the athlete's physiology to maximize their physical conditions in accordance to their respective sporting fields [7]. Circuit training is especially effective in increasing one's aerobic endurance [39]

Circuit training consists of several posts, in which athletes perform a predetermined set of movements. In its essence, every method that trains endurance must not veer too far off its intended purpose. The program will help increase an athlete's endurance, strength, and speed, with visible results for ages 16 years and above [3]. Circuit-based training programs performed at this age are effective for increasing muscle, cardiovascular, agility, and endurance [41]. This is in line with [6] who states that 16-18 is the best age for physical training programs, where we can determine which strenuous or light programs are best. Moreover, people in this age group can start specializing their training for their respective sporting fields. One way to achieve this is through training periodization.

Periodization is the systematic planning of athletic or physical training. The aim is to reach the best possible performance in the most important competition of the year. It involves progressive cycling of various aspects of a training program during a specific period [7]. An effective periodization of exercises is two or three times per week which allows for an effective training that significantly improves the strength, speed, agility, flexibility, and cardiovascular endurance of an athlete, where results are visible in the first 4th and 6th week [22].

A four-week circuit training that follows procedure significantly improves lower and upper strength and endurance [10]. Therefore, a four-week circuit training program is great for preparing novice athletes or a general pre-training periodization before a match [7]. By implementing this four-week circuit training regime, one can expect to see an increase in their endurance and strength, where the body adapts to specific techniques and tactics based on physiological response. On the other hand, [30] believes that a good training program for general pre-match periodization is best performed for six weeks through circuit training. In other words, it is proven that a four and six-weeks

circuit training improves cardiovascular, endurance, making it the perfect training regime for pre-match preparation. Therefore, coaches hold a crucial role in devising and scheduling the appropriate training regime for their athletes by taking into account the age of their athletes, where endurance, strength, and flexibility varies from athlete to athlete [7].

II. RELATED WORKS/LITERATURE REVIEW

Endurance is observed through muscle performance, which is the ability of the muscle/muscle group to perform within a certain duration. Observed from an energy system point of view, it is the ability of internal organs to perform within a certain duration. Endurance is also referred to as a self-defense control by utilizing oxygen to ensure in-game performance; better endurance equals to better performance [31].

Good endurance is the basic human ability to perform physical activities, be it high or low duration activities. In a basketball game, one must have great endurance to support his or her performance in-game. Training must start in a gradual manner, starting with low intensity and moving up as time passes to ensure improvement and avoid fatigue. This method allows athletes to gradually improve their speed, agility, explosive power, maximum strength, and endurance, with the latter a key requirement in basketball [33]. Great endurance will help the athlete to complete other programs in the future [12]. Having great endurance will greatly improve muscle strength. Endurance training does not only positively impacts physique in adults, but also psychological development in children [35]. Increased physical fitness not regardless of the presence of exercise program applied to improve physical ability in order to sustain the game or sports in the field will affect the cells of the body become more better [36]. Endurance gained from training is beneficial for an athlete's cardiovascular endurance and strength, therefore making them healthier [7]. The intensity of training for every novice athlete will greatly affect their development, hence it requires their muscle and inner organs to adapt to said training. Through training, the improvements in pulmonary and cardiovascular functions help greater blood flow which in turn increases the athlete's energy output and efficiency in energy consumption. These improvements can be categorized and observed on an age basis [8].

The earliest endurance development occurs between the age of 15-17 due to juvenile muscle development. Training at this age significantly develops upper and lower muscles [37]. An athlete's endurance reaches maturity when it meets their respective sporting fields' standards, be it team based sports or individual sports. One must train repeatedly beforehand to meet these standards [7]. This maturity will enhance one's ability in their respective sports, such as increasing their striking speed and agility in the face of an opponent. Such will also improve an athlete's strength and speed; both dominant features in high endurance [7].

High endurance training aims to maximize muscle fibers. High endurance training is also very suitable to perform in football, basketball, and rowing or in sports that requires non-stop movement due to repetitive muscle movements [7]. The target in each training program requires the body to adapt to the training. That is why a high-level training

program is effective when adjusted to the body's ability in advance. Jumping straight to high intensity training will result in injuries, therefore this gradual increase applies to female and male athletes alike. Training periodization intends to adjust the level of training to the athletes' bodily responds, with the hope that it will increase their ability during the course of the periodization (Bompa, 2000: 152).

Periodization in this context is a preparation period for a competition. Periodization here is a weekly exercise that is prepared for each stage of repetition used to improve the ability of athletes, especially novice athletes and tailored to the response of the body in preparation for the planning of an exercise program. The periodization of exercise is a powerful and very effective tool for improving the body's response to adaptation [9].

Periodization is done with several stages to improve the ability of athletes who are prepared to face competition or improve the response of the body in accordance with the training program [9] training periodization for enhancing the following abilities:

1. Anatomical adaptation (AA) is done both to athletes who have been trained and not trained to adapt the body with the exercise program that has been given.
2. Hypertrophy (H) are stages of training tailored to the goals to be achieved in a prepared training program.
3. Maxed training (MT) are stages of training conducted with a variety of exercise programs using the periodization and improvement of the ability and response of the body in accordance with the exercise program.
4. Maximum strength (MXS) Maximum capability increases with length of training performed to improve skill and muscle density trained.
5. Muscle definition (MD) training program that is prepared based on this periodization with the aim to burn fat in the body to improve posture so that it is easier for athletes to adapt to the prepared training program.
6. Transition (T) rest periods that run during the training program on the run or also the race that run.

Periodization for training programs is an effective program to shape personalized workouts better and gradually increase according to the response of the body with different programming plans to suit the needs of the sports that are occupied [9]. Sports that are in both the sport of individual and group periodization of training in this regard is inseparable from the initial ability to improve strength, speed, coordination requires good endurance capability, endurance ability in the sport is divided into two parts namely aerobic endurance and anaerobic endurance.

It can be concluded that the ability of endurance is the ability of a person to take advantage of oxygen in the conduct of the movement be it with low intensity or ed ability good durability very influential on the performance of the athlete and therefore the ability good durability that athletes tunggal or the athlete's team is very important for tingaktakan to support the techniques and tactics that have been trained, durability in the be of endurance aerobic and endurance anaerobic.

Aerobic endurance is very effective in group games where in group games it will be very effective to help keep stability of heart rate and oxygen [9], improve the ability of aerobic endurance especially in highly effective group exercise by doing circuit training exercises will enhance the strength and speed of basketball athletes in line with previous thinking according to [23] aerobic endurance capability in group games is needed to improve the ability of endurance in order to maintain the stability of muscle strength, speed, and endurance an doing circuit training exercises. According to [25] if it has good aerobic ability well then it will maintain the stability of the body, muscle performance will be better and more stable when doing good body movement in terms of high intensity According [24] has a good aerobic ability will be very helpful what when doing a high body activity aerobic ability will remain awake body composition, heart rate and impact on health for the better. for that what if a good ability to have a good exercise program and adequate to improve the ability of endurance aerobic [32] training program to get a good aerobic endurance ability must be adjusted with the characteristics or with physical conditions athlete in order to obtain the aerobic endurance capability expected [2]. what aerobic endurance capability has improved when the anaerobic endurance capability also gets better.

The ability of endurance aerobic said to be good when someone can maintain the stability of the kinarja muscle in setiab perform the movement with either high intensity or low to maintain the ability to condition the body to perform movements that match with the characteristics or the branch sports field, what if the ability of endurance aerobic suda stable with so intensity ;atihan can be tinkatkan to improve the ability of endurance anaerobic.

Anaerobic endurance is a high intensity movement not only for individual sports requiring high-intensity movements in football sports such as soccer and basketball, but also in high intensity need for the role of trainer to design programs to train anaerobic ability to improve [17] high-intensity sports such as sprinter sprinters and the likes of soccer and basketball strongly need the ability to do so in order to train anaerobic abilities of a knowing trainer and exercise goals and physiological characteristics [16] training program to improve anaerobic ability first requires adaptation of anatomy body to familiarize the body with the exercise so as not to happen anymore injury to the program long term is very important to note the adaptation of anatomy [28], in line with it According to [38] adaptation of body anatomy or target muscles are trained very important in giving treatment to strengthen it so muscles become accustomed and become better because of the treatment given to the muscles to be trained.

High-intensity exercise programs in certain sports greatly require anaerobic ability to support athlete's game in the field, games that require concentration such as basketball games require good co-ordination skills to control the movement to be performed, coordination plays an important role in any movement either movement with low or high intensity to be effective and efficient [34], Confidence and character are seen on the basis of excellent ability to train anaerobic endurance skills ranging in age from 16 to 18 years of age from 16-18 muscle abilities have started well and can be used for high intensity exercise program, The program for

anaerobic training should not be conducted according to the will of the trainer, but in line with the athlete's mood. If the athletes' mood is great, the training program to increase anaerobic performance will be more successful [13]. In line with previous research [42], aerobic and anaerobic power training programs are inseparable from increasing dominant forces to improve athlete's ability, therefore mood is also critical in enhancing these capabilities.

III. METHODS

This research implements 2x2 factorial design [14] with population consisting of novice basketball athletes age 16 and 18 with a 1 year training experience and employing ANOVA two-way statistics test with a significance level of 0.05 for measuring multistage fitness. The design can be seen in table 1.1.

TABLE I. DESIGN FACTORIAL

Age (B)	Circuit training program (A)	
	4-week circuit training for age 16 (A1)	6-week circuit training for age 18 (A2)
Age 16 (B1)	(A1B1)	(A2B1)
Age 18 (B2)	(A1B2)	(A2B2)

Explanation

- A1 : 16-year-old circuit training
- A2 : 18-year-old circuit training
- B1 : 16-year-old athletes
- B2 : 18-year-old athletes
- A1B1 : (age-group 16) 5 people given the treatment of circuit training
- A2B1 : (age-group 18) 5 people given the treatment of circuit training
- A1B2 : (age-group 16) 5 people given the treatment of circuit training
- A2B2 : (age-group 18) 5 people given the treatment of circuit training

IV. RESEARCH PROCEDURE


- a. Observe the would-be site of the research in GMC Cirebon basketball club by using samples within the age 16 and 18 years.
- b. Determine which sample to be used in the study
- c. After the samples are obtained, they are randomized
- d. Provide initial test measurements to determine the athletes' ability
- e. Giving tread man for 4 weeks and 6 weeks The research data are pretest and posttest data which are general descriptions of each related variables in the research. The study was conducted on basketball athletes. Pretest data collection was conducted on Wednesday, February 21, 2018 while posttest data retrieval was conducted on Wednesday, March 24 (4 weeks) and Wednesday 10 April (6 weeks) 2018 at 4 PM. Treatments were carried out as much as 12 x exercises (4 weeks) and 18 x exercises (6 weeks), with the same frequency of 3 meetings per-week, every Tuesday, Thursday and Saturday. The following are pre-test and posttest aerobic endurance results by testing pre-program and post-program aerobic endurance.

V. PARTICIPANTS

The research participants were novice athletes from GMC Cirebon with an age of 16 and 18, in which athletes within the age 16 were given 4 weeks of training whereas athletes within the age of 18 were given 6 weeks of training. There were thirty (30) 16-year-old consisted of 14 male athletes and 16 female athletes, and twenty-two (22) 18-year-old athletes consisted of 12 male athletes and 10 athletes. 4 weeks training is represented as (A1B1), 6 weeks training is symbolized as (A2B1), 4 weeks of training is symbolized as (A1B2), and 6 weeks training is symbolized as (A2B2).

VI. MEASUREMENT METHOD

TABLE II. THIS RESEARCH IMPLEMENTS MULTISTAGE FITNESS TEST TO MEASURE THE AEROBIC ENDURANCE OF NOVICE BASKETBALL ATHLETES



[26] Validitas 0,975 and nilai reliabilitas 0,84, meanwhile, according to [15] Validitas 0,93 and Reliability 0,87

The purpose of this test is to measure how the athletes' aerobic endurance develop over the course of the training program. Testing equipment for multistage fitness are: a flat field, measuring tape, cones, speakers, beep test audio, and assessment sheets.

1. Statistical data analysis

TABLE III. DESIGN DATE ANALYSIS STATISTICAL

Usia	Endurance aerobic	N	Statistic	Pretest	posttest
Usia 16	4-week circuit training Periodization (A1B1)	5	Sum	211.6	237.3
			Mean	41.86	47.46
			SD	7,6	8.8
	6-week circuit training Periodization (A2B1)	5	Sum	20.9	209.3
			Mean	40,22	40,72
			SD	47	5.8
Usia 18	4-week circuit training Periodization (A1B2)	5	Sum	201.1	203.6
			Mean	38,64.	41,6
			SD	1.5	1.1
	6-week circuit training Periodization (A2B2)	5	Sum	188.9	192.5
			Mean	37.78	38.51
			SD	2.3	2.4

56

The results of the counting Statistics of pre test and post test endurance aerobic periodization 4 week and 6 week circuit training with the age of 16 and 18 Ease of Use.



Fig. 1. Block diagram Chart of the average aerobic endurance of athletes age 16 and 18

Based on the pretest and posttest results, there are significant difference between athletes in the 16 and 18 age groups. Athletes age 16 years with 4-week training periodization have an average score of 47.46, and 41.86 for those in the 6-week training periodization. On the other side of the spectrum, the 4-week training periodization have an average score of 38,78 and 36,51 for those in the 6-week training periodization. The following is the normality test for age group 16 and 18:

2. Research Results

- a. Hypothesis: 4-week and 6-week circuit training periodization yielded different results in the aerobic endurance of novice basketball athletes.

TABLE IV. THE EFFECT OF DIFFERENCES IN 4 WEEK AND 6 WEEKS CIRCUIT TRAINING

Source	Type III Sum of Squares	Df	Mean Square	F	Sig
Training metod	76.206	1	76.206	17.258	0.001

From the ANOVA test result in table 4.1, it can be seen that F arithmetic = 17.258 and p significance value equal to 0.001, Because p significance value is equal to 0.001 > 0,05, H0 was rejected. Hence there is a difference in the effects of 4-week and 6-week circuit training on the aerobic endurance of novice basketball athletes. Based on the results of the analysis, 4-week circuit training method is better than the 6-week exercise. The 4-week training method yielded an endurance value of 47.46, whereas age-group 18 with 6-week training yielded an endurance value of 38.5 with seconds of differences. This indicates that the research hypothesis (H1) which states that "there is difference in the effects of 4-week and 6-week circuit training on the aerobic endurance of basketball athletes" is accepted.

- b. Hypothesis: Age difference in the 4-week and 6-week circuit training periodization yielded different results in the aerobic endurance of novice basketball athletes.

TABLE V. AGE-GROUP 16 AND 18 CIRCUIT TRAINING ON AEROBIC ENDURANCE

Source	Type III Sum of Squares	Df	Mean Square	F	Sig
Age	127.008	1	127.008	28.764	0.000

From the ANOVA test result in table 4.2, it can be seen that F arithmetic = 28.754 and p significance value equal to 0.000. Because p significance value is equal to $0.000 < 0.05$, H_0 was rejected. Based on this result, there was a significant difference in the effects age on the aerobic endurance of novice basketball athletes. Based on the results of the analysis, athletes within the age of 16 yielded better results than their 18-year-old counterparts. After the 4-week and 6-week training, 16-year-old athletes yielded different values with an average of 25.04. This indicates that the research hypothesis (H_1) which states that "there is a significant difference in the effects of 4 weeks and 6 weeks aerobic endurance between the age of 16 and 18" is accepted.

- c. There was an interaction of periodization 4 week and 6 week circuit training with age on the ability of endurance aerobic Athletes basketball beginners

Endurance aerobic	Type III Sum of Squares	Df	Mean Square	F	Sig
Kelompok latihan * usia	72.532	1	72.532	16.426	0,000

From the results of the ANOVA test in table 4.3 above, it can be seen that the group exercise F calculate = 16.426 0.000 significance < 0.05 As the significance value of F count 16.426 while the p of $0.000 < 0.05$, mean H_0 is rejected. By this means the hypothesis which states "there is a significant interaction between exercises (4 weeks and 6 weeks) and aged (16 and 18) towards the ability of endurance aerobic athletes basketball beginners" H_0 is rejected, based on this means the hypothesis which states there is a significant interaction between exercise group with age (16 and 18) on the ability of endurance athletes basketball beginner H_1 in thank

3. Discussion

Discussion of the results of this research provides further interpretation of the results of the data analysis that has been put forth. Based on the hypothesis testing, the research yielded three group of conclusion analysis: (1) there are differences in effects of the training program; (2) there is a significant difference in the effects of training factors and

age 16 and 18 years in the research; and (3) there was a significant interaction between the 4 weeks and 6 weeks of training routines with the age of the athletes. Discussion on the results of the analysis can be as follows:

Based on the hypothesis test, it is known that 4 weeks and 6 weeks circuit training has a significant effect on aerobic endurance based on exercise group and age. There is a significant difference due to the significance value of $p = 0.001 < 0.05$. The results also showed that the 4-week circuit training is better than the 6-week circuit training for basketball athletes' aerobic endurance.

According to [20], set based training programs that are adjusted to the characteristics, circuit training in particular, helps build blood and oxygen flow. Circuit training with its number of posts helps athlete improve their endurance and are very suitable for improving strength and endurance in novice athletes. All of which are in line with [6] The relationship of 4-week and 6-week exercise circuit with the athlete's age are as follows:

The resulting aerobic endurance from the circuit training that are grouped based on the age and training group using 4-week and 6-week circuit training are different due to the p significance value of $p = 0.000 < 0.05$, in which based on the age group there is a significant difference due to $p = 0.000 < 0.05$. Training programs undertaken for enhancing the ability of athletes from two training age-group, utilizing rest periods for strength recovery, requires periodization over an extended period of time to maximize the athletes' power. Seen from the intensity and length of the training program, athletes in age-group 16 are more dominant in increasing their maximum potential compared to their 18-year-old counterpart.

Circuit training that are implemented on athletes within the age of 16 over a long period will yield better aerobic endurance [4]. [21] agreed with this notion, stating that training programs with an intensity of 3 sessions per-week over a period of 4 weeks can improve muscle endurance, fitness, and cardiovascular endurance. Hence it is crucial for coaches to adjust their training programs to the age group of their novice athletes in order to effectively improve their aerobic endurance.

This research concludes that there is an interaction between the aerobic endurance of novice athletes and circuit training (4 and 6 weeks of training in correlation to the age of the athletes). The p value of $p = 0.000 < 0.05$ indicates that the main factors in this research show a significant interaction, therefore the effectiveness of circuit training is affected by the age of the athletes and the length of the training itself [40]. In many sporting fields, especially basketball, athletes must maintain their aerobic endurance, be it lower or upper muscle endurance, to better compete in real-world matches. By implementing short-term circuit training, athletes cannot only improve their aerobic endurance, but also their cardiovascular endurance, as well as lower and upper muscle strength. This endurance is important in short-patterned sports such as basketball where short term training improves aerobic endurance and cardiovascular endurance [5]. Endurance training will be much more effective and show more significant improvements in an athlete's strength and ability to

withstand exhaustion if the training is implemented starting from the novice level all the way up to advanced level [29]

VII. CONCLUSIONS

1. There is a difference periodization exercise 4 weeks and 6 weeks against the aerobic endurance athlete basketball beginners.
2. There is a difference between the age of 16 years and 18 years against the aerobic endurance athlete basketball beginners.
3. The interaction between periodization training (4 weeks and 6 weeks) to age (16 years and 18 years) to aerobic endurance athletes basketball beginners

REFERENCES

- [1] A. Vrachimis^{1,2}, M. Hadjicharalambous^{2*}, C. Tyler¹. The Effect of Circuit Training on Resting Heart Rate Variability, Cardiovascular Disease Risk Factors and Physical Fitness in Healthy Untrained Adults. *scientific research publishing. Health*, 2016. 8, 144-155.
- [2] A. McCormick, C. Meijen & S. Marcora. Psychological demands experienced by recreational endurance athletes. *International Journal of Sport and Exercise Psychology*. 2016 03 Nov 17
- [3] Anuratha. Mrs. Gandhi Dr. Effect of Circuit Training on Agility Among Rural School Children OF Ram Nagar Distric In The age Goup OF 15 And 16 Rural Years. 2014 *Start Reserch jurnal. Star. Phy. Edn. 08*
- [4] Arun B Dr. Mahadevi Bharathi. Effect of low volume circuit training on lower body muscular endurance in collegiate women. *International Journal of Yoga, Physiotherapy and Physical Education. Volume 2, Issue 4, July; Page No. 99-101. 2017.*
- [5] Balasubramaniana CM. & Dr. B. Chittibabu Effect Handball specific aerobic training on capacity and maximum exercise heart rate of male handball players. *International Journal of Physical Education, Fitness and Sports*. Vol.3.No.2 | June. 2014
- [6] T. O. Bumpa. Total Training for young champions. york University *Human kinetics*. 2000
- [7] T. O. Bumpa, H. G. Gregory. Theory and methodology of training *human kinetics*. 2009
- [8] T. O. Bumpa, M. Carera. Conditionong Young Athletes. *Human Kinetics* 2015
- [9] T. O. Bumpa, P. Di Mauro, Cornacchia Lorenzo J. Serious Strenght Training Third Edition. *Human Kinetics*. 2013
- [10] C. B. Clark. "Assement of 4 Weeks OF p90 Training on Muscular Strenght and Endurance, Anaerobic Power, and Body Composition," *Middle Tennessee State University August* 2014
- [11] Chittibabu, B and Akilan, N. (2013) Effect of Sports Specific Endurance Circuit Training on Peak Anaerobic Power and Aerobic Power of High School Male Basketball Players during Competitive Season. *International Journal of Current Advanced Research Vol. 2, Issue, 1, pp. 48 - 50, 8, 2013*
- [12] D. M. Patil, Satish Mali², Shivraj P. Manaspure³, Jayashree V. Gadkari⁴. Physical fitness index as a measure of cardiovascular endurance in swimmers and nonswimmers. *International Journal of Biomedical and Advance Research. IJBAR* 03(01). 2012
- [13] A. Dionne Noordhof, P. F. Skiba, and Jos J. de Koning. Determining Anaerobic Capacity in Sporting Activities. *Human Kinetics, Inc International Journal of Sports Physiology and Performance*, 8, 475-482 2013.
- [14] J. R. Fraenkel, N. E. Wallen, & H. H. Hyun, "How to Design and Evaluate Research in Education.pdf. (M. Ryan, Ed.) (8th ed.). San Francisco: McGraw-Hill 2012
- [15] G. Paradisis, E. Zacharogiannis, D. Mandila, A. Smirtiotou, P. Argeitaki, C. B Cooke. "Multi-Stage 20-m Shuttle Run Fitness Test, Maximal Oxygen Uptake and Velocity at Maximal Oxygen Uptake," *Journal of Human Kinetics volume Section II- Exercise Physiology & Sports Medicine*. 41/, 81-87. 2014
- [16] G. Sporis, L. Ruzic, and G. Leko, "The anaerobic endurance of elit soccer players improved after a hight intencity training intervention in the 8-week conditioning program," *Journal of Strength and Conditioning Research*. 22 | NUMBER 2 | MARCH 2008
- [17] G. Sporiš1 , V. Vučetić1 , T. Milanović1 , Z. Milanović2 , M. Krespi3 and I. Krakan1. "Anaerobic endurance capacity in elite soccer, handball and basketball players." *Article in Kinesiology - October. 2014*
- [18] H. Pojskic, V. Separovic , E. Uzicanin, M. Muratovic, S. Mackovic. "Positional Role Differences in the Aerobic and Anaerobic Power of Elite Basketball Players," *Journal of Human Kinetics volume 49/2015*
- [19] J. Hoff, U. Wisloff, L. C. Engen, O. J. Kemi, J. Helgerud. Soccer specific aerobic endurance training. *Br J Sports Med: first published as 10.1136/bjism. 36.3.218 on 1 June . Downloaded from http://bjism.bmj.com/ on 18 May 2018*
- [20] J. M. Willardson, PhD, CSCS. A Brief Review (2008) How Much Rest between Sets? *Strength and Conditioning Journal 30 | NUMBER 3 | JUNE doi: 10.1519/SSC.0b013e31817711a4*
- [21] J. T. Martin. "Designing a Proposed Circuit Training Program for Female College Students. *International Journal of Interdisciplinary and Multidisciplinary Studies (IJIMS)*," 1,9, 99-105 2014
- [22] J. L. Mate-Manoz, A. M. j Antonio, j jodra P. and castanto-Garmacho Manuel V. Effects instability versus traditional resistance training on strength, power and velocity untrained Men. *Journal of Sport Science and medicine* 13, 460-468 2014
- [23] Kanaka S. Vishnu Moorthi. Perumal Dr. V. Suthakar Dr. S. The Effects of Three Modalities of Resistance Circuit Training on Speed, Muscular Strength, Muscular Strength and Endurance of Collegiate Male Kabaddi Players *International journal of innovative research & development*. 2016
- [24] K. Hottenrott, S. Ludyga 2 and S. Schulze. "Effects of high intensity training and continuous endurance training on aerobic capacity and body composition in recreationally active runners," *Journal of Sports Science and Medicine* 11, 483-488. 2012
- [25] Krzysztof Durkalec-Michalski , Emilia E. Zawieja, Bogna E. Zawieja 2, Dominika Jurkowska, Maciej S. Buchowski and Jan Jeszka. Effects of Low Versus Moderate Glycemic Index Diets on Aerobic Capacity in Endurance Runners: Three-Week Randomized Controlled Crossover Trial. *Nutrients* 10, 370. 2018
- [26] Luc A. Leger and J. Lambert. A Maximal Multistage 20-m Shuttle Run Test to Predict VO2 max. *European Journal of Applied Physiology and Occupational Physiology*. 2982
- [27] Mahmoud Al-Haliq. Using the Circuit Training Method to Promote the Physical Fitness Components of the Hashemite University Students. *Advances in Physical Education*, 2015, 5, 170
- [28] M. Cameron, C. L. Camie, S. Doberstein, J. L. Erickson and A.R. Jagim. "The acute effects of a multi-ingredient preworkout supplement on resting energy expenditure and exercise performan recreationally active females," *Journal of the International Society of Sports Nutrition*, 2018, 15. 2018
- [29] M. J. Joyner¹ and E. F. Coyle. "Endurance exercise performance: the physiology of champions," *Journal compilation C The Physiological Society*. 2008
- [30] Michal Lehnert^{1,1}, Karel Hůlká¹, Tomáš Malý, Jaroslav Fohler, František Zahálka. The Effect Of A 6 Week Plyometric Training Programe On Explosive Strenght and Agility Professional Basketball Players. *Acta Univ. Palacki. Olomuc., Gymn. vol. 43, no. 4*. 2013
- [31] Mikkola¹ J. H. Rusko², A. Nummela¹, T. Pollari², K. Häkkinen. Concurrent Endurance and Explosive Type Strength Training Improves Neuromuscular and Anaerobic Characteristics in Young Distance Runners. *Int J Sports*. 2007 *Med* 28; 602-611. 12
- [32] M. Kafeel , M. Asif, M. R. B. Chughtai, H. I. Rajput, K. T. Kubra, Shazia Abdul Hamid Khalfee. "Effectiveness of Aerobic Training Program on Cardiorespiratory Endurance among Individuals with Down Syndrome," *International Journal of Scientific & Engineering Research Volume 8, Issue 8, August. 2017*
- [33] Nidahal Ben Abdelkrim Carlo Castagna, Imed Jabri, Tahar Battaykh, Saloua El Faza. Activity Profile and Physiologi Requirements Of Junior Elete Basketball Players in Relations Aerobic-Aanaerobic Fitness. *Journal of Strength and Conditioning Research. National Strength and Conditioning Association* 2010
- [34] Nurhidayah, P. Sukoco. Pengaruh model latihan dan kordinasih terhadap ketrampilan siswi dan ekstrakurikuler Bola Basket SMPN 1 Bantul. *Jurnal Keolahragaan. [S.1.]*. 2015. v. 3, n. 1, p. 66 - 78, apr. 2015. 38
- [35] S. Stroth a , K. Hille a , M. Spitzer a c & R. Reinhardt. Aerobic endurance exercise benefits memory and affect in young adults. *Neuropsychological Rehabilitation: An International Journal*. 2009

- 8
- [36] S. Stroth a.b., R. K. Reinhardt , J. Thöne d , K. Hille , M. Schneider , Sascha Härtel , W. Weidemann , K. Bös , M. Spitzer. "Impact of aerobic exercise training on cognitive functions and affect associated to the COMT polymorphism in young adults," *Neurobiology of Learning and Memory*, 2010. 94. 364-372.
- [37] Sanne C.M Te Wierke, Mark C.Dejong, Eveline J.Y tramp, PieterJ. Vuijk, Koen A.P.M Lemmink, ROBERT m.Malina, Marije T Elferink-Gemser. Development of Repeted Sprint Ability In Talented Youth Basketball Players. *Journal of Strength and Conditioning Research*. _ National Strength and Conditioning Association.2014
- [38] Tiffany R. Tames Mark D. Tillam ,Chitine B. Stopka ,Ashly C. Weimer, G illian L. Abrams and Iss M. Issa, "Supervised Moderat Intensity Resistance Exercise Training Improves Strenght in Special Olympic Athletics," *Journal of Strength and Conditioning Research* 24 3 MARCH. 2010.7
- [39] T. Bambang. "Latihan Peningkatan Keampuan Biomotor (Kelineahan, Kecepatan, Keseimbangan dan Fleksibilitas) Dengan Teknik Lari 9Shuttle Run, Zig-zaq Formasih 8 Pada Pesilat," *Jurnal Keterapian Fisik*, 2016 1, No 2, November , hlm 75-152.
- [40] V. Kumar. "Effect of circuit training program on selected motor abilities among university male," *International Journal of Physical Education, Sports and Health*, 2016. 3(4): 255-257 41
- [41] W. Sonchan, P. Moungee, A. Sootmongkol. "The Effects of a Circuit Training Program on Muscse Strength, Agility, Anaerobic Performaand Cardiovascular Endurance," *International Scholarly and Scientific Research & Innovation* 11.4.2017
- [42] Z. M. gillen. F.B wyati Jason B wincester Dalton a smith and vidhi and vhidhi ghetia. "The Relationship Between Aerobic and Anaerobic Performain Recreational Runners," *International Journal of Exercise Science* 2016.9(5): 625-634.

C12-artikel -The Periodization of 4 and 6 Weeks Circuit Training and Age to Improve the Aerobic Endurance of Basketball

ORIGINALITY REPORT

23%

SIMILARITY INDEX

17%

INTERNET SOURCES

10%

PUBLICATIONS

18%

STUDENT PAPERS

PRIMARY SOURCES

1	www.semanticscholar.org Internet Source	1%
2	Submitted to Universitas Negeri Padang Student Paper	1%
3	Submitted to Southampton Solent University Student Paper	1%
4	Submitted to Worcester Sixth Form College, Hereford & Worcester Student Paper	1%
5	Submitted to University of Central Oklahoma Student Paper	1%
6	Submitted to University of Ulster Student Paper	1%
7	Submitted to University of Glamorgan Student Paper	1%
8	Hötting, Kirsten, and Brigitte Röder. "Beneficial effects of physical exercise on neuroplasticity and cognition", Neuroscience & Biobehavioral	1%

Reviews, 2013.

Publication

9	pergamos.lib.uoa.gr Internet Source	1%
10	Submitted to Leeds Metropolitan University Student Paper	1%
11	www.tandfonline.com Internet Source	1%
12	Submitted to La Trobe University Student Paper	<1%
13	staffnew.uny.ac.id Internet Source	<1%
14	www.i-scholar.in Internet Source	<1%
15	Submitted to Deakin University Student Paper	<1%
16	Submitted to Marmara University Student Paper	<1%
17	oalib.com Internet Source	<1%
18	bjsm.bmj.com Internet Source	<1%
19	Submitted to Universitas Negeri Jakarta Student Paper	<1%

20	Submitted to University of Wales Swansea Student Paper	<1%
21	Submitted to Bournemouth University Student Paper	<1%
22	www.pubfacts.com Internet Source	<1%
23	physoc.onlinelibrary.wiley.com Internet Source	<1%
24	Submitted to Leeds Beckett University Student Paper	<1%
25	www.sportsjournal.in Internet Source	<1%
26	Submitted to Abdullah Gul University Student Paper	<1%
27	eprints.uny.ac.id Internet Source	<1%
28	Arévalo Romero César Augusto. "PROGRESIÓN DEL ENTRENAMIENTO EN SUSPENSIÓN Y MEDIOS PARA SU APLICACIÓN (PROPUESTA).", Revista digital: Actividad Física y Deporte, 2018 Publication	<1%
29	ijhpecss.org Internet Source	<1%

30	Paul A. Anstiss, Carla Meijen, Daniel J. Madigan, Samuele M. Marcora. "Development and initial validation of the Endurance Sport Self-Efficacy Scale (ESSES)", <i>Psychology of Sport and Exercise</i> , 2018 Publication	<1%
31	ijnms.net Internet Source	<1%
32	journal.uny.ac.id Internet Source	<1%
33	Submitted to University of Birmingham Student Paper	<1%
34	Submitted to Universitas Sebelas Maret Student Paper	<1%
35	M. Tayebi, H. Arazi. "Is creatine hydrochloride better than creatine monohydrate for the improvement of physical performance and hormonal changes in young trained men?", <i>Science & Sports</i> , 2019 Publication	<1%
36	www.rehabilitaciondelamarcha.com Internet Source	<1%
37	Submitted to iGroup Student Paper	<1%
38	Samuel Asamoah, Jason Siegler, Dennis	

Chang, Andrew Scholey, Alan Yeung, Birinder S. Cheema. "Effect of Aerobic Training on Cognitive Function and Arterial Stiffness in Sedentary Young Adults: A Pilot Randomized Controlled Trial", Physiology Journal, 2013

Publication

<1%

39

www.shs-conferences.org

Internet Source

<1%

40

Submitted to Chester College of Higher Education

Student Paper

<1%

41

zenodo.org

Internet Source

<1%

42

Submitted to University of Western Sydney

Student Paper

<1%

43

researchspace.auckland.ac.nz

Internet Source

<1%

44

mafiadoc.com

Internet Source

<1%

45

Submitted to Lewis-Palmer School District 38

Student Paper

<1%

46

hrcak.srce.hr

Internet Source

<1%

47

etd.lib.metu.edu.tr

Internet Source

<1%

48	Submitted to Surabaya University Student Paper	<1%
49	Submitted to St. Mary's College Twickenham Student Paper	<1%
50	axis.ssc.uwo.ca Internet Source	<1%
51	es-businesswire.com Internet Source	<1%
52	pdfs.semanticscholar.org Internet Source	<1%
53	Submitted to Hong Kong Baptist University Student Paper	<1%
54	Submitted to University College Birmingham Student Paper	<1%
55	Submitted to Baylor University Student Paper	<1%
56	ifets.info Internet Source	<1%
57	www.ijrte.org Internet Source	<1%
58	slidelegend.com Internet Source	<1%
59	R Hesti, J Maknun, S Feranie. "Text Based	<1%

Analogy in Overcoming Student Misconception on Simple Electricity Circuit Material", Journal of Physics: Conference Series, 2017

Publication

60

Submitted to Roanoke College

Student Paper

<1%

61

Gürkan Yilmaz. "The Effects of Power, Speed, Skill and Anaerobic Capacity of Different Training Models in Young Male Basketball Players", The Anthropologist, 2017

Publication

<1%

62

www.medbridgeeducation.com

Internet Source

<1%

63

"Endurance in Sport", Wiley, 2000

Publication

<1%

64

Submitted to University of Southern Queensland

Student Paper

<1%

65

Submitted to University of Newcastle

Student Paper

<1%

66

garuda.ristekdikti.go.id

Internet Source

<1%

67

Submitted to University of Sheffield

Student Paper

<1%

68

Submitted to Anglia Ruskin University

Student Paper

<1%

69

Mohamad Idris Saidin, Ilyas Md Isa, Mustaffa Ahmad, Norhayati Hashim, Azlan Kamari, S. Ab Ghani, Suyanta M. Si. "Square wave anodic stripping voltammetry of copper(II) at a MWCNT paste electrode modified with a tetracarbonylmolybdenum(0) nanocomposite", *Microchimica Acta*, 2016

Publication

<1%

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off

C12-artikel -The Periodization of 4 and 6 Weeks Circuit Training and Age to Improve the Aerobic Endurance of Basketball

GRADEMARK REPORT

FINAL GRADE

/100

GENERAL COMMENTS

Instructor

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

PAGE 7
