

High Similarity Index

Kotak Masuk

x

Connecting Asia <asia@utm.my> 1 Agu 2018 22.20

ke saya

Terjemahkan pesan

Nonaktifkan untuk: Inggris

Dear Sir/Madam

Kindly note that your paper was sent to the International Journal of Engineering and Technology (IJET) for publication. However, the journal found that the similarity index of your paper is high. Therefore you are requested to **revise the paper to make it lower than 20%, and single source matches should not be > 5%**. kindly send us back your paper after reducing the plagiarism til 3rd August 2018 to avoid any further delay in the publication.

Thank you for your cooperation and understanding.

Regards

Dr.Sobia Irum

Head, Business Development

Connecting ASIA

Sprinter Centre, Innovation and Commercialization Center (ICC),
Universiti Teknologi Malaysia (UTM), Johor Bharu

E-mail: asia@utm.my

Website: <http://www.utm.my/asia>

Website: <http://www.connectingasia.org>

iThenticate

[Document Viewer](#)

Similarity Index

31%

Connecting Asia/2018-07-13 IJET FInal/2/AIC-201...

As of: Jul 31, 2018 6:35:00 PM

4,768 words - 69 matches - 5 sources

sources:

1,342 words / 28% - Internet from 12-Dec-2017 12:00AM

yishpess.uny.ac.id

51 words / 1% - Internet from 18-Sep-2014 12:00AM

www.revdesportiva.pt

45 words / 1% - Internet from 07-Aug-2017 12:00AM

casopisi.junis.ni.ac.rs

33 words / 1% - Internet from 28-Mar-2018 12:00AM

www.sciencepubco.com

29 words / 1% - Internet from 12-Jul-2018 12:00AM

www.ciic.cms.net.my

paper text:

International Journal of Engineering & Technology, 7 (x) (2018) xxx-xxx International Journal of Engineering & Technology Website: www.sciencepubco.com/index.php/IJET doi: Research paper, Short communication, Review, Technical paper The Effect of

Complex Training Manipulation on The Speed of The Students of Sports Coaching, Faculty of Sports Sciences, State University of Yogyakarta in 2013 Mansur Univesitas Negeri

Yogyakarta mansur@uny.ac.id Abstract This study aimed to reveal: (1) the effect of Pyramid Complex Training (PCT) on speed, (2) the effect of Square Complex Training(SCT) exercises on speed, and (3) the differences in the effect of PCT and SCT

on speed. This research was a quasi-experiment with the two- group pretest posttest design. The population was the new students of Sport Coaching (PKO) Department of 2013 consisting of 21 non-athletes. The subject was divided into two groups: PCT and SCT. The PCT group was treated with

weight training combination of 8 RM, 6 RM, 4 RM and plyometric training with

pyramid method. The SCT group was treated with the

weight training combination of 8 RM, 6 RM, 4 RM and plyometric training with square

method. The

training was conducted three weekly training sessions for 7 weeks.

The speed test used the 40 meter dash. The data analysis used a t test. The results were as follows.

(1) There was no significant effect of manipulation of PCT on speed ($P = .096$)

and percentage increase of 1.98%. (2) There was no significant effect of manipulation SCT

on speed ($P = .853$) and the percentage increase of -0.27%. (3) There was no significant difference between PCT and SCT on speed ($P = .688$). Based on the analysis results, the raising percentage of PCT group was higher than that of SCT group, although statistically it was not significantly different $p > 0.05$. In conclusion, the Complex Training Manipulation (PCT and SCT) was not very effective in improving speed. Based on the raising percentage value, PCT is better than SCT exercise for speed.

Keywords: pyramid complex training; square complex training; sport coaching students 1.

Introduction The peak performance in sports is the final estuary

in the process of sports coaching. High achievement is the result of

the actualization of

various elements such as physical condition, technical ability, mastery of tactics, and mental maturity. Physical condition plays an important role, because it is the

absolute and major requirement for achievement. Excellent physical condition should become the necessity for every athlete, especially for sports that require long-lasting heavy performance. Many advantages are obtained from the prime physical condition, among others the ease to master complex skills, reduction of risk of injury, maintenance of physical performance, acceleration of post-exercise recovery and increase in confidence. The development of sports achievement in developed countries is inseparable from the physical exercise process that started from early age. Rudi Hartono, Liem Swie King, Ick Sugianto, Susi Susanti, Muhammad Ahsan, Hendra Setiawan, Tontowi Ahmad, Liliyana Natsir and several prominent athletes in Indonesia whose track record in training is good. This is in line with the research by [1] which showed that 20 top athletes in the world practiced more than 1000 hours each year. This proves that high achievement must be based on excellent physical condition. The athlete is said to have a component for prime physical condition if they have the ability to do exercise cycles and a series of high intensity matches without causing significant fatigue. Physical condition parameters can be seen based on the quality of athlete physical condition components such as strength, aerobic endurance, anaerobic endurance, speed, power, agility, flexibility, coordination and balance. Without the support of prime physical condition, the

achievement of peak performance will experience many obstacles. One of them is inability to maintain performance in long time. The ability to maintain athlete performance quality is desperately needed to achieve victory, especially on single or multi event demanding a large number of matches with short intervals. The experience of highperforming athletes shows that athletes strive consistently to develop physical conditions to an excellent level. Physical condition is an important element and becomes the basis in the development of techniques, tactics, strategies and mental development. So that, it needs a programmed exercise from the trainer. This means the training program must be planned, measurable, and sustainable. [2] state that the purpose of physical condition training is to optimize performance and minimize the risk of injury and disease. Biological and network systems in sports training are set up by applying physical demands which are heavier-based on the development of athlete's physical condition [3]. Achieving these objectives requires a proper training approach. In the training terminology, it is commonly called the training method. [4] states that the exercise is a

basic process of the preparation for higher performance whose processes are designed to develop motor and psychological

abilities that enhance one's ability. Fur-

Copyright © 2018 Authors. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

2 ther,[5] state

that the main objective of physical exercises is to improve the quality of physical fitness (energy fitness) and muscle fitness (muscular fitness). According to

[6] an

exercise is a systematic, progressive repetition process with the ultimate goal of improving sports performance. So, the training method is the procedure of the systematic repetition process to master the skill or achieve the functional quality of the body maximally. With the suitable training method, the body will experience adaptation in the form of enhancement of the body functional ability so it

can perform

heavy performance for a long time. Functional adaptation of muscles has been well documented by previous researchers, and muscle quality development strategies /methods have been published through various reports with different types of sports activities. The effect of exercise depends on the intensity and volume of the exercise. Failure to meet minimum threshold values may result in the lack of exercise effect, while too much weight can lead to overtraining and adversely affect an athlete's physical condition.

[7]

suggest that exercise adaptation varies greatly depending on many factors such as initial physical condition status and exercise intensity. In this case, the less trained athlete is relatively easier

to increase positive adaptation when getting exercise treatment [8], whereas a trained athlete requires an outstanding effort to get the same effect as the less trained athlete does by modifying the intensity, frequency, volume, recovery and exercise density.

Speed is a multidimensional motor capability that is primarily manifested in four forms: latency time of motor reaction, individual speed of movement, speed of frequency

movement, and running speed [9]. Speed is distance per time, which means that speed will be measured by the unit of distance divided by the time unit. According to [10] speed is the ability of muscles to respond to stimuli as fast as possible. Speed is the result of the combination of the length of the leg swing and the number of steps. According to [11] speed is the ability to walk and move very quickly. [12] adds that speed is the ability to perform similar movements in a row in the shortest time or the ability to travel a distance in the shortest time. From these statements, it can be concluded that speed is the ability of multidimensional motor muscle to respond to stimuli to make the movement very quickly or in the shortest time (as short as possible). [13] states that speed components are used by almost all sports. For this reason, speed training is considered to be crucial for athletes. One of the speed training is a complex exercise. According to [14

], success in strength training depends on knowing the types of strengths and how to develop them, as well as the types of contractions and which are best for a given sport. A complex training

is an exercise method that aims to improve athlete's physical condition by doing high intensity strength training followed

(transferred) by plyometric exercise. Biomechanically, there is a similarity in terms of muscle and joint involvement between weight training and plyometric training, for example squat exercises 3-6 RM followed by 8-12 repetitions of knee tuck jump exercises and bench press exercises 2-5 RM followed by 8 repetitions of clap push exercises (Mackenzie, 2000). The

modification of complex training by varying the repetition pyramid load training decreased from 8 repetitions maximum (8 RM), (6 RM) and (4 RM) with the ascending intensity that has not

much been investigated deeply.

Most researchers use high intensity external resistance (1-3 RM) with constant

methods. Similarly, with plyometrics, there is less research comparing plyometric pyramidal exercises (jumping to lateral, forward, sideways and twist), height of varied obstacles

(20-50 cm), number of tiered repetitions increased (6-12) and plyometric training square (jumping in the same direction with the same high hurdle and the same number of repetitions). In addition, the majority of complex training studies were applied to trained athlete groups. Modified forms of explosive exercises such as jump up and down, side-jump, knee tuck jump, single leg jump, lateral jump and box jump either by normal jumping or by twist was the main focus of this study. Single-leg training has many benefits and attention to International Journal of Engineering & Technology injury prevention, rehabilitation, and performance improvement of sports programs. According to

[15],

sports movement skills in the field are dominated by the cycle gait taking off from one foot and landing with another foot appropriately to improve the

performance of the athlete. Other studies have shown that a

complex training can have a positive effect on motor skills of basketball players

[16-17-18]

Complex training studies on the sample of poorly trained athletes have not been widely practiced. In this case, the students majoring in sports coaching at the Faculty of Sports Science,

State University of Yogyakarta are mostly not athletes

so it is possible for them to be the subject of research. Furthermore, the main focus of this study was to reveal: (1) effect of PCT on speed, (2) effect of SCT exercises on speed, and (3) differences

in PCT and SCT effects on speed. 2. Methods This study is a quasiexperiment. The research design was the two-groups pretest-posttest design, which have a pretest before treatment and a posttest after treatment, thus the result can

be more accurate, because it can be compared with the result before treatment (Sugiyono, 2007, p .64). 2.1 Research variables This research has two variables, that is the independent variable and dependent variable. The independent variable in this research are PCT and SCT training,

while the dependent variable is speed. 2.2 Research subject The subjects in this study are the third semester students of Department of Sports

Coaching Education, Faculty of Sports Science, Yogyakarta State University in their academic year of 2012 aged 19 to 20 years and not athletes, consisting of 80

male students. They were established as the subjects by using the simple random sampling method with the assumption that the population is homogeneous. Twenty-one students were treated on speed test (40m print). After that they were ranked and divided into two groups: 11 students as a PCT training group, 10 students as a SCT training group. Instruments were used to measure: 1) physical readiness checks, 2) body height and weight, and 3) speed.

1. Examination of physical readiness a. Measurement of resting heart rate was performed at 05.00 in the morning before the subjects did physical activities. DJ

measurements were performed in a sitting position, using a heart rate monitor from PollarFT1TM and FT2TM brands. b. Blood pressure measurement used the Rister Measurement brand tensionmeter. 2. Measurement of the height of the barefoot subject, standing upright, and viewing straight forward. The measurement of height used

brand Design type 26 BC made in Indonesia, with cm unit measurement, accuracy up to 0.1 cm. 3. Weight

measurements used Smc Brand type RGZ -120 made in PRC with kg measurement and accuracy up to 0.1 kg. 4. Speed measurement was through 400m sprint

(Pretest). 5. The PCT group was given a combination of 8 RM, 6 RM, 4 RM and plyometric training with the pyramid system (6 repetitions of lateral single leg jump, 8 repetitions of side jump, 10 repetitions of box's

jumps, 12 repetitions of twist front jump and 14 repetitions of twist tuck jump). The SCT group was treated with a combination of

8 RM, 6 RM, 4 RM and plyometric training with square system (10 repetitions of single leg jump, 10 repetitions of side jacks, 10 repetitions of front jacks, 10

hard repetitions and 10 repetitions of tuck jumps). The

training was conducted three weekly training sessions for 7 weeks. 6. Measurement

of speed used 40 meter run (post test). 2.3

Data analysis technique Before proceeding to the t-test, there is a requirement that must be fulfilled by the researcher. The data that will be analyzed must be

International Journal of Engineering & Technology in the

normal distribution, therefore it is necessary to test normality and homogeneity test (Arikunto, 2006, p.299).

3. Result 3.1 Research Data The

data in this research are the strength of pretest and posttest speed capability. The pre test and

post test data on PCT group speed capabilities are as follows: Table 1: Pre test and Post test of Pyramid Complex Training (PCT) Group No Subject Pretest Posttest Difference 1 7.33 2 6.9 3 6.96 4 7.46 5 6.92 6 7.55 7 7.04 8 7.04 9 7.41 10 6.9 11 7.18 Mean 7.1536 SD 0.24394 Min 6.90 Max 7.55 7.84 0.51 7.19 0.29 6.64 -0.32 7.41 -0.05 6.99 0.07 7.63 0.08 7.46 0.42 7.3 0.26 7.42 0.01 6.79 -0.11 7.58 0.4 7.2955 0.1418 0.36533 0.25600 6.64 -0.32 7.62 0.51 The

pre test and post test data on Square Complex Training (SCT)

Group speed capabilities can be seen as follows: Table 2: Pre test and Post test of SCT Group Speed No Subject 1 2 3 4 5 6 7 8 9 10 Mean SD Min Max Pretest Posttest 7.34 7.23 7.35 7.6 7.27 7.34 7.22 7.66 7.58 7.26 7.34 7.41 7.62 7.03 7.12 7.38 7.52 7.31 7.33 7.27 7.3690 7.3490 0.15913 0.18138 7.12 7.03 7.62 7.66 Difference -0.11 0.25 0.07 0.44 -0.32 0.07 -0.59 0.26 -0.21 0.06 -0.008 0.30608 -0.59 0.44 3.2 Prerequisite Test Results 3.2.1

Normality test The result of the normality test is presented in Table 3 as follows: Table 3: Normality Test Results Group P Sig. Explanation PCT Pretest

Speed 0.635

0.05 Normal Posttest Speed 0.914 0.05 Normal SCT Pretest Speed 0.939 0.05 Normal

Posttest Speed 0.572 0.05 Normal Table 3 above shows that all data have the p value (Sig.) > 0.05 and therefore they are normally distributed. 3.2.2

Homogeneity Test The results of the homogeneity test of this study can be seen in Table 4 as follows: Table 4: Homogeneity Test Results 3 Group Sig. Explanation PCT

.297 Homogeneous SCT .796 Homogeneous Table 4 above shows that all data have the p value (Sig.) > 0.05, and thus they are homogeneous. 3.3 Hypothesis Test Results The testing of the research hypothesis was

done based on the result of data analysis and the interpretation of the t-test analysis. The sequence of the hypothesis testing results was adjusted to the hypothesis, as follows: 3.3.1 Hypothesis of the Effect of PCT Training Method on Speed The first hypothesis

states: "There is no significant effect of the manipulation of PCT on speed", based on pretest and posttest results. The analysis of the t-test results shows the

data in Table 5 as follows: Table 5: T-Test Results of Pretest and

Posttest of PCT Group Aver. t-test for Equality of means t value t table Sig. Dif % Pretest Posttest
7.1536 7.2955 -1.837 2.26 .096 .1419 1.98 Table 5 above shows the t-value of -1.837 and t-table of 2.26 (df 10) at the significance level of 0.096. Since the t-value is -1.837 < t-table 2.26, and the significance level is 0.096 >

0.05, then this result shows there is no significant difference. Therefore, the hypothesis

stating "There is a significant effect of manipulation of PCT on speed" is rejected. The data above show that the PCT exercise decreased the speed of 0.1419 and increased it by 1.98%. 3.3.2 The Hypothesis of the Effect of SCT Method on Speed The first hypothesis reads "There is a significant effect of SCT- manipulation on speed",

based on pre-test and post-test results. The analysis of the t-test results shows the data in Table 6 as follows: Table 6: T-Test Results of Pre-Test and Post-Test

of SCT Group Aver. t-test for Equality of means t value t table Sig. Dif % Pretest Posttest
7.3490 -.191 2.23 .853 -.020 .27 Table 6 above shows that the t-value of -0.191 and t-table of

2.23 (df 9) with significance value of p equal to 0.853. Therefore, the t-

value is -0.191

< t-table 2.23, and the significance value is 0.853 > 0.05. This shows that there is no significant difference. Therefore, the hypothesis

stating "There is a significant effect of SCT manipulation on speed" is rejected. Based on the data above, the training of SCT has increased by 0.02 or 0.27%. 3.3.3 Hypothesis of the Differences in the Effect of PCT Methods and

SCT Methods on Speed The third hypothesis is "There is a difference in the effect of PCT and SCT methods on Speed". Based on the results

of the analysis, the data obtained

in Table 7 are as follows: Table 7: Test -t Group of PCT and Group SCT Group Sig. Explanation PCT-SCT

Group .688 Not significant 4 Table 7 aboveshow that the significance value of 0.688 is > 0.05 . This means that there is no significant difference. So, there is no significant different effect of PCT and SCT on speed. The analysis results show that the percentage increase of PCT is higher than that of SCT, although statistically it is not significantly different from $0.688 > 0.05$. 4. Discussion The data analysis results showed that the manipulation of PCT and SCT have no significant effect ($p = > 0.000$) on speed improvement, and that the percentage increase of SCT is higher than that of PCT. Thus, SCT training is better than PCT training in terms of speed improvement. The

results of this study need to be investigated based on the theory and findings of previous researchers related to the variables in this study.

The following is the result of the average score of the pretest, posttest and speed gain as shown in Picture 1 below. Effect of PCT and SCT Exercise on Speed 76..557 8 7.157.29 7.37 7.35 5.55 6 pretest Mean 432...54535 posttest 10..5215 0.096 Gain -0-.501 -0.02 -1-.52 PCT SCT Exercise Method Fig. 1: Pretest, Posttest and Speed Gain Values Figure 1 above shows that the training method of PCT is able to increase the average speed by 0.096 m/sec, which is higher than that using the SCT, i.e. -0.02 m/sec. This means that the PCT training method is better at increasing speed than the SCT training, although it is statistically not significantly different at $p > 0.05$. In sports, the achievement is very meaningful and it will determine the victory in competitions, especially in sports, that require time records such as sprint record breaking. This study shows how important the improvement of time records, even to improve the record of 0.5 seconds in 100m sprint takes up to several years.

Complex training seems to be an attractive option for developing strengths for untrained people.

This includes strength training from initial training strengths to modalities which are an important aspect allowing for more specific training and practicing competitive techniques from the very beginning [19].

One way to combine the two forms of training (weight training and plyometric training) is complex training or contrast methods. According to

[19], the design of complex training programs should consider

important variables such as exercise selection, load, and break between sets. Furthermore, the study offers additional guidance to this variable

as well as how it effects

on age and gender. Complex training may be effective for the upper body [16] and lower body training. In this research, the

technical variables are considered to be the same because the sample is from a homogeneous population of students majoring in sports coaching

FIK UNY. The quality of leg muscles, including three components, namely: limb strength, power, and reactive power.

Based on the

theory, a good leg strength will increase reactive power, which is defined as the ability to change rapidly from eccentric to concentric phase in a stretch-shortening-cycle sequence (SSC). The treatment in this study is a combination of weight training and plyometric training. The weight training

treatments of both groups (PCT and SCT) were the same as those of the APS method (ascending pyramid International Journal of Engineering & Technology system) 8 RM, 6 RM and 4 RM so that the effect on the increase of leg muscle strength was assumed to be the same. Plyometric training in the PCT group was focused more

on the manipulation of functional training and the SCT group emphasized more on the manipulation of amortization. Functional training in PCT group plyometric training involves twist, rotational, lateral, and integrated balance movements. This type of exercise involves acceleration, deceleration, and stabilization during multipurpose movements in all three areas (sagittal, frontal, and transverse), and must be proprioceptively challenged [20]. Theoretically, both forms of training will increase

speed. The

stretch shortening cycle is more influential with rapid movement and minimal ground contact (Komi, 2003). A decrease in contact time increases the movement strength and the stored elastic energy is not lost. The faster the clutch of eccentric action, the more concentric the effect of the exercise will be. Quick eccentric-concentric

clutch acts result in greater power and muscle deployment and in turn the athlete ran

faster, jump higher, and changed direction very fast. Based on the theory, the SCT training method should have a better effect

on increasing the speed

due to the shorter amortization time of 6.53 seconds per type of exercise than the 6.67 seconds PCT training method per exercise type. While in PCT training,

although contact time (amortization) is longer, it has the advantage in biomechanical adaptation, physiological and neurological systems due to synchronization and coordination of vertical and horizontal jumping movements, sideways, forward,

backward, lateral, and twist. The similarity of treatment with the test used also affects the results, the more similar

treatment to the

type of the test used, the higher the effect on the measurement results. The illustration of the similarity theory is shown by the fact that more economical runners generally outperform the less economical runners in similar actions. Physiologically, they consume less oxygen for an identical

work rate. In other words, at certain running speeds, they do not have to work harder. In this case the SCT training method is more identical to the type of test used than the PCT training method,

so it can provide better results. Additionally, it can be reinforced by training specifications, which refer to methods and mechanisms responsible for physiological systems in response to stress in acute and/or chronic exercises. A similar study conducted by [21] evaluated the effect of the eight-week training on weightlifting and plyometric training programs, both training methods achieved significant improvements in 1RM squats and high vertical jumps, but they were unable to significantly increase the time 30m sprint and COD speed (change of direction). This study also succeeded in increasing the strength of RM 1 squat (picture 5.3) so that it was in accordance with the research by [22]. The increased muscle strength becomes the foundation of speed development. [23] states that squat ability > 2 times body weight is a minimum requirement to express power (vertical and horizontal). [24] showed that soccer players who were capable of squats > 2 x

body mass are significantly faster and capable of jumping higher than those who squat < 2 x body mass.

Increased power is not automatically transferred to all movement speeds performed. Therefore, even if there is a significant increase in power, it does not necessarily affect the speed increase. Further research by [25] discovered that a combination of weight training and plyometric exercise for 12 weeks showed progress on sprint ability in 17-18 years old basketball players. The principle of training speed includes: 1) use of high speed motion. 2) short run, 3) enough rest to minimize lactic acid levels in the blood, 4) low training volume to avoid exhaustion of the neuromuscular system, and 5) restricted repetition using maximum intensity [26-27]. Not all of these rules are applicable in this study and there are even some rules which are so conflicting that the effect on speed increases is not significant. Moreover, the SCT training group actually decreased (-0.02 m/sec). [22] suggests that high loads for speed strength training (SPD-STR) should be < 30% 1RM and low SPD-STR training loads > 30% 1RM. Weight training in this study used 8 RM - 4 RM (60% 1 RM - 80% 1 RM) International Journal of Engineering & Technology which is in contrast to Turner's opinion. However, Turner (2009) confirmed that the emphasis on gradual decrease in load (% 1RM) shifts from maximum strength to STR-SPD, SPD-STR and ends at speed training which in essence involves much of plyometric training such as the concept of exercise periodization. It can be inferred that the PCT training method is more effective in increasing the speed than the SCT training method, but both exercises are less effective in significantly improving the speed. These findings simultaneously provide

new information that shorten the time of contact (amortization) alone is still not enough to

increase speed. Plyometric training involving

a combination of vertical and horizontal jumping movement, sideways, forward, backward, to and from the lateral direction, twist, and shorten the amortization stage is crucial for the development of speed quality. 5. Conclusion Complex Training Manipulation

(PCT and SCT) are less effective in improve speed. Based on the percentage increase value, PCT is better than SCT exercise for speed. The PCT

method is an alternative training method that can be used by trainers and athletes by modifying the number of contacts as it proves to

be more effective in increasing speed. 5 nal of Strength & Conditioning Research, Vol. 22. No.3, (2008), pp: 903-909 [18] Singh, A.B, Sport training. Chawla Offset Printers, (2012). [19]

Stojiljković, S. *Osnove opšte antropomotorike (Basics of general anthropomotorics)*. Niš: Studenski kulturni centar Niš.,

(2003). [20] Stone, M.H.,

Moir, G., Glaister, M., and Sanders, R. "How much strength is necessary?", *Phys Ther Sport*

, Vol.3. (2002), pp: 88–96. [21] Sugiyono,

Metode penelitian kuantitatif, kualitatif, dan R&D, Alfa Beta, (200&). [22] Suharjana, *Kebugaran Jasmani*, Jogja Global Media, (2013). [23] Sukadiyanto & Muluk, *Pengantar teori dan metodologi melatih fisik*, CV Lubuk Agung

(2012). [24]

Tricoli, V., Lamas, R. Carnevale. R., and Ugrinowitsch. C, "Short- Term Effects on Lower-Body Functional Power Development: Weightlifting Vs. Vertical Jump Training Programs", *J. Strength Cond. Res.*

Vol. 19, No.1, (2005),pp: 433–437. [25] Turner, A., 2009.Training for Power: Principles and Practice. Uk Strength and Conditioning Association© UKSCA, Issue 14, www.ukzca.org.uk e: info@ukzca.org.uk 21 [26]

Wisløff U, Castagna C, Helgerud J, Jones R, and Hoff, J., "Strong Correlation of Maximal Squat Strength with Sprint Performance and Vertical Jump Height In Elite Soccer Players" *Br J Sports Med*

Vol.38, (2004), pp: 285–288. [27]

Yap, C.W., Brown, L.E., and Woodman, G, "Development of Speed, Agility, and Quickness for the Female Soccer Athlete", © *National Strength & Conditioning Association*, Vol. 22, No .1, (2000), pp: 9–12.

References [1] Arikunto, S, *Prosedur penelitian: suatu pendekatan praktik*, PT Rineka Cipta, (2006). [2] Bompa, T.O., *Periodization of Strength: The New Vave in Strength Training* York University, Veritas Publishing Inc., (1993). [3] Bompa, T.O, Haff GG., *Periodization: Theory and Methodology of Training*. Human Kinetics Publishers, (2009). [4] Bompa, T.O & Buzzichelli, *Periodization training for Sport*, Human Kinetics, (2015). [5] Boone, J., and Cook, G., *Best Foot Forward: Optimum Performance*. T&Athleticbid.Com C. October 2006. [6] Cheng, C. F., Lin, L. C., & Lin, J. C," Effects of plyometric training on power and power-endurance in high school basketball players", *Annual Journal of Physical Education and Sports Science*, Vol.3, (2003), pp: 41-52. [7] Ebben, W.P, and Blackard, D.O. "Strength and Conditioning Prac- tices of National football League Strength and Conditioning Coach- es", *J Strength Cond. Res*, Vol.15, (2005), pp:48–58. [8] Evans, A.K., Hodgkins, T.D., Durham, M.P., Berning, J.M., and Adams, K.J. The acute effects of a 5RM bench press on power

out- put. Medicine and Science in Sport and Exercise, Vol. 32, No.5, (2000), pp: 311. [9] Harsono, Teori dan metodologi kepelatihan olahraga, PT. Remaja Rosdakarya, (2015). [10] IAAF, Pengenalan kepada teori pelatihan, IAAF, (1993). [11] Juarez, D., Rave, J.M., Navarro, F. "Effects of complex vs non complex training programs on lower body maximum strength and power", Isokinetics and Exercise Science, Vol.17, (2009), pp: 233- 241. [12] Komi., P.V. "Strength and Power in Sport. 2 nd. Ed. (Eds)". The Encyclopedia of Sports Medicine an IOC Medical Commission Publication in Collaboration With the International Federation of Sport Medicine, (2003). [13] Mackenzie, B., 2000. Complex Train- ing.<http://www.brianmac.cp.uk/complex.htm> (Accessed 12/3/2013) [14] Nageswaran, A.S. "An impact of plyometric training packages with and without resistance training on leg explosive power of arts college men basketball players", Indian Journal of Applied Research, Vol. 4, No.2, (2014), pp:28-29. [15] Nikolic, et al, "Complex training and sprint abilities of young basketball players", Physical Education and Sport, Vol.15, No1, (2017), pp:25-36. [16] Roden, D., Lambson, R. & DeBeliso, M. "The effects of a complex training protocol on vertical jump performance in male high school basketball players", Journal of Sports Science, Vol.2, (2014), pp: 21-26. [17] Santos, E. J., & Janeira, M. A. "Effects of complex training on explosive strength in adolescent male basketball players", The Jour-

3rd Asia International Conference (AIC 2017)

<asia@utm.my>

ke saya

Min, 7 Jan 2018 12.33

Terjemahkan pesan

Nonaktifkan untuk: Inggris

Dear Mansur -,

Greetings from Asia and a very happy new year.

Hope all of you have reached their destinations with a lot of amiable memories of 3rd Asia International Conference 2017.

We thank you for being a part of **3rd Asia International Conference (AIC-2017)**. UTM and Connecting ASIA congratulate you for your participation in the just-concluded conference. It was an unprecedented conference in many respects.

First of all delegates from 29 countries participated in AIC-2017, which is itself a great achievement for Connecting ASIA in order to provide a multicultural networking experience for conference participants.

Secondly, connecting ASIA provided sponsorships to the 30 participants to cover their traveling and accommodation expenditures. We aim that the good ideas must be shared for global humanity and community development. This is another achievement to celebrate and also to encourage more researchers to apply for next year (AIC-2018).

There are many other achievements in the name of this years AIC-2017 that may need a long time to count. **However, The successes recorded couldn't have been possible without you. We congratulate all of the participants of 3rd ASIA international Conference 2017. We also don't forget to congratulate our best presenters.**

5-Slides & 5 Minutes Competition

"Ilyana Janis"

"Vinita Susanti"

"Shamsuddeen Magaji"

Poster Presentation Competition

"Musdalifah Dimuk"

"Nor Ain Binti Yousaf"

"Nolia Harudin"

Normal Presentation

"Puteri Zarina Megat Khalid"

"Naveed Sultana"

"Najam Us Sahar"

Young Researcher Award

Anum Wali

We wish to see you at our next events.

Please like our facebook page for event Pictures and updates

<https://www.facebook.com/infoconnectingasia/>

In order to improve our future conferences, we would like you to give us your valuable feedback. Please in the below details and help us to improve in future.

<https://goo.gl/forms/Uzyc3kBwbToONQZW2>

Publication Updates

We will keep you updated on the publication process. For now, all papers are in the review process. Hopefully, you will receive the review within two months time.

--

Thank you and best regards,

Dr. Muhammad Imran Qureshi

Director Connecting ASIA

No 10, UTM Sprinter Incubator,

UTM Technovation Park,

Universiti Teknologi Malaysia, Jalan Pontian Lama,

Johor Bahru, Johor, Malaysia

Main Email : asia@utm.my

<http://www.utm.my/asia/>

<http://connectingasia.org/>

DISCLAIMER: The information in this e-mail and any attachment(s) transmitted with it ("Message") is intended only for the use of the intended recipient(s) and may contain confidential or privileged information. UTM are not responsible for any unauthorised changes made to the information or for the effect of such changes. You are hereby notified that any action in reliance upon, or any review, retransmission, dissemination, distribution, printing or copying of this Message or any part thereof by anyone other than the intended recipient(s) is strictly prohibited. Any opinions, conclusions and other information in this Message that do not relate to the official business of UTM shall be understood as neither given nor endorsed by UTM. UTM shall not be liable for loss or damage caused by viruses transmitted by this Message.

**ISI/SCOPUS publication (AIMC 2017) - ASIA
Intenational Multidisciplinary Conference**

AIMC 2017, UTM Johor Bharu, Malaysia
<asia@utm.my>

Rab, 8 Mar 2017
15.38

ke saya

Terjemahkan pesan
Nonaktifkan untuk: Inggris

Call For Paper
ASIA International
Multidisciplinary Conference,
1-2 May 2017, Johor Bahru, Malaysia

Greetings from ASIA and UTM

UTM and AISIA is organizing the **ASIA INTERNATIONAL Multidisciplinary CONFERENCE (AIMC 2017)**. Students, academics and practitioners are invited to submit their articles and have them published in ISI indexed/ SCOPUS Indexed journals.

The conference mainly focuses but not limited to on four broad areas. The themes of the conference are as follows:

1. **Social Sciences and Humanities**
Psychology, Education, Linguistics, Civilization and Law, Anthropology
 2. **Life Sciences**
Environmental Sciences, Bio sciences, Pharmacy, Medical Sciences, Earth sciences, Geology, Agriculture, Anatomy, Genetics, Zoology
 3. **Science, Technology and Engineering**
Civil Engineering, Mechanical Engineering, Chemical Engineering, Electrical Engineering, Marine engineering, Energy, Information technology and Computer science, Bioinformatics, Geoinformatics and real states, Mathematics, Physics and Chemistry etc.
 4. **Economics, Business and Management**
Economics, Business Management, Accounting and Finance, Management, Marketing, Technology management, HR, Operations Management etc.
- The conference fee details are given below :

Registration Type	FEE	
	International	Local
Early bird	USD 100	RM 300

registration (Before 31 March 2017)		
Normal Fee	USD 120	RM 350
Workshop Fee	USD 50	RM 200
Both Conference and Workshop Fee	USD 150	RM 500

Note! Registration fee does not include publication cost, hotel accommodation and transport. Registration fee includes: conference kit, lunch and daily tea breaks.

ASIA Mediterranean network and Universiti Teknologi Malaysia aims to bring all respective stakeholders, including practitioners, educators, and professionals on one platform from all over the globe to share the latest developments and transfer the academic and tacit knowledge to make the society more sustainable and knowledgeable. ASIA Mediterranean network has conducted the following conferences successfully:

- ASIA International Conferences (AIC 2016), UTM, KL Campus, Kuala Lumpur, Malaysia.
- ASIA International Conferences (AIC 2015), UTM, KL Campus, Kuala Lumpur, Malaysia.
- 2nd AFAP International Conference on Entrepreneurship and Business Management (AICEBM 2015).

In the same vein, it extends the experience curve and looking ahead, proactively to conduct AIMC 2017 this year in Malaysia.

Please click the below link to submit the abstract:

<http://www.utm.my/asia/registration/>

For details on the Pre-Conference Workshops s please go to the link :

<http://www.utm.my/asia/pre-conference-workshops/>

For workshop registration please fill in the google form using the below link:

<https://goo.gl/forms/bXR5jpLIRHAXGJe22>

Thank you,

Prof. Dr. Amran Rasli

Director of ICC/Head of Conference Secretariat
Industry Centre, Technovation Park,
Universiti Teknologi Malaysia,
81300 Johor Bahru, Johor,
Malaysia

Email: aimc2017@utm.my, asia@utm.my

Website: www.utm.my/asia/

Co-Editor :

Dr. Imran Qureshi

Email : miqureshi80@gmail.com

--

Regards,

Dr. Muhammad Imran Qureshi

Director ASIA / Publication Head

Email: asia@utm.my, miqureshi80@gmail.com, editor@asiamediterranean.org,

Website: <http://www.utm.my/aisa/>

<http://asiamediterranean.org/>

Whatsapp/ call : [+601126277412](tel:+601126277412)

Address: UTM Innovation and Commercialisation Centre,
Industry Centre, Technovation Park,
Universiti Teknologi Malaysia,
81300 Johor Bahru, Johor,
Malaysia.

DISCLAIMER: The information in this e-mail and any attachment(s) transmitted with it ("Message") is intended only for the use of the intended recipient(s) and may contain confidential or privileged information. UTM are not responsible for any unauthorised changes made to the information or for the effect of such changes. You are hereby notified that any action in reliance upon, or any review, retransmission, dissemination, distribution, printing or copying of this Message or any part thereof by anyone other than the intended recipient(s) is strictly prohibited. Any opinions, conclusions and other information in this Message that do not relate to the official business of UTM shall be understood as neither given nor endorsed by UTM. UTM shall not be liable for loss or damage caused by viruses transmitted by this Message.