### paper 5 by Handaru Jati

**Submission date:** 30-Jul-2018 09:47AM (UTC+0700)

**Submission ID:** 986167642

File name: PR5\_Weight\_of\_Webometrics\_Criteria\_using\_Entropy\_Method.pdf (1.44M)

Word count: 3337

Character count: 24358

# Proceedings of 10<sup>th</sup> International Conference on Webometrics, Informetrics and Scientometrics & 15<sup>th</sup> COLLNET Meeting 2014




September 3-5, 2014 Technische Universität Ilmenau, Germany

Edited by
Bernd Markscheffel • Daniel Fischer •
Daniela Büttner • Hildrun Kretschmer





Elsevier Research Intelligence



## Proceedings of 10<sup>th</sup> International Conference on Webometrics, Informetrics and Scientometrics & 15<sup>th</sup> COLLNET Meeting 2014

September 3-5, 2014 Technische Universität Ilmenau, Germany

Edited by

Bernd Markscheffel,

Daniel Fischer,

Daniela Büttner and Hildrun Kretschmer

Bernd Markscheffel, Daniel Fischer, Daniela Büttner and Hildrun Kretschmer

Technische Universität Ilmenau Fakultät für Wirtschaftswissenschaften und Medien Institut für Wirtschaftsinformatik P.O. Box 100565 98684 Ilmenau Germany

bernd.markscheffel@tu-ilmenau.de daniel.fischer@tu-ilmenau.de daniela.buettner@tu-ilmenau.de kretschmer.h@onlinehome.de

Ilmenau, 2014

### Index

Index	V
Invited Papers	1
Eugene Garfield and Alexander Pudovkin  Journal Impact Factor Reflects Citedness of the Majority of the Journal Papers	3
Liming Liang and Zhen Zhong Uncited Papers, Unicited authors and Uncited Topics	9
Weiping Yue	17
Hildrun Kretschmer and Theo Kretschmer	21
I. K. Ravichandra Rao and K. S. Raghavan  Seven years of COLLNET Journal of Scientometrics and Information Management (2007 -2013)	49
Full Papers	69
Amir Reza Asnafi and Maryam Pakdaman Naeini	71
André Calero Valdez, Anne Kathrin Schaar, Tobias Vaegs, Thomas Thiele, Markus Kowalski, Susanne Aghassi, Ulrich Jansen, Wolfgang Schulz, Guenther Schuh, Sabina Jeschke and Martina Ziefle	77
Scientific Cooperation Engineering Making Interdisciplinary Knowledge Available within Research Facilities and to External Stakeholders	
Arshia Kaul, Sujit Bhattacharya, Shilpa and Praveen Sharma	87
Ashkan Ebadi and Andrea Schiffauerova	91


Barbara S. Lancho Barrantes  Benefits of scientific collaboration	103
Bernd Markscheffel and Johannes Schmidt	109
Bharvi Dutt and Khaiser Nikam	. 111
Carey Ming-Li Chen  The Application of Funding Acknowledgment on the Path Analysis of Knowledge Dissemination of Granted Researches	.121
Carlos Olmeda-Gómez, María Antonia Ovalle-Perandones, Juan Gorraiz and Christian Gumpenberger  Excellence, merit and research team size: a library and information science case study	. 129
Chen Yue, Zhang Liwei, Wang Zhiqi, Liu Shengbo, Su Lixin and Hou Yu	. 139
Chun Wang, ZhengYin Hu, Miaoling Chai and Hui Wang Legal Status Prediction for US Patents on Thermocouples	. 145
Divya Srivastava, Arvind Singh Kushwah and Mona Gupta	. 153
Divya Srivastava, Arvind Singh Kushwah and Mona Gupta	. 163
Divya Srivastava, Sandhya Diwakar and Ramesh Kundra	. 173
Farideh Osareh and Ismael Mostafavi	. 179
Fatemeh Helaliyan Motlagh and Mohammad Hassanzadeh	191
Fatemeh Nooshinfar, Aref Riahi and Elham Ahmadi	. 201

Gayatri Paul and Swapan Deoghuria	209
Grant Lewison and Richard Sullivan  Conflicts of Interest Statements on Biomedical Papers	217
Hailong Wang and Minyu Wang  Core technology fields and innovation cooperation network of electric vehicle industry	227
Hamideh Asadi and Mahsan Poorasadollahi	237
Hamzehali Nourmohammadi and Abdalsamad Keramatfar	247
Hamzehali Nourmohammadi, Mahdi Keramatfar and Abdalsamad Keramatfar	257
Handaru Jati	265
Hongfang Shao, Qi Yu and Zhiguang Duan	269
Hou Haiyan, Zhao Nannan, ZhangShanshan, Liang Yongxia and Hu Zhigang	281
Data Fetching and Group Characteristics Analysis Based on Sina Microblog	293
Survey of the Editorial Board Members for Journals of Library and Information Science in China	301
K. S. Raghavan and I. K. Ravichandra Rao	309
Leila Nemati-Anaraki and Roya Pournaghi The Effect of Geographical Proximity on Organizational Knowledge Sharing	317
Li Gu, Weichun Yan and Shule An  The Relationship between internet attention and market share of operation systems for personal computers	327

Liu Xiaomin, Sun Yuan and He Jing	. 335
Lutz Bornmann, Moritz Stefaner, Felix de Moya Anegón and Rüdiger Mutz	. 345
M.H. Biglu and M. A-Farhangi Infometrics analysis of Scientific-literature in Pediatrics obesity	. 353
Marzieh Yari Zanganeh and Nadjla Hariri Transactions Reports Analysis Islamic Azad University Marvdasht – branch website: A Case Study	. 359
Marzieh Yari Zanganeh and Sedigheh Mohammad  Use of Six Sigma Concept in University Libraries: A Case Study of Fars province Medical Sciences Library University	.367
Masaki Nishizawa and Yuan Sun	. 373
Meera and Surendra Kumar Sahu	. 381
Mohammad Hassanzadeh and Babak Akhgar	. 395
Mursheda Begum and Grant Lewison  European cancer research publications, 2002-13	. 403
Nabi Hasan and Mukhtiar Singh Library and Information Science Research Output: A study based on Web of Science	. 413
R. D. Shelton and T. R. Fade	. 427
Roya Pournaghi and Leila Nemati-Anaraki	. 437
S. L. Sangam, Devika Madalli and Uma Patil	

Sandhya Diwakar and K. K. Singh	. 459
Shantanu Ganguly, P K Bhattacharya and Tanvi Sharma	465
Shilpa, Arshia Kaul and Sujit Bhattacharya	. 481
Soheila Bagheri and Mohaddeseh Dokhtesmati	. 485
Tahereh Dehdarirad, Anna Villarroya and Maite Barrios	497
Tariq Ashraf	. 507
Thuraiyappah Pratheepan and W.A. Weerasooriya	. 529
Umut Al and Zehra TaşkınRelationship between Economic Development and Intellectual Production	. 539
Umut Al, İrem Soydal, Umut Sezen and Orçun Madran	. 549
Vijayakumar M, Debojyoti Nath and Annapurna SM	. 559
Wen-Yau Cathy Lin  Comparative Study of Journal Impact Factor and Self-Citation Across Asian International Journals	569
Xianwen Wang, Wenli Mao and Chen Liu	. 575
Xiaoyu Zhu, Zeyuan Liu, Chaomei Chen and Haiyan Hou	581

Yang Zhongkai, Xu Mengzhen and Hanshuang	587
Yunwei Chen, Yong Deng, Fang Chen, Chenjun Ding, Ying Zheng and Shu Fang	597
Zhao Qu, Xiling Shen and Kun Ding  Comparative Analysis on Technologies between Chinese and American Large-sized Oil Companies based on Patentometrics	609
Posters	619
List of Accepted Posters	621



### Weight of Webometrics Criteria using Entropy Method

### Handaru Jati

Universitas Negeri Yogyakarta Karangmalang Campus Indonesia handaru@uny.ac.id

### Abstract

The aim of this study was to propose some of the basic tools for Decision Making. The purpose of this paper is to show a methodology test for the selection of the weighted method, as aid to decision making in the design stage in the area of webometrics. Selecting the weighted method is one of the problems of Multicriteria Decision Analysis in which decision-makers have had disadvantages in weighting assignment criteria. To resolve this problem arises weighting variables using the entropy method. The model presented in this article is limited to display application in a webometric case. This model can be applied as a way to supplement the technical studies to select the weighted method of a webometrics and it gives the relative importance weights of the various elements, and gives an empirical analysis, explain the role of the entropy weight in webometrics study. Entropy weighted method enables rank all the alternatives in question without decisor bias and calculates the specific weight of criteria.

### Introduction

In the world there are thousands of universities, and since 2004 it has been published a Web Ranking whichshows the results in every six months (January and July) and covers about 20,000 Higher Education Institutions worldwide. The composite index (Ranking) is calculated by combining standardized positions instead of values. The visibility is calculated giving an extra inbound links that are not from generic domain importance (.Com, .Org, .Net). Figures for rich files (pdf, doc, ppt, ps, Dox, pptx, eps) are combined and have not been treated individually. The intention with this system of analysis and projection of cybermetric indicators under the parameters set Webometrics is to strengthen and indicate the type of information being generated in each of the institutions and thereby improve certain characteristics that further enrich university of university webometrics ranking has changed the setting of higher education and is likely to continue to influence further development nationally and internationally. This moment is a new era for university, characterized by global competition, in which university ranking systems have assumed an importance factor for surviving. Their emergence has also been a matter of controversy, often controversial and subject to considerable debate, has been met with a lot of scepticism, some enthusiasm and an institutional unease. Academic rankings are here to stay and it is results that count for most of higher education's stakeholders.

### Literature Review

### Webometrics

Although the subfield of webometrics is considered as one of the most recent quantitative studies within the field of library and information science, there are already several international studies that address this topic. Many authors have directed their focus of study for this new environment, for finding web immense diversified network of information resources, easily accessible and still little explored. In this sense, Cronin and McKim (1996) argue that as the Web is becoming a medium increasingly important to science and academia, it is logical that quantitative studies extend well to this medium. Also Thelwall, Vaughan and Björneborn (2003) consider that being a global network of Web documents, initially developed for academic use and then extended to general users, it is obvious that it is a fertile field of research for

bibliometrics, the scientometrics and informetrics. The Webometrics is a ranking based on measurements of the presence of the universities on the Web. It is prepared by the Laboratory Cybermetrics, a group of research is part of the Superior Council of Scientific Research of Spain, and not for commercial purposes. In contrast to other rankings, Webometrics classifies a large number of universities, more than 20,000 in its latest edition (January 2012). Published twice a year (January and July). The system also allows universities ordered by country and region (Aguillo, Ortega et al. 2008). According to its website, the ranking aims to promote open access to information on the Internet by universities access. Also, as most of the rankings, insist on the superiority of his method: "As other rankings focused only on a few relevant aspects, specially research results, our ranking based on indicators of the presence reflects best the Web overall activity of the institutions, as there are many other tasks performed by teachers and researchers that appear on the Web. However, this method also has its limitations, since it favors large universities or those with large budgets for technology.

### Entropy Method

The entropy method was developed as an objective method of allocation weights depending on the decision matrix without affecting the preference of the decision maker (Zeleny 1982), the relative importance of criterion j in a decision situation, wi measure its weight is directly related to the amount of information provided by the intrinsically set of alternatives with respect to that criterion (Barba Romero and Pomerol 1997). How much have greater diversity in the evaluations of the alternatives greater importance should be the criterion. Far this diversity is conceptually based on solid and accepted concept of entropy in an information channel posed by Claude Shannon (Shannon and WEAVER 1949). The procedure is as follows:

The evaluations if (i = 1, m) (j = 1, n) are taken as normalized as a fraction of the sum i ij  $\Sigma$  to the original assessments of each criterion j.

$$a_{ij} = \frac{k_{ij}}{\sum_{l=1}^{m} \sum_{j=1}^{n} k_{ij}} \quad \text{for m > 1 and i=1, 2, ..., m; and j=1, 2, ..., n.}$$
 (1)

Entropy (Ej) is calculated.  

$$E_{j} = \left[\frac{-1}{\ln(m)}\right] \sum_{i=1}^{m} \left[a_{ij} \ln(a_{ij})\right]$$
(2)

where m = number of alternatives in the matrix standardized assessments and ij = Criteria or standardized attributes.

c. Diversity criterion (Dj) is calculated.

$$D_i = 1 - E_i \tag{3}$$

d. The normalized weight of each criterion (Wj) is calculated.

$$w_j = \frac{D_j}{\sum D_j} \tag{4}$$

### Research Method

Weighted indicators that take into account are:

- Size: number of pages recovered from 4 search engines: Google, Yahoo, Live Search and Exalead (20%).
- Visibility: The total number of unique external links received (inlinks) by a site that you can den get consistently from Yahoo Search, Live Search and Exalead (50%).
- Rich files: the following file formats were selected after considering their relevance in academic and publication activities and considering the volume of use: Adobe Acrobat (pdf.), Adobe PostScript (ps.), Microsoft Word (. Doc) and Microsoft Powerpoint (.

Ppt). These data are extracted through Google, Yahoo Search, Live Search and Exalead (15%).

 Academic: Google Scholar provides the number of papers and citations for each domain academic. The results obtained from the database of Google Scholar papers, reports and other academic papers (15%).

### Results

The four number of criteria that should typically be considered in selecting the best university website are Size(C1), Visibility (C2), Rich Files (C3), and scholar (C4). First of all we form the decision matrix, after that we compute hi, di and wi base on Shannon method that are shown in Table 1.

Scholar **Rich Files** Universitas Visibility Size .pdf .ps .ppt .doc Total Uni A 9950 259000 9110 22900 375210 9950 177,321 84200 Uni B 8970 307,113 390000 26400 10800 13400 440600 8970 Uni C 33200 4.616,437 317000 22300 18100 19900 377300 33200 Uni D 30100 362,854 268000 10100 8650 22800 309550 30100 Uni E 26700 113,286 269000 12900 20000 20500 322400 26700

Table 1. Data

We want to obtain a weight for each criterion by using the proposed approach. According to Eq.1, normalized matrix data are presented.

Size	Visibility	Rich Files	Scholar
0,040	0,014	0,501	0,040
0,000	0,043	1,000	0,000
1,000	1,000	0,517	1,000
0,872	0,055	0,000	0,872
0,732	0,000	0,098	0,732

Table 2. Normalized Data

The evaluations of these five alternatives according to the previously stated criteria, i.e., evaluation matrix, are displayed in Table 3.

Table 5. I to intalized Data			
Size	Visibility	Rich Files	Scholar
0,960	0,986	0,499	0,960
1,000	0,957	0,000	1,000
0,000	0,000	0,483	0,000
0,128	0,945	1,000	0,128
0,268	1,000	0,902	0,268

Table 3. Normalized Data

In our analysis we calculate diversity criteria and the result shows in the table 4.

Visibility Rich File Size Scholar -0,665112338 -0,683290598 -0,345859551 -0,665112338 -0,693147181 -0,663312374 0 -0,693147181 -0,334805162 0 -0,088681645 -0,654732445 -0,693147181 -0,088681645 -0,185945385 -0,693147181 -0,625181204 -0,185945385 E(C) =ln(2) \*total sum 0,471151465 0,777463336 0,576787486 0,471151465 d = 1-E(C)0,528849 0,222537 0,423213 0,528849

**Table 4. Diversity Criterion** 

The final rank of each criterion by using the entropy weighted method can be seen in table 5. The obtained values of criterion Size, visibility, rich files, and scholar are 0,310458; 0,130639; 0,248445; and 0,310458 respectively.

We see that the rank of size and scholar are just better than the rank of rich file and visibility. Therefore, size locates at rank 1. Other criteria can be ranked in the same way. For problems with more complexity, with a small program (for example Excel) we can determine the rank of each criterion. In the last Table 5, the rank of each criterion can be seen.

	0		
Criteria	Weight (W) = d/total		
Size	0,310458		
Visibility	0,130639		
Rich File	0,248445		
Scholar	0,310458		

Table 5. Weight of Criterion

### Conclusion

There are several methods for obtaining the weights of criteria of an MADM problem, one of which is the entropy method. How to ascertain weights and subjectivity of evaluation model are the main aspects which influence evaluation result in the present quantitative evaluation methods. During ascertaining weights, either subjectivity can't be avoided, or calculation is too complex. On the other hand, subjectivity can't be avoided in some evaluation methods. based on entropy weight can avoid not only subjectivity or complex calculation in ascertaining weights but also subjectivity of evaluation model via the evaluation criteria of weighted relative adjacent degree. Entropy weighted method is a new advancement in quantitative evaluation methods for webometrics.

### References

Aguillo, I. F., J. L. Ortega, et al. (2008). "Webometric ranking of world universities: Introduction, methodology, and future developments." *Higher Education in Europe* 33: 233-244.

Barba Romero, S. and J. Pomerol (1997). Decisiones Multicriterio Fundamentos Teóricos y Utilización Práctica. *Universidad de Alcalá de Henares*.

Shannon, C. E. and W. WEAVER (1949). The Mathematical Theory of Communication. Chicago, University of Illinois Press.

Zeleny, M. (1982). Multiple Criteria Decision Making. New York, Mc Graw Hill.

### paper 5

**ORIGINALITY REPORT** 

%

SIMILARITY INDEX

INTERNET SOURCES

**PUBLICATIONS** 

STUDENT PAPERS

MATCH ALL SOURCES (ONLY SELECTED SOURCE PRINTED)

6%



★ www.comm.rwth-aachen.de

Internet Source

Exclude quotes

On On Exclude matches

< 20 words

Exclude bibliography

### paper 5

### **GRADEMARK REPORT**

FINAL GRADE

/100

**GENERAL COMMENTS** 

### Instructor

PAGE 1	
PAGE 2	
PAGE 3	
PAGE 4	
PAGE 5	
PAGE 6	
PAGE 7	
PAGE 8	
PAGE 9	
PAGE 10	
PAGE 11	
PAGE 12	
PAGE 13	
PAGE 14	
PAGE 15	
PAGE 16	