

PROCEEDINGS

2ND YOGYAKARTA INTERNATIONAL SEMINAR ON HEALTH, PHYSICAL EDUCATION, AND SPORT SCIENCE (2ND YISHPESS)

"Community Building and Development through Physical Education and Sports"

In conjunction with

1st CONFERENCE ON INTERDISCIPLINARY APPROACH IN SPORTS (1st COIS)

"Integrating sports science intervention to optimize human performance"







Conference Secretariat:

Faculty of Sport Sciences

Universitas Negeri Yogyakarta

Address: Jl. Colombo No. 1 Yogyakarta, Indonesia

Phone : +62274 550826

E-mail : yishpess@uny.ac.id | cois@uny.ac.id Website : yishpess.uny.ac.id | cois.uny.ac.id



































YISHPESS CoIS 2 0 1 8



2nd Yogyakarta International Seminar on Health, Physical Education, and Sport Science (YISHPESS 2018)

1st Conference on Interdisciplinary Approach in Sports (CoIS 2018)

October 26-27, 2018, Yogyakarta, Indonesia

Edited by

Prof. Dr. Siswantoyo, M.Kes., AIFO. Dr. Or. Mansur, M.S. Soni Nopembri, Ph.D. Dr. Muhammad Ikhwan Zein, Sp.K.O.



This book is part of the series *Advances in Social Science, Education and Humanities Research* (Volume 278) (ISSN 2352-5398) published by Atlantis Press.

http://www.atlantis-press.com/publications/proceedings/aer/

The proceedings series Advances in Social Science, Education and Humanities Research aims to publish proceedings from conferences on the theories and methods in fields of social sciences, education and humanities.

Topics covered by this series:

- · Psychology
- Sociology
- Education
- History
- Communication studies
- · Linguistics and language
- · Law and law enforcement
- Political science
- · Religious studies
- Philosophy
- Globalization
- Humanities
- Archaeology
- Anthropology
- Inter-cultural studies
- Development
- Geography
- Health
- Human Factors and Ergonomics
- Library and Information Sciences
- · Safety Research
- Transportation

Publishing information

The series aims at publishing original proceedings from international conferences. With a fast turnaround time and free access on the Internet, the proceedings in this series provide an excellent means for conferences and their participants to quickly publish their articles to the widest possible audience.

The series as a whole has as an ISSN-number where each individual volume of proceedings will have its own ISBN number.

© ATLANTIS PRESS, 2018

www.atlantis-press.com

ISBN: 978-94-6252-634-1

This book is published by Atlantis Press, scientific publishing, Paris, France.

All rights reserved. No part of this book may be reproduced, translated, stored or transmitted in any form or by any means, including electronic, mechanical, photocopying, recording or otherwise, without prior permission from the publisher.

2nd Yogyakarta International Seminar on Health, Physical Education, and Sport Science (YISHPESS 2018)

1st Conference on Interdisciplinary Approach in Sports (CoIS 2018)

October 26-27, 2018, Yogyakarta, Indonesia

Organizing Committees:

Steering Committee:

- Prof. Dr. Sutrisna Wibawa, M.Pd., Universitas Negeri Yogyakarta, Indonesia
- Prof. Dr. Margana, M.Hum., M.A., Universitas Negeri Yogyakarta, Indonesia
- Prof. Dr. Edi Purwanta, M.Pd., Universitas Negeri Yogyakarta, Indonesia
- Prof. Dr. Sumaryanto, M.Kes., Universitas Negeri Yogyakarta, Indonesia
- Dr. Rer. Nat. Senam, M.Si., Universitas Negeri Yogyakarta, Indonesia
- Prof. Dr. Wawan S. Suherman, M.Ed., Universitas Negeri Yogyakarta, Indonesia
- Assoc. Prof T. Herawan, Universitas Negeri Yogyakarta, Indonesia

Scientific Committee:

- Prof. Dr. Tandiyo Rahayu M.Pd., Universitas Negeri Semarang, Indonesia
- Prof. Dr. H. Nurhasan, M.Kes., Universitas Negeri Surabaya, Indonesia
- Prof. Dr. H. Adang Suherman, MA., Universitas Pendidikan Indonesia, Indonesia
- Dr. Abdul Sukur, S.Pd, M.Si., Universitas Negeri Jakarta, Indonesia
- Prof. Dr. M.E. Winarno, M.Pd., Universitas Negeri Malang, Indonesia
- Prof. Yoshio Sugiyama, Ph.D., Kyushu University, Japan
- Assoc. Prof. Kenji Masumoto, Ph.D., Kyushu University, Japan
- Asst. Prof. Uchida Wakaki, Ph.D., Kyushu University, Japan
- Asst. Prof. Wanchai Boonrod, Ph.D., Chulalongkorn University, Thailand
- Profesor Madya Dr. Ahmad bin Hashim, Universiti Pendidikan Sultan Idris, Malaysia
- Dr. Wayne Cotton, Sydney University, Australia
- Dr. Jose Vicente Garcia Jimenez, Universidad de Murcia, Spain
- Prof. Stuart Biddle, B. Ed, M.Sc., Ph.D., University of Southern Queensland, Australia
- Prof. Michael Chia, Ph.D., National Institute of Education, Singapore
- Jacqueline D. Goodway, Ph.D., Ohio State University, USA
- Jung Sok Oak, Ph.D., Proffesor Emiritus Dankook University, South Korea
- Dr. Rakesh Tomar, King Fahd University of Petroleum and Minerals, Saudi Arabia
- Melissa Parker, Ph.D., University of Limerick, Ireland
- Joshua E. Umeifekwem, Ph.D., University of Nigeria, Nigeria
- José Vicente García-Jiménez, Ph.D., Universidad de Murcia, Spain
- Asst. Prof. Wanchai Boonrod, Ph.D., Chulalongkorn University, Thailand
- Assoc. Prof. Dr. Mohd Salleh Bin Aman, University of Malaya, Malaysia

- Prof. James J. Laskin, University of Montana, United States
- Dr. Nguyen Tra Giang, Ton Duc Thang University, Vietnam
- Prof. Tankiso Moloi, University of Johannesburg, South Africa
- Prof. Dr. Evert Verhagen, Ph.D., VU Medical Center, Netherlands
- Dr. Ashril Yusof, University Malaya, Malaysia
- Prof. Rajesh Kumar, Osmania University, Hyderabad, India
- Dr. C. Veerender, PGDPC., Osmania University, Hyderabad, India

Organizing Committee:

- Prof. Dr. Siswantoyo, M.Kes., AIFO., Universitas Negeri Yogyakarta, Indonesia
- Dr. Or. Mansur, M.S., Universitas Negeri Yogyakarta, Indonesia
- Soni Nopembri, Ph.D., Universitas Negeri Yogyakarta, Indonesia
- Dr. Sigit Nugroho, M.Or., Universitas Negeri Yogyakarta, Indonesia
- Dr. Endang Rini Sukamti, M.S., Universitas Negeri Yogyakarta, Indonesia
- Dr. Abdul Alim, M.Or., Universitas Negeri Yogyakarta, Indonesia
- Dr. M. Ikhwan Zein, Sp.K.O., Universitas Negeri Yogyakarta, Indonesia
- Nur Sita Utami, M.Or., Universitas Negeri Yogyakarta, Indonesia
- Saryono, M.Or., Universitas Negeri Yogyakarta, Indonesia
- Ch. Fajar Sriwahyuniati, M.Or., Universitas Negeri Yogyakarta, Indonesia
- Faidillah Kurniawan, M.Or., Universitas Negeri Yogyakarta, Indonesia
- Nawan Primasoni, M.Or., Universitas Negeri Yogyakarta, Indonesia

Preface

First of all, please allow us to extend our warmest greetings and welcome to you all to the 2nd Yogyakarta International Seminar on Health, Physical Education, and Sports Science (YISHPESS 2018). The conference is held in conjunction with The 1st Conference on Interdisciplinary Approach in Sports (CoIS) by the Faculty of Sport Sciences Universitas Negeri Yogyakarta in Yogyakarta, Indonesia on October 26-27, 2018.

The community building and development require integrated aspects in physical education and sports. These issues should be solved by researchers, lecturers, students and even practitioners to share and present their current research. The purposes of the conference are to share and present the reflection and research results related to Physical Education, Health, and Sports Science. In another issue, interdisciplinary approach has been defined as cross disciplines with an in-depth knowledge in one aspect working together to solve problems. Interdisciplinary approach in sports is very important to gain optional result of performance. In line with the first goal of this conference, it seeks better understanding both in theoretical and practical situation in every expert's aspects.

With the YISHPESS's conference theme: "Community Building and Development through Physical Education and Sports" and CoIS's theme: "Integrating Sports Science Intervention to Optimize Human Performance", approximately 236 papers have been submitted at this conference but only 169 of these have been accepted for the presentation after a blind peer review process. We do hope that this conferences proceeding can enrich our understanding of the role of physical education, sports, and health in maintaining community building and development as well as become a meeting point for academics, sport practitioners and sports professional to share ideas and knowledge for improving performance in sports.

We would like to thank to all parties who helped running this program. Hopefully, all the time and efforts we have spent for these two conferences may be beneficial and impactful for the future.

Yogyakarta, October 20, 2018 Organizing Committee

Committee Report

Dear Excellences, Rector of Universitas Negeri Yogyakarta, invited speakers, distinguished guests, and ladies and gentlemen.

It is our pleasure to welcome you to the 2nd Yogyakarta International Seminar on Health, Physical Education, and Sports Science (YISHPESS 2018) and the 1st Conference on Interdisciplinary Approach in Sports (CoIS) held by Faculty of Sport Sciences, Universitas Negeri Yogyakarta. We would like to welcome all invited speakers from overseas who come from different countries to share their knowledge and ideas at this international conference.

We organize two conferences with the theme: "Community Building and Development through Physical Education and Sports" and "Integrating Sports Science Intervention to Optimize Human Performance". These events reflect the role of sport science and physical education for developing human performance at this century.

Active participation from 11 invited speakers and 158 presenters reflect the important role of lecturers, students, researchers, and related background in sport and physical education. They will be organized into several panel and parallel sessions to facilitate main presentations and discussions. Moreover, all selected papers will be published in the international indexed proceeding.

We wish you enjoy these conferences and have a memorable time at Universitas Negeri Yogyakarta. Have a great day in Yogyakarta!

Organizing Committee

Table of Contents

Organizing Committees	iii
Preface	
Committee Report	vi
Part 1. Health	
The association between body mass index (BMI), leg power, speed, and cardiorespiratory fitness (Camong adolescents	RF)
Dzihan Khilmi Ayu Firdausi, Muhammad Eka Mardyansyah Simbolon	1
The correlation between body mass index, abdominal circumference, and hip circumference on cardiorespiratory endurance using the Rockport Method	
Prijo Sudibjo, Cerika Rismayanthi, Krisnanda Dwi Apriyanto	4
Reduction of LDL Cholesterol through MICT and HIIT in rats	
Yanuar Dhuma Ardhiyanto, Widiyanto, Samsul Mu'arif	8
The effects of health educational lessons using learning activities that make students apply the know	ledge
Hideaki Tanimoto	12
The effect of sport and circulo massage on the improvement of work productivity of the physically disabled	
Sumarjo, Sigit Nugroho, Agus Kristiyanto	17
Smartphone: Social attitude and healthy lifestyle	
Erwin Setyo Kriswanto, Indah Prasetyawati Tri P.S., Ranintya Meikahani, Fredericus Suharjana	21
The potentials of spring water in Brintik Indonesia as the stroke therapy medium	
Anita Puspa Ningrum, B.M. Wara Kushartanti	26
The role of physical exercise for menopausal women	
Ni Luh Kadek Alit Arsani, I Ketut Sudiana	31
Part 2. Physical Education	
The learning model of handball basic movement skills through simple games Rofiqul Umam, Hari Amirullah Rachman	35
Developing playing activity models in physical education towards improving multilateral abilities at elementary school students **Ilham Eryk Pratitis Robinson, Sri Winarni**	
Developing basketball using TGfU approach in elementary schools	
Muhammad Nasihul Waffak, Pamuji Sukoco	45

The design of sports club of Pencak Silat in elementary school Suratmin, Adnyana Putra, I Putu Darmayasa	49
Analysis implementation learning adapted physical education in state high school Pasca Tri Kaloka, Sugeng Purwanto, Yuyun Ari Wibowo	54
Elementary school physical education and sport in integrated curriculum Banu Setyo Adi	58
Intervention model of perceptual motor development in preschool children movement development Hari Amirullah Rachman, Yudanto, Sujarwo, Sudardiyono	61
Instructional model of self-defense lesson in physical education: A systematic review Nur Rohmah Muktiani, Erlina Listyarini, Mr. Saryono , Soni Nopembri	66
Students, teachers, and parents: Urgency implementation of water activity in physical education Suci Cahyati, Wawan S. Suherman	70
Phenomenological study of experience and meaning on K-13 implementation by elementary physical education teacher Purworejo Regency Muhamad Sigid, Caly Setiawan	76
Gobak Sodor games and cardiovascular endurance of elementary school children Bayu Insanistyo, Dian Pujianto	82
The implementation of learning big ball game in high school Nurhadi Santoso, Suhadi, Sri Mawarti, Riky Dwihandaka	85
Analysis for the development of a physical education learning model for children with special needs Sumaryanti, Margono, Bernadeta Suhartini, Dapan	88
The implementation of 2013 curriculum in elementary schools Ahmad Syarif, Tomoliyus, B.M. Wara Kushartanti	90
Students' participation in physical education learning through modification of equipment Merryko Wahyu Juanna, Hari Amirulah Rachman	94
Goenrich basic technique model with playing approach for a beginner tennis player Nurkadri	96
The difference in physical fitness levels of Indonesian male and female junior high school students Aprida Agung Priambadha, Fitria Dwi Andriyani, Dapan, Desi Ardiyani	101
The effectiveness of task assessment standard (TASk) in the teaching and learning process of physical and health education teachers Mark decreases the state of	105
Mohd Izwan Shahril, Norkhalid Salimin, Shaharudin Abdul Aziz, Saryono	103
Azali Rahmat, Othman Lebar, Siti Eshah Mokshin, Jamal Nordin Yunus, Napisah Kepol, Mohd Uzi Dollah, Azliza Mohammad, Razmawaty Mohamad, Laily Fazlin Khairil, Salzuriawani Ridzwan	109

Bowling modification to increase the basic movement of throwing in the learning of physical education Kartini, Eddy Purnomo	113
The influence of visual media on the footwork in badminton Abdillah, Lismadiana	115
The development of athletic games model to develop character in fourth-grade students Dita Ayuning Tyas, Ria Lumintuarso	117
Engaging the community in project SKIP to promote early years physical literacy in Indonesia Jacqueline D. Goodway, Ruri Famelia, Yung-Ju Chen	120
Physical education is the basic foundation to build high performance athlete *Rajesh Kumar**	126
Validity and reliability of the holistic assessment standard (SPH) based on the invasion game category in physical education	
Mohamad Asmadi Bin Samdin, Mohd Izwan Bin Shahril, Norkhalid Bin Salimin	128
	133
Spiritual development through elementary physical education classes Soni Nopembri, Ahmad Rithaudin, Saryono, Yoshio Sugiyama	137
Developing affective instrument based on performance in extracurricular swimming Rahma Afdhilla Nasution, Pamuji Sukoco	141
Effects of training methods and power on shooting accuracy in football Rian Desta Sintoko, Suharjana	144
Motion-and-song-based warm-up model for children with visual impairment Hendrik Kusworo, Sri Winarni	147
Exercise box jump to increase the strength of long passes and shots Fadli Suardhana Eka Putra, Hari Amirullah Rachman	150
Identification of the obstacle factors for 2013 curriculum implementation of public junior high schools in Sleman District	
Bobitya Adrina, Wawan S. Suherman	153
The Influence of ball modification on Sepak Takraw service learning outcome Khairun Nizam, F.X. Sugiyanto	156
Reliability of futsal skill test for high school players Agus Susworo Dwi Marhaendro	160
Students reasoning achievement using games performance assessment instrument in physical education Norkhalid Salimin, Abdul Razak Noruzzaman, Mohd Izwan Shahril, Md Amin Md Taff,	
Sved Kamaruzaman Sved Ali	166

Differences of influence of playing Playdough and puzzles on fine motor skills and logical-mathematical intelligence in early childhood Panggung Sutapa, Yudik Prasetyo, Fatkhurahman Arjuna, Hadwi Prihatanta	171
Changes in children behavior with music yoga motion exercise Nurmala Dewi, Sumaryanti	175
The athletics literacy through need assessment software in contribution to the physical education and health learning process Muhammad Imam Rahmatullah, Yustinus Sukarmin	178
Developing a model of character education of 5t-based <i>Pencak Silat</i> Prabowo Hadi Saputro, Siswantoyo	
The effect of plyometrics training and strengths on power skills and agility of male player in extracurricular volleyball Wiga Nurlatifa Romadhoni, Djoko Pekik Irianto	186
The capabilities of sports education teachers in making character oriented lesson plans and learning practices	100
Dimyati, Komarudin, Ermawan Susanto, Joko Purwanto	190
ability in volleyball? Yudi Pratama, Djoko Pekik Irianto	194
The effect of exercise methods and coordination towards students' extracurricular basketball skills Muhammad Syaifullah Irwan, Lismadiana	198
Learning activity to develop physical literacy in kindergarten Uray Gustian, Eka Supriatna, Edi Purnomo	204
Development of authentic assessment model of learning outcomes in field tennis courses Guntur, Sridadi, Ngatman, Danang Pujo Broto	208
Evaluation of the 2013 curriculum implemented by physical education teachers Budi Setiadi, Soegiyanto, Setiyo Rahayu, Hari Setijono	214
Badminton game empowerment: A symbol of leadership in the university student association Amat Komari, AM Bandi Utama, Agus Susworo Dwi Marhaendro, Raden Sunardianta	220
The construction of inclusion and inclusive teaching by physical education teachers Caly Setiawan, Muhammad Hamid Anwar, Fathan Nurcahyo	224
A systematic review of teaching swimming based on constructivist approach Subagyo, Moch. Slamet, Nur Sita Utami, Hedi Ardiyanto	231
Using the context, input, process, and product evaluation model (CIPP) to evaluate elementary school teacher-learner program of physical education in Yogyakarta City	
Agus Sumhendartin Suryobroto, Tri Ani Hastuti, Herka Maya Jatmika	233

Perception of physical education teachers on the implementation and evaluation of curriculum 2013	
Ermawan Susanto, Pamuji Sukoco	236
Part 3. Sport Science	
A comparative study of effect of interval and continuous training toward oxidative stress level, antioxidant enzyme capacity, and resistance of erythrocyte membrane Moch. Yunus, Endang Sri Wahjuni, Nurul Riyad Fadhli	241
Evaluation program for special class of sport in senior high school level Ridho Gata Wijaya, Nurhasan, Edy Mintarto	247
Strategy of sport industry development as supporting tourism in DIY Ahmad Nasrulloh, Sumaryanto, Sigit Nugroho, Sumarjo	252
Roles of parenting aquatic athletes through mediators achievement motivation F.X. Sugiyanto, Agus Supriyanto, Nur Indah Pangastuti	259
Martial art of Dayak Central Kalimantan (a study of history, philosophy, and techniques of traditional martial arts) Eko Hernando, Siswantoyo	262
Evaluation of student selection test model of sports-specific class Tri Hadi Karyono, Abdul Alim	267
Positive mental health and its association with posture: With reference to school children Ghansham K. Dhokrat	269
Comparative study on mental health among badminton players and table tennis players of the Kalaburagi District in India H.S. Jange	271
Effective counseling methods to overcome the psychological factor of a sportsperson C. Veerender	
The picture of teaching physical education and sports in primary school in Burundi Country Japhet Ndayisenga, Wara Kushartanti	
Psychology preparation of athletes in Malaysia: It looks impressive, but they have no real value in reality Shaharudin Abd. Aziz, Mohd. Izwan Shahril, Zulkifli Mamat	280
The history of Pencak Silat goes to the world in the period of 1980-2000 Firdhana Wahyu Putra, Siswantoyo	284
Analysis of interpersonal communication in sports Ika Novitaria M, Ari Subarkah	288
Chronological changes during 10-day intermittent fasting with low energy intake on high intensity aerobic performance and lipid constituents *Ashril Yusof, Mohamed Nashrudin Naharudin	292

Evaluation of aeromodelling coaching system Liesda Oktoviani Nugraha, Wara Kushartanti	298
Games to introduce basic motion of martial arts Sulasikin Sahdi Kadir, Siswantoyo	301
Identification of basic agility movement skills on soccer students of KU between 11-13 years Wahyu Wibowo Eko Yulianto, Siswantoyo, R. Agung Purwandono Shaleh	305
The effects of circuit and fartlek exercise method and peak expiratory flow on Vo ₂ max Leo Pratama, Wara Kushartanti	310
Football skills: Training methods and motor educability Yudha Rello Pambudi, Widiyanto	316
The effect of artistic gymnastics talent scouting application to artistic gymnastic basic skills Endang Rini Sukamti, Sebastianus Pranatahadi	319
The effect of various passing exercise and ankle coordination on the accuracy of short passing in football <i>Ega Gian Vembiarto, Lismadiana</i>	322
Influence of training method and leg power on running speed Galih Dewanti, Ria Lumintuarso	327
Training model of badminton footwork for beginner Ari Subarkah, Ika Novitaria	333
The contest validation of circuit training design to improve biomotor components in table tennis performance Tomoliyus, Devi Tirtawirya, Rumpis Agus Sudarko, Hasman Alhafiz Arif, Hary Widodo	336
The combination of dribbling and shooting training models based on speed and agility in football Yulianto Dwi Saputro, Sudarsono, Luthfie Lufthansa	339
The exercise method and eye-foot coordination in soccer playing skills for 14-15 years old players Marzuki, Pamuji Sukoco	346
The effect of physical condition on the artistic gymnastic basic skills **Ratna Budiarti**	351
Coaching achievements KKO in senior high school as an evaluation to sport achievements Fajar Sriwahyuniati, Risti Nurfadhila	354
The effect of plyometric training to speed of volleyball athletes Mansur, Subagyo Irianto, Faidillah Kurniawan	357
Relationship between flexibility with balance in the elderly based on clinical pathophysiology Cerika Rismayanthi	359
The role of sports medicine in elite sports Evert Verhagen	361

Long-term effect of marathon to cardiac health – potential myocardial fibrosis Inarota Laily Mukti, Evert Verhagen, Harald Jorstad	363
Physical activity and mental health in young people	
Stuart J.H. Biddle	366
Linkages of sports activities with spirituality and religiosity of community: The case in Muslim majority country	260
Rakesh Tomar	369
Shooting drills with target changes to improve the accuracy of penalty kick in soccer	274
Arif Hidayat	374
Effect of strength, flexibility, balance and confidence of successful wall climbing athletes in South Sumatra Bayu Hardiyono	377
The effect of moderate intensity continuous training (MICT) and high intensity interval training (HIIT) on erythrocytes, leukocytes, and platelets level	
Andryas Yuniarto, Panggung Sutapa	383
The motion analysis technique of flat tennis services	
Akhmat Bagus Ajizi, Ria Lumintuarso	386
An evaluation of the implementation of special sport class program of junior high schools in Sleman Regency	
Dana Frasetya, Guntur	390
Sports management implementation of Indonesian sports committee in optimizing sports achievement Andes Permadi, Sugeng Purwanto	393
Recovery does not prevent myocardial damage due to overtraining (Biomolecular and pathobiology studies)	
Made Kurnia Widiastuti Giri, Muchsin Doewes, Ketut Indra Purnomo, Herka Maya Jatmika	397
The effect of listening music on reaction time of badminton players	
Adnyana Putra, Ni Made Sri Dewi Lestari, Putu Adi Suputra	401
Physical fitness profile of Indonesian female rugby athletes for Asian Games 2018	
Junaidi	405
Holding bow digital test for strength and endurance arm muscles of archery	
Heru Prasetyo, Siswantoyo	409
Rhythmic gymnastics of the early childhood	
Endang Murti Sulistyowati, Endang Rini Sukamti	412
The development of the kick Abhorigi Chagi instruments of Kyorugi taekwondo athletes	
Ayub Tatya Admaja, F.X. Sugiyanto	416
Can mental skills intervention improve resilience of adolescent badminton athletes?	
Gita Widya Laksmini Soerjoatmodjo, Clara Moningka	420

The development of the forearm passing training model in volleyball for beginner athletes Syamsuryadin, Mansur	423
The influence of plyometric exercise on the long pass results of football players in one football club in Magelang Indonesia Yusuf Sanggantara, Suharjana	426
Sports development index of Berau District East Kalimantan Province Oktofianus Matheus Molu Wato, Hari Amirullah Rachman	
The effect of training method and motivation to increase VO2Max of Basketball players Deden Ardiansah, F.X. Sugiyanto	432
Contributing factors to the lack of parental involvement in Sepak Takraw I Ketut Semarayasa, Setya Rahayu, Soegiyanto KS, Taufiq Hidayah	438
The effects of plyometric training and age on the agility of Silat fighters *Rodhi R. Hidayat, Tomoliyus	441
Developing core stability exercise model of playing approach for children aged 10-12 years to improve accuracy in 15 meters archery Oktita Indah Pratiwi, Mansur	447
The role of parenting style in youth sport talent Adhim Rahtawu, Agus Kristiyanto, Sapta Kunta Purnama	451
Using the prototype of table tennis software in managing table tennis tournament Deny Budi Hertanto, Sigit Nugroho, Hadwi Prihatanta	456
The enlivening system of basketball in South Sumatera Riyan Pratama	461
Influence of training method and concentration to the accuracy of short service backhand in badminton Oloan Victory Manurung, Dimyati	464
The effects of exercise method and arm strength on 200 meters freestyle swimming achievements Evan Billy Andrianto, Dimyati	468
The effect of circuit training on aerobic fitness and body fat percentage Presto Tri Sambodo, Suharjana, Galih Yoga Santiko	472
The analysis of diving resistance by using dry static method for freediving beginners Syamsul Bakri, Suharjana	476
Contribution of leg muscle explosive power and flexibility on lay-up shoot in basketball Oki Candra	479
Analysis of the implementation of elementary school sport club management Hendra Java Pratama, Lismadiana	483

Characteristics analysis of badminton in female single player Nugroho Agung Supriyanto, Ainur Rasyid	486
A comparison study of running on sand and tartan track to increase cardiovascular endurance of Universitas Negeri Jakarta students Kuswahyudi, Ramdan Pelana	489
Shooting training models with the playing approach for futsal extracurricular of junior high school students Anggel Hardi Yanto, Panggung Sutapa	493
The potential of sport tourism in the Southern Coastal Area of Yogyakarta Ardiansyah Pradipta Kurma Sulistya, Ilya Rosida Perdana, B.M. Wara Kushartanti	498
Comparing the effects of plyometric depth jump and rim jump training on the explosive power of leg muscle and the level of creatine phosphokinase of basketball players Eko Juli Fitrianto, Del Asri, Johansyah Lubis	503
The effectiveness of circuit training with constant break and decreased intervals on Vo ₂ max, power, and recovery Sigit Nugroho, Riky Dwihandaka	510
The relationship between blood glucose level and stamina of Sepak Takraw athletes	515
The differences of psychological characteristics between male and female tennis players Abdul Alim	517
An evaluation of swimming coaching programs Indra Gunawan, Sugeng Purwanto	519
The phenomenological study of fanaticism of football PSS Sleman supporters *Ricki Agusman, Caly Setiawan	523
The effect of training method and speed on VO ₂ max of futsal players Benny Criya Permana, F.X. Sugiyanto	526
The effectiveness of post-workout fitness and sports massage in changing blood pressure, pulse rate, and breathing frequency Bambang Priyonoadi, Ali Satia Graha, Rachmah Laksmi Ambardini, B.M. Woro Kushartanti	529
Mood state profile as overtraining predictors: Considering gender and two different class types Eka Novita Indra, Yustinus Sukarmin, Eka Swasta Budayati, Widiyanto	534
The effect of weight training method and aerobic endurance on the improvement of anaerobic endurance Rian Dio Juliandri, Yustinus Sukarmin	538
The development of football basic skill learning model	541

Adjustment of teen-aged athletes in badminton boarding school	
Veronica Anastasia Melany Kaihatu, Adriatik Ivanti, Supriyanto	545
The promise of a holistic ecological approach to study badminton talent development in Indonesia	
Hysa Ardiyanto, Caly Setiawan	550
Bodyweight circuit training for basketball beginner athletes' aerobic endurance	
Risa Herdiyana Bastian, Tomoliyus	554
Physical education sport and health national curriculum and elite sport development: Policy, synergy, or conflict?	
Sulistiyono, Wawan S. Suherman, Dwi Kurnianto	558
Ethical issues in researching immigrant youth physical activity: A New Zealand perspective	
Muhammad Hamid Anwar, Caly Setiawan, Herka Maya Jatmika	563
Sports achievement issues: Professionalism, policy, racism, cheating, abuse, doping, gender	
Sujarwo, Suharjana, Hari Amirullah Rachman	569
The effects of training method and aerobic capacity on the anaerobic endurance of taekwondo athletes in Dojang Lampung Barat	572
Guntur Yuli Satria, Hari Amirullah Rachman	3/3
Dive sports career opportunities in Indonesian professional sports	570
Satrio Sakti Rumpoko, Vera Septi Sistiasih, Ratna Kumalasari	319
Implementation of sport science coaching: Improving strength and conditioning performance of tennis junior athletes	
Rina Ambar Dewanti, Beltasar Tarigan, Dian Budiana	582
Measurement of the muscle fitness level of 9-12 years old badminton players with the Kraus Weber method	
Dinan Mitsalina, Widiyanto	586
The analysis of volleyball coaching achievement obstacles in Lampung Province Indonesia	
Kusbani, Soegiyanto KS, Hari Setijono, Sulaiman	589
The effects of training methods and eye-hand coordination on groundstroke accuracy	
Rekyan Woro Mulaksito Mulyadi, Suharjana	592
Stem cell therapy in anterior cruciate ligament (ACL) injury	
Ukhti Jamil Rustiasari, Muhammad Ikhwan Zein	597
Developing FIVE® neuromuscular warm-up as futsal injury prevention program	
Saryono, Muhammad Ikhwan Zein, Ahmad Rithaudin	601
Profile of pre-practice hydration status of Indonesian junior sub-elite karate athletes: Pilot study	
Djoko Pekik Irianto, Danardono, Muhammad Ikhwan Zein	604

Comparative study of explosive strength among boxers and tackwondo players of Osmania University Hyderabad India Janagama Prabhakar Rao, Yerraguntla Emmanuel Shashi Kumar	607
Effect of weighttraining exercises to develop speed and shoulder strength among javelin throwers of Acharya Nagarjuna University Guntur P.P. Satya Paul Kumar	609
Body responses to combination of endurance and strength training for kids aged 13-14 years old Danang Wicaksono	611
The development of a hitting practice tool model on woodball S.M. Fernanda Iragraha, Sugiharto, Soegiyanto K.S., Hari Setijono	614
The development of smart flexibility tools to measure the digital-based abilities Ardhana Purnama Putra, Siswantoyo	618
Ergocycle test for the disabled children Sri Ayu Wahyuti, Siswantoyo	622
Need assessment for development of digital-based learning media for Jurus Regu Pencak Silat Noor Ika Rifky Syarif Hidayat, Siswantoyo	624
Need assessment of software preparation for Pencak Silat physical test in early age Dewi Nurhidayah, Siswantoyo	627
A study of individual and team game players with respect to visual and auditory reaction time Haricharan Gajbhiye	630
Effect of plyometric training for development of speed among high jumpers of India Hiremath Rajashekhar Mallikarjunayya	632
Valuation of 2-minute, 4-minute, 6-minute and 8-minute run - walk tests for male physical education students	
Uday N. Manjre	634
Loka Bavoji Laxmikanth Rathod	636
A study on the aerobic fitness among hockey and football players of Gulbarga University India Pasodi Mallappa Sharanappa	638
The periodization of 4 and 6 weeks circuit training and age to improve the aerobic endurance of basketball beginner athletes M. Rachmat Darmo Umar, Tomoliyus	640
Construct validity for talent identification test athletic with Aiken's V Budi Aryanto, Awan Hariono, Cukup Pahalawidi	647

Evaluation program of physical and health educational learning in junior secondary school in The Gayo	
Lues Region of Aceh	
Rani Fitria	650
A comparative study of mental health between athlete and non-athlete	
Bhaskar Salvi	653



The Effectiveness of Circuit Training with Constant Break and Decreased Intervals on Vo2max, Power, and Recovery

Sigit Nugroho
Faculty of Sport Sciences
Yogyakarta State University
Yogyakarta, Indonesia
sigit.nugroho@uny.ac.id

Riky Dwihandaka
Faculty of Sport Sciences
Yogyakarta State University
Yogyakarta, Indonesia
rikydwihandaka@uny.ac.id

Abstract—this study aims to determine if any difference exists in the effect of circuit training type with fixed break and decreased intervals to improve VO2 Max, Power and Recovery ability of students in the Faculty of Sport Sciences UNY. The research applied the quasi experimental research method. The treatment group was measured by giving circuit training with 45 seconds constant break interval and 10 seconds decreased break interval on the improvement of VO2 Max, Power and Recovery abilities. The factorial design was the design implemented. The samples were taken from the existing population by the Purposive Random Sampling method. The data collection was obtained by tests and measurements. The data analysis technique applied the multivariate analysis with Repeated Measured test. Totally, the research result proves that there is a significant influence on both methods of circuit training. Based on the result analysis, the circuit training method with 10 second decreased break interval is more effective in improving all the dependent variables including VO2 Max, power, and recovery from the circuit training method with 45 seconds constant break interval.

Keywords—circuit training, break interval

I. INTRODUCTION

Having an excellent physical status is necessary for every sportsman. The level of physical fitness is the basis for the further training process, especially to obtain technical, tactical, strategic and psychological skills. The aspect of mental health includes morality, sportsmanship, true sportsman attitude, discipline, self-confidence, concentration, thinking, creativity, willingness, fighting spirit, responsibility, self-esteem, courage, and teamwork [1].

The basic factors of training which include physical preparation, technique, tactics, and psychics are closely related, but each formation has a way of developing. Physical ability is needed to obtain better technical skills, technical abilities, and preparation to acquire tactical skills and if tactical abilities are obtained, it can be used to build maturity. In improving physical conditions, the implementation of the training program must be well planned, systematic and aimed at increasing physical fitness and the functional ability of the body system to enable athletes attain better performance. Overall, the physical condition of the athlete is a bio motor component.

Bio motor is the ability of humans to exhibit motion. This is influenced by the condition of the organ systems in the body and it consists of two things, namely: (1) energy fitness and (2) muscular fitness. Aerobic capacity and anaerobic capacity are appropriate physical training methods developed to improve the physical conditions. The circuit training method is used. [3] The circuit training was developed by Morgan and Anderson in 1959 at the University of Leeds in England. The beginning of this exercise consisted of 9 to 12 training protocols using medium intensity (40% to 60% of 1 RM) with certain number of repetitions and little breaks at every move to the next training station. [4] The circuit system consists of a series of consecutive exercises performed with minimal break among trainings, by doing circuit training; it can increase the time for lactate threshold, body composition, and increase strength and endurance.

[5] The Circuit training was first proposed by Morgan and Adamson (1959) from Leeds University as a method for developing fitness in general. The Circuit training consists of several stations arranged in a circle so that muscle groups can work alternately from station to station. Circuit training consists of 3 categories, short (6-9 exercises), medium (10-12 exercises), and long (13-15 exercises). The number of reps per station must start higher (e.g. 20), decrease (for example, 8-10) and at least repetitions (5 - 6), for break intervals it is recommended 30 to 90 seconds at each station and 1 to 3 minutes between circuits.

Circuit training is a training format referring to a number of sequentially selected exercises that consists of several stations or the number can be varied according to the circuit design and move from one station to the next station with little (15-30 seconds) or without breaking by doing 15 up to 45 seconds from 8-20 repetitions at every station (using intensity from around 40% - 60% of one maximum repetition (1RM). [6] Circuit training is a technique where exercises are carried out sequentially with the number of stations, repetition and duration determined sets. Circuit training is an approach to aerobic capacity training in exercise. Organizing the training into circuit with a series of safe work stations can result in improved muscle strength, speed, and endurance in walking and climbing stairs [7].

[3] High-intensity circuit training is an efficient exercise method that helps reduce body fat, increases insulin sensitivity, VO2 Max, and muscle fitness. [8] The circuit training is a useful method for increasing cardiovascular



strength and performance. [9] The circuit training is an excellent strategy for reducing time for strength training by applying sufficient volume of training. The circuit training has traditionally been carried out using relatively low weights with relatively high repetitions for increasing muscle endurance and local aerobics [2].

Physical conditions can be improved by the type of training as a whole from a single component that cannot be separated, both improvement and maintenance. This means that in increasing the physical condition of all components, it must be developed even though it is done with a priority system according to the conditions or status needed. From the several types of components, the physical condition must be majorly in the circuit training program that will be given to every athlete in sport performance. In order to investigate the physical training method required, it is necessary to figure out how effective the circuit training affects the ability of physical conditions including VO2 Max, power, and recovery.

II. METHOD

A. Design and Sample

This research made use of the quantitative research while in terms of its objectives, this research was categorized as an applied research, while in terms of the method used, and the quasi-experimental research was used. The factorial design was used here. The research population were students with the following features:

- Male sex
- Age 18-21 years
- Physical and spiritually healthy
- Have badminton playing skill
- Students living in the student boarding house in FIK UNY

The samples in this research were taken from the existing population using the "Purposive Random Sampling." After including the sample requirements with the population of 55 students, 24 samples were selected. Samples with determined numbers were divided into 2 groups through ordinal pairing, so that each group had a total of 12 samples.

B. Data Collection and Research Instrument

The data collection was obtained through tests and measurements applied to the research samples. In collecting the data, there were three (3) components of physical condition that will be measured, namely: 1) VO2 Max, 2) power, and 3) recovery. The instruments used to measure the three components of the physical condition in this research were: a) VO2 Max test with Multistage Fitness Test, b) Test of Power with Jump-DF, and c) Measurement of Recovery with Pulse oximeter.

C. Data Analysis Technique

Data analysis technique used in this research was the prerequisite and hypothesis test. The prerequisite test used included: a) Test for normality using Kolmogorov Smirnov Z., b) Homogeneity test was by using the F-test by comparing the largest variance with the smallest variance, and c). Box

test was used to test the factorial analysis assumption which required that the variance matrix of the dependent variable was the same or not different. To test the hypothesis, the researcher used the multivariate analysis (MANOVA) with 1² factorial analysis was carried out to test the hypothesis that was to find out the difference of the dependent variable and the independent variable more than one minimum of two with a significance level 0.05.

III. FINDINGS AND DISCUSSION

A. Research Result

1. Research Data Description of Group I

The data description of group 1 of the circuit training with constant break interval with break periods for each interval of 45 seconds before and after the treatment for every variable is as follows:

TABLE I. DESCRIPTION OF PRE TEST AND POST TEST DATA MEAN OF GROUP 1

Variable	Variable Initial Mean		Gain Score	
VO ₂ Maks	42.13	45.79	3.66	
Power	57.75	69.33	11.58	
Recovery	17.75	23.83	6.08	

A conclusion can be drawn from the results that the use of the constant break interval training circuit training method with 45 second break intervals can improve strength, speed, and agility, VO2 Max, power, and recovery abilities. The average results of the initial and final tests of Group 1 on every variable can be described in the following diagram:




Fig. 1. Mean Results of Initial and Final Tests of Group 1 on VO2 Max, power, and recovery variables

2. Description of the Research Data on Group 2

The description of the data in Group 2 of the circuit training with break interval decreases with each break time of 10 second interval as follows:



TABLE II. DESCRIPTION OF PRE TEST AND POST TEST MEAN DATA RESULT OF GROUP 2

Variable Initial Mean		Final Mean	Gain Score	
VO ₂ Max	38.70	52.63	13.93	
Power	60.16	77.91	17.75	
Recovery	26.66	37.83	11.17	

From the results, it can be concluded that the use of the decreased break interval training circuit method with break period of 10 seconds interval is capable of increasing VO2 Max, power, and recovery abilities. The mean/average results of the initial and final tests of Group 2 on every variable can be described in the following diagram:




Fig. 2. Result of Initial Test Mean and Final Test Mean of Group 2 of VO_2 Max, power, and recovery variables

3. Box Test

Test box test is a requirement that must be met in the factorial analysis. The Box Test is used to test the factorial analysis assumption which requires the variance matrix of the dependent variable to be the same (or not different). The reading of data results considered the variance matrix of the dependent variable the same if p value (Sig.) > 0.05. The test results of the Box Test on the research data are as follows:

TABLE III. RESULT OF BOX TEST OF THE POST TEST DATA

Box M Test	F calculate	p	Status	
106,646	1,262	0.080	Qualified	

The results of the Box Test on the post test data obtained Box M test value of 106.646 and the F calculate value of 1.262 with a significance value 0.080. Therefore, the significance value is > 0.05, it can be stated that the variance matrix of the dependent variable is the same. This means that the results of Box Test on the post test data does not interfere the assumption of the factorial tests, so that the reading of the factorial test results can be continued.

4. Hypothesis Test

a) Group 1 (Circuit Training of 45 Second Constant Break)
Inferential statistics of Group 1 can be used to answer the hypothesis 1 which states that "there is a significant influence on the training circuit from the 45 second constant break interval to increase VO2 Max, power, and recovery."
The detailed description of every cell while answering hypothesis 1 is shown in Table 4 below:

TABLE IV. RESULT OF MULTIVARIATE TEST ON GROUP 1

Multivariate Test\$								
Effect		Value	F	Hypothesis df	Error df	Sig.		
Intercept	Pillai's Trace	.999	3725.525a	6.000	17.000	.000		
	Wilks 'Lambda	.001	3725.525a	6.000	17.000	.000		
	Hotelling's Trace	1314.891	3725.525a	6.000	17.000	.000		
	Roy's Largest Root	1314.891	3725.525a	6.000	17.000	.000		
Kelompok_Sir_Ttp	Pillai's Trace	.856	16.890 ^a	6.000	17.000	.000		
	Wilks 'Lambda	.144	16.890 ^a	6.000	17.000	.000		
	Hotelling's Trace	5 961	16.890a	6,000	17 000	000		

16.890²

6.000

17.000

.000

5.961

Roy's Largest Root

Based on the results of the statistical analysis test of the population mean above, using four statistical models; 1) Pillai's Trace, 2) Wilks' Lambda, 3) Hotelling's Trace, and 4) Roy's Largest Root, the significance is taken as 0.000, less than 0.05 (p <0.05). Thus, it can be concluded that H0: $\mu 1.1 = 0$ is rejected, H1: $\mu 1.1 \neq 0$ is accepted, this means that there is a vector component mean $\mu 1.1$ which is not 0. To see the vector component that is not equal to zero, it can be seen based on Confidence Interval Stimulant in Table 4.12. In the table, it can be seen that each vector component means $\mu 1.1$ the lower and upper limits are positive, so it can be said that the circuit training method with 45 second constant break interval has significant effects on increasing VO2 Max, power, and recovery.

The following in Table 5, explains in more details in determining how much significant increase and decrease the dependent variable impacts.

TABLE V. SUMMARY OF GROUP 1 ON 45 SECOND CONSTANT BREAK INTERVAL CIRCUIT TRAINING METHOD ON VO_2 Max, Power, and Recovery Based on Confidence Interval Stimulant

Training	Dependent	Mean	Std.	95% Confidence Interval		
	Variable	Mican	Error	Lower Bound	Upper Bound	
45 Second Constant	VO ₂ Maks	45,792	1,438	42,894	48,689	
Break Interval	Power	69,333	2,004	65,296	73,371	
Circuit Training	Recovery	23,833	2,491	18,812	28,854	

The minimum increase is based on 95% of the interval stimulation above and shows that the increase in the lower bound for the max VO2 max variable is 42,894 ml / kg.bb / min, the power is 65,296 kg m / sec, and recovery is 18,812 bpm.

b) Group 2 (Circuit Training of 10 Second Decreased Break)

The inferential statistics of Group 2 can be used to answer the hypothesis 2 stating "there is a significant influence on the circuit training method from the 10 second decreased break interval to increase VO2 Max, power, and recovery." The detailed description of each cell while answering hypothesis 2 is shown in Table 6 below:

a. Exact statistic

b. Design: Intercept+Kelompok_Sir_Ttp



TABLE VI. RESULT OF MULTIVARIATE TEST ON GROUP 2

Multivariate Tests

Effect		Value	F	Hypothesis df	Error df	Sig.
Intercept	Pillai's Trace	.999	3643.425 ^a	6.000	17.000	.000
	Wilks' Lambda	.001	3643.425 ^a	6.000	17.000	.000
	Hotelling's Trace	1285.915	3643.425 ^a	6.000	17.000	.000
	Roy's Largest Root	1285.915	3643.425 ^a	6.000	17.000	.000
Kelompok_Sir_Trn	Pillai's Trace	.899	25.121 ^a	6.000	17.000	.000
	Wilks' Lambda	.101	25.121 ^a	6.000	17.000	.000
	Hotelling's Trace	8.866	25.121 ^a	6.000	17.000	.000
	Roy's Largest Root	8.866	25.121 ^a	6.000	17.000	.000

a. Exact statistic

b. Design: Intercept+Kelompok_Sir_Trn

Based on the result of the analysis of the mean statistical test of the population above, using four statistical models 1) Pillai's Trace, 2) Wilks' Lambda, 3) Hotelling's Trace and 4) Roy's Largest Root, the significant value of 0.000 was obtained, less than 0.05 (p <0.05). Thus it can be concluded that H0: $\mu 1.2 = 0$ is rejected, H1: $\mu 1.2 \neq 0$ is accepted, meaning that there is vector component mean $\mu 1.2$ which is not 0. The vector component that is not equal to zero can be seen based on the Confidence Interval Stimulant in Table 14. In the table, it can be seen that each vector component means $\mu 1.2$ where the lower and upper limits are positive, so it can be said that the circuit training method with 10 second decreased break interval has significant effects on the VO2 Max, power, and recovery.

Table 7 below describes Group 2 in more details, in determining how much significant increase and decrease the dependent variable impacts.

TABLE VII. RESULT OF MULTIVARIATE TEST ON GROUP 2

Training	Dependent	Mean	Std. Erro r	95% Confidence Interval		
	Variable			Lower Bound	Upper Bound	
10 Second Decreased	VO ₂ Maks	52,633	1,438	49,736	55,531	
Break Interval	Power	77,917	2,004	73,879	81,954	
Circuit Training	Recovery	37,833	2,491	32,812	42,854	

The minimum increase based on the Confidence Interval Stimulant is above 95% and the lower bound increase for the VO2 max variable is 49,736 ml / kg.bb / min, the power is 73,879 kg m / sec, and the recovery is 32,812 bpm.

B. Discussion

 The Method of Circuit Training with the 45 Second Constant Break Interval

The research results indicates an influence from the circuit training method with 45 second constant break interval to increase strength, speed, agility, VO2 Max, power and recovery. The circuit training method consisted of nine post exercises, namely: 1) badminton shuttle run, 2) half squat jump, 3) squat thrush, 4) jumping jack, 5) jump frog, 6) step up, 7) side jump 8) bench jumps and 9) high jumps, which are interspersed by constant break intervals between each exercise for 45 seconds with intensity of 70% - 80% of the heart rate. These when performed for 8 weeks, can increase the minimum physical condition component in the

form of: VO2 max equals to (42,894 ml / kg.bb / min), the power is (65,296 kg m / sec), and recovery is (18,812 seconds). In the circuit treatment group with 45 second constant break interval, the group has less prominent results on one variable, although there are changes in all variables.

The results of the circuit training with 45 second constant break interval are almost the same as the assumption [10] that circuit training carried out in 15 weeks which lasts about 45 minutes with an intensity of 60% - 85% of the heart rate can cause significant changes in the anthropometric variables and physical condition.

Method of Circuit Training with 10 Second Decreased Break Interval

The research shows that there is an effect of the circuit training method with the 10 second decreased break interval to increase VO2 Max, power, and recovery. The circuit training method interspersed by the 10 second decreased break interval. Every training begins with an 80 second break on the first training post to the second post, from the second post to the third post, it decreased from 10 seconds to 70 seconds until the last nine posts decreased to 10 seconds with 70% - 80% intensity of heart rate performed for 8 weeks can increase the physical condition component to minimum for VO2 max of (49,736 ml/kg.bb/min), power (73,879 kg m / sec), and recovery (32,812 seconds). The biggest increase in this group is the VO2 Max variable, so it can be concluded that the training using the circuit method with the 10 second decreased interval is effective for increasing VO2 Max. Increased VO2 Max ability occurs because in the circuit training of the 9 exercise items found several items related to cardio-respiration, these exercises include; badminton shuttle run, squat thrust, frog jump, step up, side jump, and really jump. One of the most vital components of physical fitness related to health is cardiorespiratory endurance.

[11] Training circuit for 3 times per week for six weeks with 2 minute duration at intensity of 90% - 95% of the heart rate target with repetition every two weeks 8, 10, 12 repetitions followed by an active break at 60% - 70 % of the heart rate shows a significant increase in aerobic capacity and improves cardiovascular fitness. After performing the circuit training [12] which consists of two programs namely; body weight and aerobics programs, it can improve health, cardio-respiration, and muscle fitness.

IV. CONCLUSION

Based on the research results on the effect of circuit training with a 45 second constant break interval and 10 second decreased break interval for the ability of VO2 Max, power, and recovery, the following conclusions can be drawn:

- 1. There is significant effect of the circuit training method with 45 second constant break interval on the dependent variable with minimal increase for VO2 max (42.889 ml / kg.bb / min), power (65.296 kg m / sec), and recovery (18,812 seconds).
- 2. There is significant effect of the circuit training method with the 10 second decreased break interval on the dependent variable with minimal increase for VO2 max



(49,736 ml/kg.bb/min), power (73,879 kg m/sec), and recovery (32,812 seconds).

3. There is significant difference between the 45 second constant break interval and the 10 second decreased break interval, where the 10 second decreased break interval is more effective in increasing all dependent variables consisting of VO2 Max, power, and recovery from 45 second constant break interval.

V. SUGGESTION

Based on the results discussed in the research and the conclusions above, some proposed suggestions are:

- The Circuit training form method can be varied from various types such as intensity, break interval, frequency, and training duration which are adjusted to the needs of athletes, hence, various types of training in one cycle consisting of sharing various types of posts or stations can be specifically adjusted according the sports.
- It is recommended for sport coaches and supervisors of sport performance to pay attention and improve training patterns so that it can be useful for athletes who experience physical weakness.
- 3. For the community, the exercise program should always consider the training method, dose of training, and the basic principles.

ACKNOWLEGDEMENT

My appreciation goes to friends who have helped in completing the research and this article. Thanks to Faculty of Sport Science Yogyakarta State University who has facilitated the research and publication from the initial process to the end.

REFERENCES

- [1] S. Budiwanto, "Metode Latihan Olahraga". Universitas Negeri Malang: UM Press, 2012: 4.
- [2] Sukadiyanto, "Metode Melatih Fisik Petenis". Fakultas Ilmu Keolahragaan Universitas Negeri Yogyakarta, 2008.
- [3] B. Klika, C. Jordan, "High Intensity Circuit Training Using Body Weight: Maximum Results with Minimal Investment", ACSM'S Health & Fitness Journal, 2013. Vol. 17, no. 3. pp. 9-11.
- [4] H. Arazi, A. Asadi, "Multiple Sets Resistance Training: Effects of Condensed Versus Circuit Models on Muscular Strength, Endurance and Body Composition", Journal of Human Sport & Exercise, 2012, vol. 7, no. 4, p. 734.
- [5] T. O. Bompa, C. Buzzichelli, "Periodization Training for Sport". United States, Human Kinetics, 2015, pp. 230-231.
- [6] L. Kravitz, "New Insights Into Circuit Training", Idea Fitnes Journal, 2005, vol. 1, at http://www.ideafit.com/fitness-library/circuit-training.
- [7] E. Frimpong, O. A. Olawale, D. Ansong, C. B. Antwi, B. Dzudzor, "Task-Oriented Circuit Training Improves Ambulatory Functions in Acute Stroke: a Randomized Controlled Trial." Journal of Medicine and Medical Sciences, 2014, vol. 5, no. 8, pp. 169-175.
- [8] M. Chtara, A. Chaouachi, G. T. Levin, M. Chaouachi, K. Chamari, M. Amri, P. B. Laursen, "Effect of Concurrent Endurance and Circuit Resistance-Training Sequence on Muscular Strength and Power Development", Journal of Strength and Conditioning Research, 2008, vol. 22, no. 4, p. 1037.
- [9] P. E. Alcaraz, J. Sanchez-Lorente, A. J. Blazevich, "Physical Performance and Cardiovascular Responses to an Acute Bout of Heavy Resistance Circuit Training Versus Traditional Strength Training", Journal of Strenght and Conditioning Research, 2008, vol. 22, no. 3, p. 671.
- [10] L. G. Ferreira, "Effects of a Program "Circuit Training" on Anthropometric Variable and Composition Bodyin Military Police", Physiol Journal, 2013, vol. 3, no. 2, p. 3.
- [11] B. Chittibabu, N. Akilan, "Effect of Basketball Specific Endurance Circuit Training on Aerobik Capacity and Heart Rate of High School Male Basketball Players", International Journal of Physical Education, Fitness and Sports, 2013, vol. 2, no. 4, p. 22.
- [12] R. Shawn, Simonson, "Teaching the Resistance Training Class: A Circuit Training Course Design for the Strength and Conditioning Coach", Strength and Conditioning Journal, 2010, vol. 32, no. 3, p. 2.







Conference Secretariat:

Faculty of Sport Sciences *Universitas Negeri Yogyakarta*

Address: Jl. Colombo No. 1 Yogyakarta, Indonesia Phone: +62274 550826 E-mail: yishpess@uny.ac.id | cois@uny.ac.id Website: yishpess.uny.ac.id | cois.uny.ac.id

