

The Effect of Short Period FIFA 11 + Exercise as Physical Conditioning Program Among Young Amateur Football Players

by Ikhwan Zein

Submission date: 19-Jun-2020 06:39PM (UTC+0700)

Submission ID: 1346507257

File name: al_Conditioning_Program_Among_Young_Amateur_Football_Players.pdf (626.16K)

Word count: 4040

Character count: 21990

The Effect of Short Period FIFA 11+ Exercise as Physical Conditioning Program Among Young Amateur Football Players

Muhammad Ikhwan Zein^{1*}, Saryono¹

¹Faculty of Sports Science, Universitas Negeri Yogyakarta, Yogyakarta 55281, Indonesia.

*Corresponding Author : Muhammad I ZEIN. Faculty of Sports Science, Universitas Negeri Yogyakarta, Yogyakarta 55281, Indonesia.

Email : dr_ichwanz@uny.ac.id., dr.ichwanz@gmail.com

Abstract

This study aims to investigate the effectiveness of short period FIFA 11+ exercise, which used as a physical fitness improvement program for young amateur football players. This one group experimental study involving 13 football players as subjects (ages 14.92 ± 0.77 years, weight 55.23 ± 9.62 kg, height 1.64 ± 0.06 meters, BMI 20.42 ± 2.71 kg/m²). Subjects underwent FIFA 11+ exercises three times per week for four weeks. Measurements of physical fitness components include core strength, leg strength, leg power, speed, and agility performed before and after FIFA 11+ intervention. Changes in measurement results (pre and post-test) were analyzed using a paired t-test ($p < 0.05$). The results showed that the mean subjects experienced a significant increase in the components of the core strength ($p = 0.004$), leg strength ($p = 0.043$), and leg power ($p = 0.002$). The results of this study indicate that a short period of FIFA 11+ training is useful and can be used as an alternative program to improve physical fitness for young football players.

Keywords: physical fitness, FIFA 11+, football, conditioning

1. Introduction

Football is a popular sport and is played by more than 265 million people around the world [1]. This sport requires almost all aspects of physical fitness, both health-related and skills related fitness in the game [2]. Physical fitness is an important foundation so that football players can apply the skills and tactics that they have trained efficiently in a match. Studies show that low physical fitness will reduce performance and increase the risk of injury [3][4].

Conditioning is an attempt to improve physical fitness before athletes start the advanced stages of an exercise. Conditioning is essential to provide adaptation to the body when athletes prepare in a competition.

In contrast to professional football players who have strength & conditioning (S&C) coach and a specific time of conditioning in the periodization (preparatory phase), young amateur football players generally do not have this support. The observation showed that young amateur

football teams, for example, junior/senior high school teams, only have one coach (usually physical education teacher or extracurricular coach) and short preparation time (3-4 weeks) before the competition. The lack of preparation will affect the player's physical fitness, so the risk of sports injury in a competitive situation will be increased.

The FIFA Medical Assessment and Research Center (FMARC) has introduced the FIFA 11+ training program, which aims to reduce the incidence of injuries, especially for young amateur football players [5]. This program consists of 15 exercises that focus on improving physical fitness components that contribute to preventing injury, i.e., strength, power, balance, coordination, and agility. FIFA 11+ is a practical program that does not require additional equipment and can be completed in 15-20 minutes as a warm-up session. Studies show that FIFA 11+ has been proven to reduce football injury [6][7][8].

Although FIFA 11+ was designed as an injury prevention program, it can be considered as a physical conditioning program though it exercises components (strengthening, plyometric, proprioceptive, and balance). Several studies have shown that FIFA 11+ can improve the physical fitness component of football players [9][10][11]. However, studies to assess the effects of implementing a short period (4 weeks) of FIFA 11+ program to young amateur football players without S&C coach and short preparation time are still limited.

This study aims to determine the effectiveness of a short period (4 weeks) of FIFA 11+ exercise as a physical conditioning program for young amateur football players.

2. Material and Methods

2.1. Participants

Study Design and Participants

This one group experimental study recruited junior high school football players from the amateur football team in Yogyakarta, Indonesia, to take part in a 4-week intervention. The team was chosen by purposive sampling. The team that met the selection criteria including (1) does not have strength and conditioning coach (2) has an adequate football field facility (3) has a regular football training schedule at least three times a week, were participated in this research.

A total of 13 young amateur football players who met the criteria were included in this research. The inclusion criteria were (1) 13-15 years old male footballer (2) only performing routine exercise according to the football team; (3) has passed medical check-up by the researcher;

(4) obtained the consent of parents/guardians (by signing an informed consent research sheet); (5) committed to attending the complete series of the study. This study was approved for research ethics clearance from the Faculty of Sports Science, Universitas Negeri Yogyakarta, Indonesia.

2.2. Intervention

The subjects underwent the FIFA 11+ program, as mentioned in the guideline from FMARC [12]. The program was performed three times per week within four weeks as a warm-up program. Therefore, the players do not need to warm up before performing the intervention. The coach of the team was trained for the FIFA 11+ program as a preparation for the research intervention to be properly conducted.

2.3. Data Collection

Data on subject characteristics (e.g., name, birthdate, address, age, height, weight) was collected before the pre-test performed. The subjects performed physical fitness tests twice, before and after the four weeks of intervention. The tests were conducted at the same time (16:00 local time \pm 1 hour), in the same football field and condition with the same trained staff. The measurement of physical fitness conducted in this study are (a) *Plank Test* to measure the core muscle strength; (b) *Leg dynamometer test* to measure the leg muscle strength; and (c) *Illinois Agility Test* to measure the agility (d) *40 m sprint test* to measure the speed (e) *Vertical Jump test* using vertical jump meter (Takei Scientific Instruments Co., Ltd.) to measure leg power. Each test was performed twice, and the best test result was taken for data analysis. Subjects performed adequate warm-up and stretching before the test to prevent injury.

2.4. Statistical analysis

Statistical analyses were conducted using SPSS version 25.0 (SPSS Inc., Chicago, IL, USA). The normality test was performed using the Shapiro Wilk test because the total subjects were < 50 . Descriptive statistics were used to calculate the mean and standard deviation (SD). The dependent (paired) t-test was used to compare the differences between pre and post-intervention result in the subjects and Wilcoxon as an alternative test if the data were not normally distributed. A score of $p < 0.05$ was considered as statistically significant.

3. Result

3.1. Participants

A total of 13 subjects participated, and no subjects dropped out in this study. The flowchart diagram is displayed in Figure 1. The characteristics of subjects are shown in Table 1.

Figure 1. Flowchart of Study Participants




Table 1. Subjects Characteristics

Characteristics	Mean \pm SD (n=13)
Age (year)	14,92 \pm 0,77
Weight (kg)	55,23 \pm 9,62
Height (m)	1,64 \pm 0,06
Body mass index (kg/m ²)	20,42 \pm 2,71

3.2. Effects of FIFA 11+ program on Physical Fitness

The measurement of physical fitness consisted of (1) core strength (2) leg strength and (3) agility (4) speed and (5) leg power using *paired t-test*, was carried out pre- and post-implementation of the FIFA 11+ in the subjects. The test result showed a significant increase in the leg strength ($p=0.043$), core strength (0.004), and leg power (0.002) components. The agility component also improved in the subjects but statistically insignificant ($p = 0.184$). The speed component was decline but statistically insignificant ($p = 0.69$). The result is presented in table 2.

Table 2. Changes in physical fitness components, pre- and post- FIFA 11+ program

Physical Fitness Components	Pre-test	Post-test	<i>p</i>
Leg strength (kg)	98.62 ± 23.22	103.23 ± 22.22	0.043*
Core strength (s)	2.04 ± 0.48	2.15 ± 0.69	0.004*
Leg Power (cm)	58.28 ± 4.70	69 ± 7.46	0.002*
Agility (s)	16.32 ± 0.44	16.12 ± 0.35	0.184
Speed (s)	5.72 ± 0.37	5.83 ± 0.16	0.69

Note : * significant in performance (pre and post tests). $p < 0.05$

19

4. Discussion

The results of this study indicate that the application of FIFA 11+ for four weeks can improve physical fitness components, i.e., core strength, leg strength, and leg power significantly. This improvement is considered beneficial in supporting football performance that dominant in lower extremity action during the game.

The core muscle is a group of muscles consisting of abdominal, back, and hips muscles. Core muscle functions to stabilize the spinal column, align the body, maintain posture, and improve balance-coordination [13][14]. A good core will support performance in football. The characteristics of a football game that demands movements in multiple directions require good core muscle strength, especially the hip and trunk muscles [15][16]. Core stability will also help maintain balance and body position during body contact against opponents or performing tackling.

Core muscle has also been proven to reduce the risk of lower extremity injuries such as the knee, pelvis, and spine injuries. Also, the core muscle is useful in maintaining proper alignment for posture to reduce complaints of low back pain [16]. On the other hand, weak core muscle causes alterations in the transfer of energy, resulting in inefficient techniques and an increased risk of injury in the underdeveloped muscle group.

Considering the importance of core stability, strengthening exercise to correct weak core muscle group needs to be done [17], [18]. Plank or abdominal bridge is one of the recommended exercises for core muscle training [19]. Plank is an efficient isometric core exercise because it does not use equipment such as medicine balls or kettlebells. However, it provides a stimulating effect on core muscles such as rectus abdominis and external oblique abdominis [20]. Plank and side plank exercises are both included in the FIFA 11+ training program so that an increase in core strength in the subject is thought to be obtained from this exercise.

Leg strength and leg power improvement also occurred in the subjects of this study. This improvement is very useful in supporting the fundamental movements of football, such as kicking, dribbling, and sprinting. Studies show that leg strength is an important determinant of kicking performance [21], [22]. In addition to leg strength, other studies also show that leg power has positive correlations on ball velocity, both the free-kick and the instep kick approach [23], [24].

Football also characterized by multiple sprints and direction changes of around 1400-1600 times per match [25]. Good leg strength will support aspects of agility and repeated sprints with changes of direction [26]. In this study, there was an increase in the agility component, although it was not statistically significant. This is thought to be due to the effect of increasing leg strength, but the effect is minimal due to the short training period (only four weeks).

FIFA 11+ should ideally be applied 9-12 weeks to get optimal benefits. However, some studies show that applying less than that time has provided a changing effect on the physical fitness component. Dunsky et al. shows that three times per week for six weeks FIFA 11+ program can improve the balance of young football players [27]. The results of this study indicate that four weeks can provide an increase in physical fitness, even though it does not occur in all of the measured components.

The result of this study is in line with et al. that implemented three times per week for four weeks of FIFA 11+ program on young football players (under 14 years). The study results show improvement in agility and jump performance [28].

5. Conclusion

This study shows that FIFA 11+ can be used as an alternative short period physical conditioning program, especially for young amateur football players who have limited coaches and short preparation time, such as school football teams. Further studies to determine the effectiveness of the short period of the FIFA 11+ exercise program in reducing injuries in young amateur football players need to be performed.

Acknowledgments

This research receives a grant from the Faculty of Sports Science, Universitas Negeri Yogyakarta. Decree of the Dean: 180-2016. Letter of Agreement No: 599/UN34.16/PL/2016.

Authors' Contribution

Muhammad Ikhwan Zein (M.I.Z) and Saryono (S.S)

Conceptualization, M.I.Z ; Methodology, M.I.Z.; Software, M.I.Z.; Validation, M.I.Z., and S.S.; Formal Analysis, M.I.Z.; Investigation, M.I.Z. and S.S.; Resources, S.S.; Data Curation, S.S.; Writing – Original Draft Preparation, M.I.Z.; Writing – Review & Editing, S.S.; Visualization, S.S.; Supervision, M.I.Z and S.S.; Project Administration, S.S.; Funding Acquisition, S.S.”

Conflicts of Interest

None

References

- [1] FIFA, “FIFA Big Count 2006: 270 million people active in football,” 2007. [Online]. Available: https://www.fifa.com/mm/document/fifafacts/bcoffsurv/bigcount.statspackage_7024.pdf.
- [2] A. Kariyawasam, A. Ariyasinghe, A. Rajaratnam, and P. Subasinghe, “Comparative study on skill and health related physical fitness characteristics between national basketball and football players in Sri Lanka,” *BMC Res. Notes*, vol. 12, no. 1, pp. 1–5, 2019.
- [3] A. Arnason, S. B. Sigurdsson, A. Gudmundsson, I. Holme, L. Engebretsen, and R. Bahr, “Physical Fitness, Injuries, and Team Performance in Football,” *Med. Sci. Sports Exerc.*, vol. 36, no. 2, pp. 278–285, 2004.
- [4] E. Eliakim, O. Doron, Y. Meckel, D. Nemet, and A. Eliakim, “Pre-season Fitness Level and Injury Rate in Professional Football – A Prospective Study,” *Sport. Med. Int. Open*, vol. 02, no. 03, pp. E84–E90, 2018.
- [5] M. Bizzini, A. Junge, and J. Dvorak, “Implementation of the FIFA 11+ football warm up program: How to approach and convince the Football associations to invest in prevention,” *Br. J. Sports Med.*, vol. 47, no. 12, pp. 803–806, 2013.

- [6] ¹⁵ H. J. Silvers-Granelli, M. Bizzini, A. Arundale, B. R. Mandelbaum, and L. Snyder-Mackler, "Does the FIFA 11+ Injury Prevention Program Reduce the Incidence of ACL Injury in Male Football Players?," *Clin. Orthop. Relat. Res.*, vol. 475, no. 10, pp. 2447–2455, 2017.
- [7] ²¹ D. Sadigursky, J. A. Braid, D. N. L. De Lira, B. A. B. Machado, R. J. F. Carneiro, and P. O. Colavolpe, "The FIFA 11+ injury prevention program for football players: A systematic review," *BMC Sports Sci. Med. Rehabil.*, vol. 9, no. 1, pp. 1–8, 2017.
- [8] ¹⁷ W. S. A. Al Attar, N. Soomro, E. Pappas, P. J. Sinclair, and R. H. Sanders, "How effective are F-MARC injury prevention programs for football players? A Systematic review and meta-analysis," *Sport. Med.*, vol. 46, no. 2, pp. 205–217, 2016.
- [9] ²⁹ J. R. L. D. C. Silva, J. F. Da Silva, P. C. D. N. Salvador, and C. D. L. R. Freitas, "The effect of 'FIFA 11+' on vertical jump performance in football players," *Rev. Bras. Cineantropometria & Desempenho Hum.*, no. April, pp. 733–741, 2015.
- [10] ¹ F. M. Impellizzeri, M. Bizzini, J. Dvorak, B. Pellegrini, F. Schena, and A. Junge, "Physiological and performance responses to the FIFA 11+ (part 2): A randomised controlled trial on the training effects," *J. Sports Sci.*, vol. 31, no. 13, pp. 1491–1502, 2013.
- [11] ²⁷ J. Hwang and J. Kim, "Effect of FIFA 11+ Training Program on Football-Specific Physical Performance and Functional Movement in Collegiate Male Football Players: A Randomized Controlled Trial," *Exerc. Sci.*, vol. 28, no. 2, pp. 141–149, 2019.
- [12] ¹ T. Soligard *et al.*, "Comprehensive warm-up programme to prevent injuries in young female footballers: Cluster randomised controlled trial," *BMJ*, vol. 338, no. 7686, pp. 95–99, 2009.
- [13] ³⁹ C. William, "Core Training : Partner-Based Medicine Ball Training," *NSCA's Perform. Train. J.*, vol. 10, no. 5, pp. 9–16, 2011.
- [14] ¹³ J. Key, "'The core': Understanding it, and retraining its dysfunction," *J. Bodyw. Mov. Ther.*, vol. 17, no. 4, pp. 541–559, 2013.
- [15] ⁵¹ I. Jeffreys, "Developing a progressive core stability program," *Strength Cond. J.*, vol. 24, no. 5, pp. 65–66, 2002.
- [16] ²⁰ N. W. Mok, E. W. Yeung, J. C. Cho, S. C. Hui, K. C. Liu, and C. H. Pang, "Core muscle activity during suspension exercises," *J. Sci. Med. Sport*, vol. 18, no. 2, pp. 189–194, 2015.
- [17] ⁴ S. F. Nadler, G. A. Malanga, L. A. Bartoli, J. H. Feinberg, M. Prybicien, and M. Deprince, "Hip muscle imbalance and low back pain in athletes: Influence of core strengthening," *Med. Sci. Sports Exerc.*, vol. 34, no. 1, pp. 9–16, 2002.
- [18] M. A. Tse, A. M. McManus, and R. S. Masters, "Development and preliminary validation

of the core endurance intervention program: implications for performance in college-age rowers,” *J. Strength Cond. Res.*, vol. 19, no. 3, pp. 547–552, 2005.

- [19] A. Imai *et al.*, “Trunk muscle activity during lumbar stabilization exercises on both a stable and unstable surface,” *J. Orthop. Sports Phys. Ther.*, vol. 40, no. 6, pp. 369–375, 2010.
- [20] R. A. Ekstrom, R. A. Donatelli, and K. C. Carp, “Electromyographic analysis of core trunk, hip, and thigh muscles during 9 rehabilitation exercises,” *J. Orthop. Sports Phys. Ther.*, vol. 37, no. 12, pp. 754–762, 2007.
- [21] P. Poulmedis, G. Rondoyannis, A. Mitsou, and E. Tsarouchas, “The influence of isokinetic muscle torque exerted in various speeds on football ball velocity,” *J. Orthop. Sports Phys. Ther.*, vol. 10, no. 3, pp. 93–96, 1988.
- [22] K. Masuda, N. Kikuhara, H. Takahashi, and K. Yamanaka, “The relationship between muscle cross-sectional area and strength in various isokinetic movements among football players,” *J. Sports Sci.*, vol. 21, no. 10, pp. 851–858, 2003.
- [23] D. J. Santos-García, F. Navarro-Valdivielso, R. M. Aceña-Rubio, J. M. González-Ravé, and A. Arija-Blázquez, “Relación entre la fuerza máxima en squat y acciones de salto, sprint y golpeo de balón. (Relationship among maximal strength in squat exercise, jump, sprint and kicking ball performance).,” *RICYDE. Rev. Int. Ciencias del Deport.*, vol. 4, no. 10, pp. 1–12, 2008.
- [24] P. A. Garcia-Pinillos, F. Martinez-Amant, A. Hita-Contreras, F. Martinez-Lopez, E.J. and Latorre-Roman, “E Ffects of a C Ontrast T Raining P Rogram,” *J. Strength Cond. Researc*, vol. 28(9), pp. 2452–2460, 2014.
- [25] Jens Bangsbo, “Time and motion characteristics of competition football,” *Sci. Footb.*, vol. 6, pp. 34–42, 1992.
- [26] M. Hammami, Y. Negra, F. Billaut, S. Hermassi, R. J. Shephard, and M. S. Chelly, “Effects of lower-limb strength training on agility, repeated sprinting with changes of direction, leg peak power, and neuromuscular adaptations of football players,” *J. Strength Cond. Res.*, vol. 32, no. 1, pp. 37–47, 2018.
- [27] A. Dunskey, I. Barzilay, and O. Fox, “Effect of a specialized injury prevention program on static balance, dynamic balance and kicking accuracy of young football players,” *World J. Orthop.*, vol. 8, no. 4, pp. 317–321, 2017.
- [28] N. Trajković, M. Gušić, S. Molnar, D. Mačak, D. M. Madić, and Š. Bogataj, “Short-term FIFA 11+ improves agility and jump performance in young football players,” *Int. J. Environ. Res. Public Health*, vol. 17, no. 6, pp. 1–9, 2020.

International Journal of Human and Health Sciences (IJHHS)

[HOME](#) [ABOUT](#) [LOGIN](#) [REGISTER](#) [SEARCH](#) [CURRENT](#)
[ARCHIVES](#)

[OPEN JOURNAL SYSTEMS](#)

Home > About the Journal > **Editorial Policies**

Editorial Policies

- [Focus and Scope](#)
- [Section Policies](#)
- [Peer Review Process](#)
- [Publication Frequency](#)
- [Open Access Policy](#)
- [Editorial Board](#)
- [Article Template to the Author](#)

Focus and Scope

International Journal of Human and Health Sciences (IJHHS) is an international, independent, double-blind peer reviewed, Open Access and online publishing journal, which intended to provide a multidisciplinary forum for the exchange of ideas and information among professionals concerned with medicine and allied disciplines in the world. The Journal has accepted the declaration of the Budapest Open Access Initiative. IJHHS authority welcomes relevant contributions from them. IJHHS invites articles based on original works, short communications containing significant findings, case reports with information of scientific interest, letters to editor, editorials (usually invited), reviews, conference news and invitation, book reviews.

IJHHS is published quarterly in a year (January, April, July and October). The Journal is currently indexed on the on Exerpta Medica.

This is non-profit journal. It is the official Journal of Consortium of Islamic Medical Colleges (CIMCO) under the auspices of Federation of Islamic Medical Associations (FIMA)

USER

Username

Password

Remember me

JOURNAL CONTENT

Search

Search Scope

All ▼

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)
- [Other Journals](#)

INFORMATION

- [For Readers](#)
- [For Authors](#)
- [For Librarians](#)

Section Policies

Editorial

Open Submissions Indexed Peer Reviewed

Original Articles

Open Submissions Indexed Peer Reviewed

Review Articles

Open Submissions Indexed Peer Reviewed

Short Communications

Open Submissions Indexed Peer Reviewed

Case Report

Open Submissions Indexed Peer Reviewed

Letters to the Editor

Open Submissions Indexed Peer Reviewed

Obituary

Open Submissions Indexed Peer Reviewed

Brief Communication

Open Submissions Indexed Peer Reviewed ⁶⁶

AZ-Zahrawi Lecture

Open Submissions Indexed Peer Reviewed

Plenary Abstracts

Open Submissions Indexed Peer Reviewed

Symposium 1: Digital Healthcare Applications & Data Safety

Open Submissions Indexed Peer Reviewed

Symposium 2: Medical Relief in the Digital Era

Open Submissions Indexed Peer Reviewed ³³

Symposium 3: Digital Health Care Challenges

Open Submissions Indexed Peer Reviewed

Symposium 4: Social Media Influence on Health Belief: A Global Challenge

Open Submissions Indexed Peer Reviewed ³²

Free Paper Presentation (Oral)

Open Submissions Indexed Peer Reviewed

E-Poster Presentation Abstracts

Open Submissions Indexed Peer Reviewed ⁴⁴

Peer Review Process

Initial Internal Editorial Review

- Any article received is first examined by chief editor or his staffs. It helps to prevent unnecessary delay in review process. Early rejection helps the author to refine their article and resubmit in IJHHS or to choose other journal. This initial review usually takes about one week. If the Submitted manuscript fits with journal's scope and standard then we send the article for External review.

External Review

- If any manuscript passes the 'Initial Internal Editorial Review' then we send it to the peer reviewers.

Editorial Decision after external review

- If the reviewers reject it we reject it.
- If the reviewers give any correction/modification plan we communicate the author to redo and resubmit his manuscript. After re-submission we check whether their re-submission fulfills reviewer's satisfaction.
- If all these steps are successfully completed then we send it for publication.
- We have additional statistical reviewers. We use their expertise if the manuscript deserves their review.
- At least two reviewers per article is assigned by the journal authority.

- Duration of review process: Review process takes around two weeks to three months time.
- All the process is double blind author never knows the reviewers and vice versa.

Publication Frequency

36

The *International Journal of Human and Health Sciences* is published four monthly in the months of January, April, July and October.

Open Access Policy

This journal provides immediate open access to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.

Editorial Board

Chief Editor :

Prof. Dr. Abu Kholdun Mahmood MBBS, PhD
Biochemistry, Dhaka
E-mail: kholdun@hotmail.com

Secretary :

Dr. AS Sikder Adel MBBS, MPH
Public Health, Epidemiology
Dhaka, Bangladesh
E-mail: adelbd@live.com

Associate Editor :

Handan Ankarali MD, PhD
Biostatistics and Medical Informatics
Istanbul, Turkey
E-mail: Handan.ankarali@medeniyet.edu.tr

Assistant Editor :

Tayyibe Bardakçı, PhD
Assistant Professor, Faculty of Medicine
Department of Deontology and Medical History
Istinye University
Istanbul, Turkey
E-mail: tayyibe.b@gmail.com

Putri R Ayuningtyas
S.Psi, Master of Human Sciences in Psychology
Faculty of Medicine
Universitas Islam Sultan Agung
Jawa Tengah, Indonesia
Email: international.fk@unissula.ac.id , putrir.ayuningtyas@unissula.ac.id

Members :

Nazir Ahmed Ismail MD, FRCPath
Microbiologist, Cape Town
South Africa
E-mail: naziri@nicd.ac.za

Mohammad Hatta Shaharom MBBS, M.Med
Mental Health, Kuala Lumpur
Malaysia
E-mail: hattashaharom@yahoo.com

Mohammad Iqbal Khan MBBS, FRCS
Surgery, Islamabad
Pakistan
E-mail: mikhandr@gmail.com

Amin Kashmery
Physiology, Mecca
Saudi Arabia
E-mail: oxforefo@yahoo.com

Naadir Gutta MBBS, FRACP, FRCPA
Haematologist / Haematopahtologist, Brisbane
Australia
E-mail: Naadir.gutta@mater.org.au

Dr. Mohd. Khorshed Alam, BDS, PhD
Asstt. Professor, College Of Dentistry
Al Jouf University, KSA. Kingdom of Saudi Arabia
E-mail: dralam@gmail.com

Dr. Orhan Alimoglu, MD
Professor of Surgery
Head of the Department of General Surgery
Division of Surgical Sciences
School of Medicine
Istanbul Medeniyet University
Istanbul Medeniyet University Goztepe Training & Research Hospital
Dr. Erkin Street, Goztepe, Kadikoy, 34730, Istanbul,
Turkey
E-mail: orhanalimoglu@gmail.com

Article Template to the Author

[Click here to download the template \(DOC format\)](#)

[Click here to download the template \(PDF format\)](#)

6

International Journal of Human and Health Sciences ISSN: 2523-692X
[Contact journal editor](#)

The Effect of Short Period FIFA 11 + Exercise as Physical Conditioning Program Among Young Amateur Football Players

ORIGINALITY REPORT

37 %

SIMILARITY INDEX

30 %

INTERNET SOURCES

24 %

PUBLICATIONS

28 %

STUDENT PAPERS

PRIMARY SOURCES

1	Submitted to CSU, Long Beach Student Paper	2 %
2	www.mdpi.com Internet Source	2 %
3	bioline.org.br Internet Source	2 %
4	www.murdochmethod.com Internet Source	1 %
5	tau.amegroups.com Internet Source	1 %
6	ijhhsfimaweb.info Internet Source	1 %
7	dergipark.gov.tr Internet Source	1 %
8	Mário Lopes, Susana Lopes, Telma Patinha, Fábio Araújo, Mário Rodrigues, Rui Costa, José Oliveira, Fernando Ribeiro. "Balance and	1 %

proprioception responses to FIFA 11+ in amateur futsal players: Short and long-term effects", Journal of Sports Sciences, 2019

Publication

9

Holly J. Silvers, Angela H. Smith, Bert R. Mandelbaum. "Analysis of Anterior Cruciate Ligament Injury Prevention Programs for the Athlete", Elsevier BV, 2018

Publication

1%

10

banglajol.info

Internet Source

1%

11

Muhammad Ikhwan Zein, Saryono Saryono, EndangRini Sukamti, RumpisAgus Sudarko et al. "Developing Information media as Dehydration Prevention Strategy In Indonesia Recreational Futsal Players", Bangladesh Journal of Medical Science, 2019

Publication

1%

12

www.science.gov

Internet Source

1%

13

Submitted to Institute of Graduate Studies, UiTM

Student Paper

1%

14

www.koreascience.or.kr

Internet Source

1%

15

opinvisindi.is

Internet Source

1%

16

Submitted to Institut Nacional d'Educació Física de Catalunya

Student Paper

1%

17

Mostafa Zarei, Hamed Abbasi, Parisa Namazi, Mojtaba Asgari, Nikki Rommers, Roland Rössler. "The 11+ Kids warm-up programme to prevent injuries in young Iranian male high-level football (soccer) players: A cluster-randomised controlled trial", Journal of Science and Medicine in Sport, 2020

Publication

1%

18

Submitted to Leeds Metropolitan University

Student Paper

1%

19

www.wjgnet.com

Internet Source

1%

20

Joaquin Calatayud, Jose Casaña, Fernando Martín, Markus D. Jakobsen et al. "Trunk muscle activity during different variations of the supine plank exercise", Musculoskeletal Science and Practice, 2017

Publication

1%

21

Submitted to York St John University

Student Paper

1%

22

eprints.umm.ac.id

Internet Source

1%

www.ijotm.com

23

Internet Source

1%

24

A. Schlumberger, W. Laube, S. Bruhn, B. Herbeck, M. Dahlinger, G. Fenkart, D. Schmidbleicher, F. Mayer. "Muscle imbalances – fact or fiction?", *Isokinetics and Exercise Science*, 2006

Publication

1%

25

koreascience.or.kr

Internet Source

1%

26

Michel D'Hooghe. "Why is UEFA carrying out injury studies?", *British Journal of Sports Medicine*, 2016

Publication

1%

27

Submitted to Oxford Brookes University

Student Paper

1%

28

journals.lww.com

Internet Source

1%

29

Submitted to University of Bath

Student Paper

1%

30

onlinelibrary.wiley.com

Internet Source

1%

31

Submitted to University College London

Student Paper

1%

nepjol.info

32

Internet Source

<1%

33

www.nepjol.info

Internet Source

<1%

34

link.springer.com

Internet Source

<1%

35

Submitted to Leeds Beckett University

Student Paper

<1%

36

www.abstractserver.com

Internet Source

<1%

37

Submitted to University of Glamorgan

Student Paper

<1%

38

Pearce, J.D.. "Progression of atherosclerotic renovascular disease: a prospective population-based study", *Journal of Vascular Surgery*, 200611

Publication

<1%

39

Submitted to Winneconne High School

Student Paper

<1%

40

Mário Lopes, Daniela Simões, Rui Costa, José Oliveira, Fernando Ribeiro. "Effects of the FIFA 11+ on injury prevention in amateur futsal players", *Scandinavian Journal of Medicine & Science in Sports*, 2020

Publication

<1%

41	Submitted to University of Western Sydney Student Paper	<1%
42	Mansueto Gomes Neto, Cristiano Sena Conceição, Alécio Jorge Alves de Lima Brasileiro, Camila Santana de Sousa et al. "Effects of the FIFA 11 training program on injury prevention and performance in football players: a systematic review and meta-analysis", Clinical Rehabilitation, 2016 Publication	<1%
43	Submitted to Singapore Institute of Technology Student Paper	<1%
44	Submitted to Central Queensland University Student Paper	<1%
45	www.scribd.com Internet Source	<1%
46	datatrace.com Internet Source	<1%
47	Submitted to Georgia Highlands College Student Paper	<1%
48	Mohammad I. M. Al-Zeer, Kenneth J. D. MacKenzie. "Fly Ash-Based Geopolymers as Sustainable Bifunctional Heterogeneous Catalysts and Their Reactivity in Friedel-Crafts Acylation Reactions", Catalysts, 2019 Publication	<1%

49 Submitted to Fiji National University <1%
Student Paper

50 journals.plos.org <1%
Internet Source

51 Submitted to University of Sunderland <1%
Student Paper

52 www.scitechnol.com <1%
Internet Source

53 udspace.udel.edu <1%
Internet Source

54 Submitted to Barry University <1%
Student Paper

55 www.hindawi.com <1%
Internet Source

56 Asmuni Mohd Ikmal, Zainuddin Nurasyikin,
Tuan Ali Tuan Nur Aqlili Riana, Zulkafli Puteri
Dinie Ellina et al. "Drought Yield QTL (qDTY)
with Consistent Effects on Morphological and
Agronomical Traits of Two Populations of New
Rice (Oryza sativa) Lines", Plants, 2019
Publication

57 Slobodan Jaric, Mehmet Uygur. "Assessment of
Hand Function Through the Coordination of
Contact Forces in Manipulation Tasks", Journal
of Human Kinetics, 2013 <1%

58 Submitted to Pennsylvania State System of Higher Education <1%
Student Paper

59 www.e-sciencecentral.org <1%
Internet Source

60 worldwidescience.org <1%
Internet Source

61 www.ncbi.nlm.nih.gov <1%
Internet Source

62 mjssm.me <1%
Internet Source

63 es.scribd.com <1%
Internet Source

64 Holly J. Silvers-Granelli, Mario Bizzini, Amelia Arundale, Bert R. Mandelbaum, Lynn Snyder-Mackler. "Does the FIFA 11+ Injury Prevention Program Reduce the Incidence of ACL Injury in Male Soccer Players?", Clinical Orthopaedics and Related Research, 2017 <1%
Publication

65 Mohammad Khursheed Alam, Kathiravan Purmal, Amy Low, Abdullah Pohchi. "Interdisciplinary case of multiple congenitally missing permanent teeth.", Bangladesh Journal <1%

of Medical Science, 2017

Publication

66

Geoffrey Supran, Naomi Oreskes. "Assessing ExxonMobil's climate change communications (1977–2014)", Environmental Research Letters, 2017

Publication

<1%

67

Submitted to Universiti Teknologi MARA

Student Paper

<1%

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off

The Effect of Short Period FIFA 11 + Exercise as Physical Conditioning Program Among Young Amateur Football Players

GRADEMARK REPORT

FINAL GRADE

/100

GENERAL COMMENTS

Instructor

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

PAGE 7

PAGE 8

PAGE 9

PAGE 10

PAGE 11

PAGE 12

PAGE 13
