

# C32

*by* Wipsar Sunu Brams Dwandaru

---

**Submission date:** 07-Oct-2020 09:23AM (UTC+0700)

**Submission ID:** 1407632252

**File name:** C32\_artikel.pdf (537.19K)

**Word count:** 4425

**Character count:** 24041

4  
**Optical Properties Comparison of Carbon Nanodots Synthesized from *Kangkung* (*Ipomoea aquatica*) with Deep Frying and Roasting Techniques**

3  
Wipisar Sunu Brams Dwandaru <sup>1,a</sup>, Fika Fauzi <sup>1,b</sup>, Dyah Silviana Sari <sup>1,c</sup>, Emi Kurnia Sari <sup>1,d,\*</sup>,  
Iman Santoso <sup>2,e</sup>, and Haris Suhendar <sup>2,f</sup>

8  
<sup>1</sup> Physics Education Department, Faculty of Mathematics and Natural Sciences, Universitas Negeri Yogyakarta,  
Jalan Colombo No 1, Karangmalang, Yogyakarta 55281, Indonesia

7  
<sup>2</sup> Department of Physics, Faculty of Mathematics and Natural Sciences, Universitas Gadjah Mada  
Sekip Utara Bulaksumur, Yogyakarta 55281, Indonesia

21  
e-mail: <sup>a</sup> [wipsarian@uny.ac.id](mailto:wipsarian@uny.ac.id), <sup>b</sup> [fika.fauzi@uny.ac.id](mailto:fika.fauzi@uny.ac.id), <sup>c</sup> [dyah.silviana2015@student.uny.ac.id](mailto:dyah.silviana2015@student.uny.ac.id),  
<sup>d</sup> [kurniasariemi@gmail.com](mailto:kurniasariemi@gmail.com), <sup>e</sup> [iman.santoso@ugm.ac.id](mailto:iman.santoso@ugm.ac.id), and <sup>f</sup> [haris.suhendar@mail.ugm.ac.id](mailto:haris.suhendar@mail.ugm.ac.id)

\* Corresponding Author

**Abstract**

Carbon nanodots (Cdots) have many unique properties such as luminescence that can be utilized in various fields. The purposes of this study are to synthesize Cdots from kangkung (*Ipomoea aquatica*) through frying and roasting techniques and compare the optical properties of the Cdots using UV-Vis, PL, and FTIR. Three stages of synthesizing process of Cdots, i.e.: preparing the kangkung powder (root, stem, leaf) and synthesizing the Cdots through frying and roasting techniques. Each part (root, stem, and leaf) was heated in an oven at 250 °C for 2 hours and mashed into powder. The frying method was done by frying 15 g of the powder in 120 ml oil for 5 minutes at 88 °C, filtered, and dissolved in n-hexane. In addition, the roasting method was done by frying the powder without oil as much as 15 g for 5 minutes, dissolved in 120 ml of distilled water, and then filtered. The UV-Vis characterization showed one absorbance peak for Cdots via frying and roasting techniques at 293 nm to 296 nm and 262 nm to 282 nm, respectively. The Cdots through frying and roasting techniques produce red and green luminescence, respectively. The FTIR characterization showed the presence of C=C and C=O functional groups, which are the core and surface state of the Cdots by frying technique, while the samples via roasting technique showed only the core. It can be concluded that the Cdots samples obtained from frying and roasting methods have different optical properties. The frying method produces Cdots with longer wavelength at the absorbance peak in the UV-Vis test compared to the roasting method. Moreover, the frying and roasting methods produce different color luminescence.

**Keywords:** Cdots, kangkung, frying technique, roasting technique

**Perbandingan Sifat Optik Carbon Nanodots Berbahan Dasar Tanaman Kangkung (*Ipomoea aquatica*) dengan Teknik Penggorengan dan Sangrai**

**Abstrak**

Carbon nanodots (Cdots) memiliki berbagai sifat unik yang bermanfaat seperti luminesens sehingga dapat dimanfaatkan dalam berbagai bidang. Tujuan dari penelitian ini adalah mensintesis Cdots berbahan dasar tanaman kangkung (*Ipomoea aquatica*) dengan teknik penggorengan dan sangrai, serta

membandingkan sifat optik Cdots menggunakan UV-Vis, PL, dan FTIR. Sintesis Cdots dibagi dalam tiga tahapan, yaitu: membuat serbuk tanaman kangkung (akar, batang, dan daun) dan mensintesis Cdots dengan teknik penggorengan dan sangrai. Pertama, tanaman kangkung dipisahkan menjadi bagian akar, batang, dan daun. Setiap bagian dipanaskan menggunakan oven selama 2 jam pada suhu 250 °C dan ditumbuk menjadi serbuk. Metode penggorengan dilakukan dengan menggoreng 15 g serbuk setiap bagian kangkung dalam 120 ml minyak goreng selama 5 menit pada suhu 88 °C, kemudian disaring dan dilarutkan dalam n-hexana. Sedangkan metode sangrai dilakukan dengan menggoreng serbuk tanpa minyak sebanyak 15 g setiap bagian kangkung selama 5 menit, kemudian dilarutkan dalam 120 ml aquades dan disaring. Sampel Cdots dari kedua teknik ini dikarakterisasi menggunakan UV-Vis, PL, FTIR. Karakterisasi UV-Vis untuk teknik penggorengan dan sangrai menunjukkan satu puncak absorpsi, masing-masing pada rentang 293 nm - 296 nm dan 262 nm - 282 nm. Karakterisasi PL untuk sampel dengan teknik penggorengan dan sangrai menghasilkan satu puncak intensitas, masing-masing pada rentang 620 nm - 750 nm dan 400 nm - 600 nm. Sampel dengan teknik penggorengan menghasilkan pendaran warna merah sedangkan sampel dengan teknik sangrai menghasilkan pendaran warna hijau. Karakterisasi FTIR untuk teknik penggorengan menunjukkan gugus fungsi C=C dan C=O yang merupakan core dan surface state dari Cdots, sedangkan teknik sangrai hanya menunjukkan core saja. Metode penggorengan menghasilkan panjang gelombang pada puncak absorpsi yang lebih besar daripada metode sangrai. Selanjutnya, kedua metode menghasilkan emisi pendaran yang berbeda.

**Kata Kunci:** Cdots, tanaman kangkung, teknik penggorengan, teknik sangrai

PACS: 78.67.-n, 78.67.Hc 11

© 2019 Jurnal Penelitian Fisika dan Aplikasinya (JPFA). This work is licensed under CC BY-NC 4.0 19

**Article History:** Received: August 23, 2019 Approved with minor revision: November 21, 2019

Accepted: December 6, 2019 Published: December 31, 2019 4

**How to cite:** Dwandaru WSB, et al. Optical Properties Comparison of Carbon Nanodots Synthesized from Kangkung Plant (*Ipomoea aquatica*) with Deep Frying and Roasting Techniques. *Jurnal Penelitian Fisika dan Aplikasinya (JPFA)*. 2019; 9(2): 123-131. DOI: <https://doi.org/10.26740/jpfa.v9n2.p123-131>. 25

## I. INTRODUCTION

One of popular technologies which is being developed in the 21<sup>st</sup> Century by several countries around the world is nanotechnology. Nanotechnology is the engineering or creation of materials, functional structures, and devices on nanometer scales [1], i.e.: 1 nm to 100 nm. This trend is believed to be in line with the increasing awareness of the society with environmentally-friendly technology, namely the higher expectation of the society to the eco-friendly or green product commodities to ensure that the product is good for humans and the environment [2].

One of product produced through nanotechnology is carbon nanodots (Cdots)[3]. Cdots are made of carbon elements that are

available and generally non-toxic in nature [4]. Some characteristics of the Cdots are namely having a size of 1 nm to 10 nm, an amorphous structure, and spherical shape [5,6]. The discovery of the Cdots has become popular topic, and they have been widely studied in the world due to their their unique size and benefits [7]. Cdots have potentials to replace semiconductor quantum dots and also can be used in a variety of applications such as biomedical imaging, analytic detection, full-color display, and light-emitting devices [8,9]. One prominent application of the Cdots is in biological application because Cdots can be made of organic materials that are easy to find and available in nature [10].

At the moment, Cdots based on environmentally friendly technology are still being under development, especially in Indonesia [11]. As Indonesia has diverse organic materials of plants and animals, it is believed to have huge potentials as the carbon sources of Cdots. In previous studies, carbon sources that have been used for synthesizing Cdots include candle soot [12], tobacco leaf [13], orange peel [14], banana juice [15], and so forth. Despite the fact that there have been several carbon sources to produce Cdots as mentioned above, there is still a need to synthesize Cdots from other carbon sources to enrich the possibility of producing Cdots. In this study, the synthesis of Cdots would use *kangkung* plants (*Ipomoea aquatica*) are used as the alternative carbon source of Cdots. *Kangkung* have roots, stems, fruits, flowers, and seeds. *Kangkung* plants are popular in tropical countries like Indonesia as green vegetables because they have a chlorophyll structure [16]. In addition, *kangkung* plants are easy to obtain, and the utilization of this plant in the area of technology needs to be explored. Furthermore, *kangkung* plants have never been utilized as the alternative carbon source for Cdots material.

Innovation in synthesis of Cdots is expected to produce Cdots materials with superior, efficient, and satisfying properties [17]. The innovation is mainly from the methods used in producing the Cdots. Different synthesis methods can produce different amount of carbon, oxygen, nitrogen, and other functional properties of the Cdots. In addition, it causes differences in carbogenic core and surface structures of the Cdots [18].

To date, the simplest methods that are used in the synthesis of Cdots are hydrothermal and microwave [1]. These methods can produce different characteristics of the Cdots. Therefore, it is interesting to study new methods in the synthesis of the Cdots using frying [19] and roasting. These

methods are simple, effective, and inexpensive, and can produce Cdots on a large scale; these methods do not require sophisticated equipment and hazardous chemicals during the synthesizing process.

Hence, the objectives of this study are to give information about preparing, synthesizing, and characterizing Cdots made of *kangkung* plants through frying [18] roasting techniques. The Cdots are characterized using UV-Vis spectrophotometer, photoluminescence (PL), and Fourier Transform Infrared spectroscopy (FTIR) to compare the optical properties of the Cdots by frying and roasting technique.

## II. METHOD

### Preparation of *kangkung* powder

Preparation of making *kangkung* powder was started by cleaning the plants by separating the parts of the plants based on their roots, stems, and leaves. Then, each part of *kangkung* was heated in an oven at 250 °C for 2 hours and then mashed using a mortar into powder. The *kangkung* powder consists of stem powder, root powder, and leaf powder.

### Synthesis of Cdots by frying technique

Synthesis of C-dots by frying technique was done by frying 15 g of stem powder in 120 ml cooking oil for 5 minutes at 88 °C. Then, the sample was filtered using a filter paper number 40 to separate the solution and the remaining powder. 5 ml of the solution was mixed with 30 ml n-hexane and stirred until homogenous. The same procedures were conducted for leaf and root powders.

### Synthesis of Cdots by roasting technique

Synthesis of C-dots by roasting technique was done by roasting 15 g of stem powder for 5 minutes. The roasted step powder was then mixed with 120 ml of distilled water. It was then stirred until homogenous and filtered to separate the



solution and the remaining powder. Then, the same procedures were conducted for leaf and root powders.

### Characterizations

#### UV-Vis spectrophotometer

The UV-Vis spectrophotometer was used to determine the wavelength of Cdots at maximum absorbance peak. The range of the wavelengths was selected from 200 nm to 800 nm. This characterization was done by preparing 5 ml of each sample solution. The n-hexane and distilled water were used for blank solutions in this characterization.

#### Photoluminescence (PL)

The PL characterization was used to determine the emission of Cdots. The result of this characterization shows the wavelength of the emission at maximum intensity. This characterization was done by preparing 5 ml of each sample solution, and there is no need for blank solution.

#### Fourier Transform Infrared (FTIR)

FTIR was used to determine the functional groups contained in the Cdots solutions. The result of this characterization shows a graph of % transmittance vs. wave number. The wave number indicates the functional groups contained in the sample. This characterization was done by testing the C-dots solution as the sample.

### III. RESULTS AND DISCUSSION

Cdots have been synthesized from *kangkung* with two different techniques, i.e.: roasting and frying techniques. The Cdots solutions by frying and roasting techniques are given in Figures 1 and 2, respectively. Based on Figure 1, the Cdots solution from the stem of *kangkung* by frying technique is turbid. This indicates that more Cdots are formed from stem of *kangkung* than other parts which have clear solutions [1]. Moreover, the Cdots solutions by frying technique are generally clearer compared to the Cdots

solution made by roasting technique. It can be observed that the Cdots solutions by roasting technique are transparent brown color solution (Figure 2). Therefore, it may be deduced that different techniques in producing Cdots produce different color solutions. This may be affected by the amount of Cdots contained in the samples. Moreover, this also indicates that the roasting technique produces the most Cdots.




Figure 1. The Cdots Solution via Frying Technique from (a) Leaf, (b) Root, and (c) Stem




Figure 2. The Cdots Solution via Roasting Technique from (a) Leaf, (b) Root, and (c) Stem

In this study, the Cdots solution is characterized using UV-Vis. The UV-Vis results show the absorbance patterns of Cdots by frying technique presented in Figure 3. The Cdots samples from leaf, stem, and root have one absorbance peak. The peak is at the range of 293-296 nm. This is in accordance to the

study that Cdots generally show optical uptake on the wavelength of UV with the tail extending on the wavelength of visible light [15,20]. Furthermore, the peaks indicate the core of Cdots [21]. Based on Figure 3, the stem of *kangkung* provides the highest absorbance peak. The higher the absorbance value, the more Cdots will be produced, indicating that the highest production of Cdots is from the stem of *kangkung* plants.




Figure 3. The Characterization Results of the Cdots by Frying Technique using UV-Vis

The results of UV-Vis test for Cdots by roasting technique is shown in Figure 4. The Cdots samples from the leaf, stem, and root have one absorbance peak in the ranges of 262-282 nm. This is in accordance with the study that shows the absorbance peak of Cdots is at 260-360 nm [18]. As in the previous result, the samples have one absorbance peak that shows the core of Cdots [21]. Moreover, the root of *kangkung* has the highest absorbance peak. This shows that the production of Cdots via the roasting technique is mostly produced from the root of *kangkung* plants.

The frying and roasting techniques produce the Cdots solutions with one absorbance peak in different ranges of wavelength. The Cdots by frying technique has longer wavelength at the absorbance peak

compared to the Cdots by roasting technique. The results from the UV-Vis tests show that the absorbance peaks of the Cdots via frying and roasting are obtained at 293-296 nm and 262-282 nm, respectively. This clearly shows that the absorbance peak of the Cdots by frying is located at longer wavelength compared to the Cdots via roasting. The absorbance peak is attributed to the  $\pi \rightarrow \pi^*$  electronic transitions or excitation of the core of Cdots [15,21].




Figure 4. The Characterization Results of the Cdots by Roasting Technique using UV-Vis

The next characterization was using PL to determine the emission of the Cdots. The PL detects the electronic transitions from the excitation to ground states and show it on a graph of intensity vs. emission wavelength. The result of PL for the Cdots by frying technique is presented in Figure 5. The samples of Cdots by frying technique have two intensity peaks in the ranges of 674-677 nm and 500-510 nm, respectively. This means that the Cdots solution emits red and green colors, respectively [15,22]. According to Li *et al* the red emission indicates the porphyrin structures contained in the sample [22], which is the surface state of the Cdots and the green emissions indicates the core of the Cdots. Based on Figure 5, the Cdots made of the stem of *kangkung* has the highest intensity peak of

emissions showing that the electronic transition from the excited to ground states are mostly produced by the s<sup>23</sup> of *kangkung* [15]. This is in accordance with the results of UV-Vis tests.





Figure 5. The Characterization Results of the Cdots by Frying Technique using PL


The results of the PL characterization for the samples of Cdots by roasting technique are presented in Figure 6. The Cdots have an intensity peak in the range of 511-519 nm, so that the Cdots emit green color [15,21,23,24]. Based on Figure 6, the highest intensity peak of emission is obtained by Cdots from the leaf of *kangkung* plants which indicates that the particles of Cdots from the stem of *kangkung* are mostly the transition from the excited to ground states [15]. The frying and roasting techniques produce different color emissions. The Cdots produced by frying technique emit red and green colors, while the Cdots by roasting technique only emit green color; different synthesis methods will produce different characteristics of the Cdots produced. The difference in the procedure brings forth different Cdots properties, one of which is the luminescence color.

1 The final characterization was using FTIR to determine the functional groups contained in the Cdots. The result of FTIR shows the relation of transmittance and wave

number. Every functional group has different wave number that depends on the vibration and absorption of infrared energy. The results of FTIR tests for Cdots by frying technique made of the leaf, stem, and root are presented in Figure 7. Based on Figure 7, the functional groups that can be identified from the samples are C=C, C=O, C-H and O-H [15,25]. The presence of C=C indicates the core of Cdots [1,26]. The C=O bonds in the results of FTIR tests show the surface state of Cdots material [26]. The C=O functional groups confirm the red color luminescence exhibited from the Cdots by frying technique.




12  
Figure 6. The Characterization Results of the Cdots by Roasting Technique using PL



12  
Figure 7. The Characterization Results of the Cdots by Frying Technique using FTIR





30  
Figure 8. The Characterization Results of the Cdots by Roasting Technique using FTIR

Figure 8 is the FTIR result of Cdots by roasting technique. The functional groups that can be identified from the samples are C=C, O-H, and C-O. The presence of these functional groups of O-H, C-O and C=C indicates successful synthesis of Cdots [27-29], and the presence of C=C also indicates the core of Cdots [1,26]. In addition, there is also another functional group around 2300  $\text{cm}^{-1}$  which belongs to  $\text{C}\equiv\text{N}$ . The Cdots solutions from *kangkung* are successfully synthesized through frying and roasting techniques containing C=C bond that forms the core of Cdots. Moreover, the frying technique produces higher percentage of transmittance of C=C bonds compared to the roasting technique, i.e.: 75 % and 20 %, respectively. This means that the absorbance of the Cdots with frying technique is lower than the Cdots with roasting technique.

Based on the discussion, the frying and roasting techniques can produce Cdots with different optical properties. Both of these methods are simple, inexpensive, non-toxic, and can produce Cdots massively. Therefore, this study contributes to the many Cdots preparation with alternative procedures which gives impact the way Cdots are massively produced.

#### IV. CONCLUSION

Cdots have been synthesized from *kangkung* plants with frying and roasting techniques. The Cdots have been characterized using UV-Vis, PL, and FTIR. Cdots samples obtained from frying and roasting techniques have different optical properties. The frying technique produces Cdots with longer wavelength at the absorbance peak in the UV-Vis test compared to the roasting technique. Moreover, the frying and roasting techniques produce different luminescence colors, namely red and green, respectively. The FTIR characterization shows the presence of C=C and C=O which are the core and surface state of the Cdots by frying technique, while the samples by roasting technique show only the core of Cdots. Further studies can be conducted by providing additional characterizations such as TEM or DLS which are important to further verify the existence of the Cdots material in the samples.

#### 6 ACKNOWLEDGMENT

The authors would like to thank the Department of Physics Education, Faculty of Mathematics and Natural Sciences, Universitas Negeri Yogyakarta for supporting this research.

#### REFERENCES

- [1] Dwandaru WSB, Bilqis SM, Wisnuwijaya RI, and Isnaeni. Optical Properties Comparison of Carbon Nanodots Synthesized from Commercial Granulated Sugar Using Hydrothermal Method and Microwave. *Materials Research Express*. 2019; 6(10): 105041. DOI: <https://doi.org/10.1088/2053-1591/ab3952>.
- [2] Djojosuwit S. *Azolla: Pertanian Organik dan Multiguna*. Yogyakarta: Kanisius; 2000.
- [3] Liu XJ, Guo ML, Huang J, and Yin XY. Improved Fluorescence of Carbon Dots Prepared from Bagasse under Alkaline



- Hydrothermal Conditions. *BioResources*. 2013; 8(2): 2537-2546. Available from: [https://ojs.cnr.ncsu.edu/index.php/BioRes/article/view/BioRes\\_08\\_2\\_2537\\_Liu\\_Fluorescence\\_Carbon\\_Dots](https://ojs.cnr.ncsu.edu/index.php/BioRes/article/view/BioRes_08_2_2537_Liu_Fluorescence_Carbon_Dots).
- [4] Bhattacharya S, Sarkar R, Chakraborty B, Porgador A, and Jelinek R. Nitric Oxide Sensing through Azo-Dye Formation on Carbon Dots. *ACS Sensors*. 2017; 2(8): 1215-1224. DOI: <https://doi.org/10.1021/acssensors.7b00356>.
- [5] Georgakilas V, Perman JA, Tuce J, and Zboril R. Broad Family of Carbon Nanoallotropes: Classification, Chemistry, and Applications of Fullerenes, Carbon Dots Nanotubes, Graphene, Nanodiamonds, and Combined Superstructures. *Chemical Reviews*. 2005; 115(11): 4744-4822. DOI: <https://doi.org/10.1021/cr500304f>.
- [6] Bao L, Liu C, Zhang ZL, and Pang DW. Photoluminescence-Tunable Carbon Nanodots: Surface-State Energy-Gap Tuning. *Advanced Materials*. 2015; 27(10): 1663-1667. DOI: <http://doi.org/10.1002/adma.201405070>.
- [7] Niu J, Gao H, Wang L, Xin S, Zhang GY, Wang Q, Guo L, Liu W, Gao X, and Wang Y. Facile Synthesis and Optical Properties of Nitrogen-Doped Carbon Dots. *New Journal of Chemistry*. 2013; 38(4): 1522-1527. DOI: <http://dx.doi.org/10.1039/C3NJ01068F>.
- [8] Bao YW, Hua XW, Li YH, Jia HR, and Wu FG. Hyperthermia Promoted Cytosolic and Nuclear Delivery of Coppercarbon Quantum Dot-Crosslinked Nanosheets: Multimodal Imaging-Guided Photothermal Cancer Therapy. *ACS Applied Materials and Interfaces*. 2018; 10(2): 1544-1555. DOI: <https://doi.org/10.1021/acsmi.7b15332>.
- [9] Wang L, Haoran Z, Zhou X, Liu Y, and Lei B. A Dual-Emitting Core-Shell Carbon Dot-Silica-Phosphor Composite for LED Plant Grow Light. *RSC Advances*. 2017; 7(27): 16662-16667. DOI: <https://doi.org/10.1039/C7RA00227K>.
- [10] Suzuki K, Malfatti L, Takashi M, Carboni D, Messina F, Tokudome Y, Takemoto M, and Innocenzi P. Design of Carbon Dots Photoluminescence Through Organofunctional Silane Grafting for Solid-State Emitting Devices. *Scientific Reports*. 2017; 7: 5469. DOI: <https://doi.org/10.1038/s41598-017-05540-5>.
- [11] Hasan MH, Mahlia TMI, and Nur H. A Review on Energy Scenario and Sustainable Energy in Indonesia. *Renewable and Sustainable Energy Reviews*. 2012; 16(4): 2316-2328. DOI: <https://doi.org/10.1016/j.rser.2011.12.007>.
- [12] Liu H, Ye T, and Mao C. Fluorescent Carbon Nanoparticles from Candle Soot. *Angewandte Chemie International Edition*. 2007; 46(34): 6473-6475. DOI: <https://doi.org/10.1002/anie.200701271>.
- [13] Dewi ARC, Aji MP, and Sulhadi. Absorbance Spectrum Carbon Nanodots (C-Dots) Daun Tembakau. *Proceedings of Seminar Nasional Fisika SNF 2016*. Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Negeri Jakarta. 2016; 5: 129-134. Available from: <http://journal.unj.ac.id/unj/index.php/prosidingnsnf/article/view/4182>.
- [14] Fatimah S, Isnaeni I, and Tahir D. Assisted Surface-state Recombination of Orange-peel Carbon Nanodots in Various Matrices. *Makara Journal of Science*. 2018; 22(1): 29-34. DOI: <https://doi.org/10.7454/mss.v22i1.8301>.
- [15] De B and Karak N. A Green and Facile Approach for the Synthesis of Water Soluble Fluorescent Carbon Dots from Banana Juice. *RSC Advances*. 2013; 3(22): 8286-8290. DOI: <http://dx.doi.org/10.1039/C3RA00088E>.
- [16] Haryoto. *Bertanam Kangkung Raksasa di Pekarangan*. Yogyakarta: Kanisius; 2009.
- [17] Arsalani N, Nezhad-Mokhtari P, and Jabbari E. Microwave-Assisted and One-Step Synthesis of PEG Passivated Fluorescent Carbon Dots from Gelatin as an Efficient Nanocarrier for Methotrexate Delivery.

- Journal Artificial Cells, Nanomedicine, and Biotechnology*. 2019; 47(1): 540-547. DOI: <https://doi.org/10.1080/21691401.2018.1562460>.
- [18] Soni S and Loi MA. *Luminescent Carbon Dots: Characteristics and Applications*; 2016. Available from: [https://www.rug.nl/research/zernike/education/topmasternanoscience/ns190\\_soni.pdf](https://www.rug.nl/research/zernike/education/topmasternanoscience/ns190_soni.pdf).
- [19] Fadli AL. *Sintesis dan Karakterisasi Nanomaterial Carbon Dot, Carbon-Dot/Sulfur, dan Carbon-Dot/Silver Nanoparticle Berbahan Dasar Buah Namnam (Cynometra cauliflora L) dengan Metode Penggorengan Berbasis Minyak*. Undergraduate Thesis. Unpublished. Yogyakarta: Universitas Negeri Yogyakarta; 2018.
- [20] Sun YP, Zhou B, Lin Y, Wang W, Fernando, KAS, Pathak P, Mezziani MJ, Harruff BA, Wang X, Wang H, Luo, PG, Yang H, Kose ME, Chen B, Veca LM, and Xie SY. Quantum-Sized Carbon Dots for Bright and Colorful Photoluminescence. *Journal of the American Chemical Society*. 2006; 128(24): 7556-7757. DOI: <https://doi.org/10.1021/ja062677d>.
- [21] Mewada A, Vishwakarma R, Patil B, Phadke C, Kalita G, Sharon M, and Sharon M. Non-Blinking Dendritic Crystal from C-Dots Solution. *Carbon Letters*. 2015; 16(3): 211-214. DOI: <http://dx.doi.org/10.5714/CL.2015.16.3.211>.
- [22] Li L, Zhang R, Lu C, Sun J, Wang L, Qu B, Li T, Liu Y, and Li S. In Situ Synthesis of NIR-Light Emitting Carbon Dots Derived from Spinach for Bio-Imaging Applications. *Journal of Materials Chemistry B*. 2017; 5(35): 7328-7334. DOI: <http://doi.org/10.1039/C7TB00634A>.
- [23] Wu H, Zhou F, Zhu Z, and Chen Y. On the Distance Spectrum Assignment in Elastic Optical Networks. *Journal IEEE/ACM Transactions on Networking (TON)*. 2017; 25(4): 2391-2404. DOI: <http://dx.doi.org/10.1109/TNET.2017.2685688>.
- [24] Wang L, Zhu SJ, Wang HY, Qu SN, Zhang YL, Zhang JH, and Sun HB. Common Origin of Green Luminescence in Carbon Nanodots and Graphene Quantum Dots. *ACS Nano*. 2014; 8(3): 2541-2547. DOI: <https://doi.org/10.1021/nn500368m>.
- [25] Himaja AL, Karthik PS, and Singh SP. Carbon Dots: The Newest Member of the Carbon Nanomaterials Family. *The Chemical Record*. 2015; 15(3): 595-615. DOI: <http://doi.org/10.1002/tcr.201402090>.
- [26] Zhang J, Wang H, Xiao Y, Tang J, Liang C, Li F, Dong H, and Xu W. A Simple Approach for Synthesizing of Fluorescent Carbon Quantum Dots from Tofu Wastewater. *Nanoscale Research Letters*. 2017; 12: 611. DOI: <https://doi.org/10.1186/s11671-017-2369-1>.
- [27] Campos BB, Contreras-Caceres R, Bandosz TJ, Jimenez-Jimenez J, Rodriguez-Castellon E, Esteves da Silva JCG, and Algarra M. Carbon Dots as Fluorescent Sensor for Detection of Explosive Nitrocompounds. *Carbon*. 2016; 106: 171-178. DOI: <https://doi.org/10.1016/j.carbon.2016.05.030>.
- [28] V R, Gujar V, Pathan H, Islam S, Tawre M, Pardesi K, Santra MK, and Ottoor D. Bioimaging Applications of Carbon dots (C. dots) and its Cystamine Functionalization for the Sensitive Detection of Cr(VI) in Aqueous Samples. *Journal of Fluorescence*. 2019; 29: 1381-1392. DOI: <https://doi.org/10.1007/s10895-019-02448-3>.
- [29] Shukla D, Pandey FP, Kumari P, Basu N, Tiwari MK, Lahiri J, and Parmar AS. Label-Free Fluorometric Detection of Adulterant Malachite Green Using Carbon Dots Derived from the Medicinal Plant Source Ocimum tenuiflorum. *Chemistry Select*. 2019; 4(17): 4839-4847. DOI: <http://dx.doi.org/10.1002/slct.201900530>.

## ORIGINALITY REPORT

13%

SIMILARITY INDEX

8%

INTERNET SOURCES

10%

PUBLICATIONS

3%

STUDENT PAPERS

## PRIMARY SOURCES

1	<a href="http://eprints.uny.ac.id">eprints.uny.ac.id</a> Internet Source	1%
2	"The Effectiveness of Problem Based Learning and Aptitude Treatment Interaction in Improving Mathematical Creative Thinking Skills on Curriculum 2013", European Journal of Educational Research, 2020 Publication	1%
3	Wipsar Sunu Brams Dwandaru, Silma Maulana Bilqis, Rhyko Irawan Wisnuwijaya, Isnaeni. "Optical properties comparison of carbon nanodots synthesized from commercial granulated sugar using hydrothermal method and microwave", Materials Research Express, 2019 Publication	1%
4	<a href="http://chemistry-europe.onlinelibrary.wiley.com">chemistry-europe.onlinelibrary.wiley.com</a> Internet Source	1%
5	Bodhisatwa Das, Pallabi Pal, Prabhash Dadhich, Joy Dutta, Santanu Dhara. "In vivo cell	1%

tracking, ROS scavenging and antioxidative gene downregulation by long-term exposure of biomass-derived carbon dots", ACS Biomaterials Science & Engineering, 2018

Publication

---

6

Wipsar Sunu Brams Dwandaru, Lia Desi Parwati, Rhyko Irawan Wisnuwijaya. "Formation of graphene oxide from carbon rods of zinc-carbon battery wastes by audiosonic sonication assisted by commercial detergent", Nanotechnology and Precision Engineering, 2019

1%

Publication

---

7

I Ketut Agus Putra Dana, Puthut Dwi Jatmiko, Edi Suharyadi, Iman Santoso. "A compact modular multi-wavelength (200-850nm) rotating-analyzer ellipsometer for optical constant characterization of nanostructured materials", European Journal of Physics, 2020

1%

Publication

---

8

Himawan Putranta, Yusman Wiyatmo, X X Supahar, Wipsar Sunu Brams Dwandaru. "A simple liquid density measuring instrument based on Hooke's law and hydrostatic pressure", Physics Education, 2020

1%

Publication

---

9

Barney P Caton. "Simulating seed reserve

<1%



mobilization and seedling growth of rice in  
DSRICE1", Field Crops Research, 200206

Publication

10

[repository.ar-raniry.ac.id](https://repository.ar-raniry.ac.id)

Internet Source

<1%

11

Submitted to Universitas Negeri Surabaya The  
State University of Surabaya

Student Paper

<1%

12

Bernardo, C. A., Simões, C. L. and Xará, S. M..  
"Evaluating the interest of making a road safety  
device with recycled plastics by LCA", Veritati -  
Repositório Institucional da Universidade  
Católica Portuguesa, 2011.

Publication

<1%

13

Cristina Gutiérrez-Sánchez, Mónica Mediavilla,  
Tamara Guerrero-Esteban, Mónica Revenga-  
Parra et al. "Direct covalent immobilization of  
new nitrogen-doped carbon nanodots by  
electrografting for sensing applications",  
Carbon, 2020

Publication

<1%

14

[repository.usu.ac.id](https://repository.usu.ac.id)

Internet Source

<1%

15

"Handbook of Nanofibers", Springer Science  
and Business Media LLC, 2019

Publication

<1%

16

Guanying Chen, Hailong Qiu, Paras N. Prasad, Xiaoyuan Chen. "Upconversion Nanoparticles: Design, Nanochemistry, and Applications in Theranostics", Chemical Reviews, 2014

Publication

<1%

17

Libin Tang, Rongbin Ji, Xiangke Cao, Jingyu Lin et al. "Deep Ultraviolet Photoluminescence of Water-Soluble Self-Passivated Graphene Quantum Dots", ACS Nano, 2012

Publication

<1%

18

[jurnal.uns.ac.id](http://jurnal.uns.ac.id)

Internet Source

<1%

19

[jkais99.org](http://jkais99.org)

Internet Source

<1%

20

Vaibhavkumar N. Mehta, Shiva Shankaran Chettiar, Jigna R. Bhamore, Suresh Kumar Kailasa, Ramesh M. Patel. "Green Synthetic Approach for Synthesis of Fluorescent Carbon Dots for Lisinopril Drug Delivery System and their Confirmations in the Cells", Journal of Fluorescence, 2016

Publication

<1%

21

Arianto Leman Soemowidagdo, Tiwan, Widarto, Aan Ardian. "Spiral finned crucible pot", AIP Publishing, 2018

Publication

<1%

22 Shaojing Zhao, Minhuan Lan, Xiaoyue Zhu, Hongtao Xue, Tsz-Wai Ng, Xiangmin Meng, Chun-Sing Lee, Pengfei Wang, Wenjun Zhang. "Green Synthesis of Bifunctional Fluorescent Carbon Dots from Garlic for Cellular Imaging and Free Radical Scavenging", ACS Applied Materials & Interfaces, 2015

Publication

<1%

23 Zheng Ma, Yong-Lai Zhang, Lei Wang, Hai Ming, Haitao Li, Xing Zhang, Fang Wang, Yang Liu, Zhenhui Kang, Shuit-Tong Lee. "Bioinspired Photoelectric Conversion System Based on Carbon-Quantum-Dot-Doped Dye–Semiconductor Complex", ACS Applied Materials & Interfaces, 2013

Publication

<1%

24 Xiaobo Chen, Samuel S. Mao. "Titanium Dioxide Nanomaterials: Synthesis, Properties, Modifications, and Applications", Chemical Reviews, 2007

Publication

<1%

25 [ejournals.epublishing.ekt.gr](http://ejournals.epublishing.ekt.gr)

Internet Source

<1%

26 [jurnal.untan.ac.id](http://jurnal.untan.ac.id)

Internet Source

<1%

27 Rhyko Irawan Wisnuwijaya, Agus Purwanto,

<1%

Wipsar Sunu Brams Dwandaru. "UV-Visible Optical Absorbance of Graphene Oxide Synthesized from Zinc-Carbon Battery Waste via a Custom-Made Ultrasound Generator based on Liquid Sonication Exfoliation Method", Makara Journal of Science, 2017

Publication

28

[cora.ucc.ie](https://cora.ucc.ie)

Internet Source

<1%

29

[koreascience.or.kr](https://koreascience.or.kr)

Internet Source

<1%

30

D. Belver, J. Boix, E. Calvo, C. Cuesta et al. "A light calibration system for the ProtoDUNE-DP detector", Journal of Instrumentation, 2019

Publication

<1%

Exclude quotes Off

Exclude matches Off

Exclude bibliography On